LOAN DOCUMENT LEVEL EVENTORY estreution statement a Approved for public release, D Distribution Unitariled DISTRIBUTION STATEMENT JUSTIFICATION W H AVAILABILITY APPORT SPECIAL DATE ACCESSIONED B-1 A DISTRIBUTION STAMP R E DATE RETURNED. 91-10318 005 91 9 11 DATE RECEIVED IN DTIC REGISTERED OR CERTIFIED NUMBER PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC DTIC FORE 70A

DOCUMENT PROCESSING SHEET LOAN DOCUMENT

PREVIOUS EDITIONS MAY SE USED UNTIL STOCK IS EXHAUSTED.

OPERATING LOCATION - A USAFETAC

Air Weather Service (MAC)



MSG #722730 KFHU HERNITED SURFACE OBSTRVATION CLIMATIC SUMMARY "LISOCS"

路1路V 4664 FT W 110 20 FT HUACHUCA AZ N 31 35 W 1

HOURS SUMMARIZED: 0600 - 2200 LST PERIOD OF RECORD: HOURLY OBSERVATIONS: SEP 76 - AUG 86 SUMMARY OF DAY DATA: NONE. PARTS 1

TIME CONVERSION GMT TO LST

Approved for public release; Distribution Unlimited."

FEDERAL BUILDING

ASHEVILLE, N.C. 28801 - 2723

REVIEW AND APPROVAL STATEMENT

USAFETAC/DS-91/105, Limited Surface Observations Climatic Summary (LISOCS) for Ft Huachuca, AZ, has been reviewed and is approved for public release. There is no objection to unlimited distribution of this document to the public at large, or by the Defense Technical Information Center (DTIC) to the National Technical Information Service (NTIS).

FOR THE COMMANDER

WALTER S. BURGMANN

Scientific and Technical Information

Program Manager

REPORT DOCUMENTATION PAGE

- 2. Report Date: Dec 1986
- 3. Report Type and Dates Covered: Data Summary (LISOCS) Sep 76-Aug 86
- 4. <u>Title:</u> Limited Surface Observations Climatic Summary for Ft Huachuca, AZ, MSC 722730
- 7. <u>Performing Organization Name and Address:</u> Operating Location A, USAF Environmental Technical Applications Center (OL-A, USAFETAC), Federal Building, Asheville, NC 28801-2723
- 8. Performing Organization Report Number: USAFETAC/DS--91/105
- 12. <u>Distribution/Availability Statement:</u> Approved for public release; distribution is unlimited.
- 13. <u>Abstract:</u> A Limited Surface Observations Climatic Summary (LISOCS) for Ft Huachuca, AZ. See USAFETAC/TN-83/001 (AD-132186) for a complete dec_iption of the RUSSWO and its contents, as well as instructions for use.
- 14. Subject Terms: CLIMATOLOGY, WEATHER, WEATHER STATIONS, WEATHER OBSERVATIONS, STATISTICS, METEOROLOGICAL PHENOMENA, ATMOSPHERIC PRESSURE, PRECIPITATION, VISIBILITY, WIND, CLOUD, CLOUD CEILING, SKY COVER, PSYCHROMETRIC DATA, TEMPERATURE, RELATIVE HUMIDITY, ARIZONA, FORT, HUACHUCA
- 15. Number of Pages: 332
- 17. Security Classification of Report: Unclassified
- 18. Security Classification of this Page: Unclassified
- 19. Security Classification of Abstract: Unclassified
- 20. Limitation of Abstract: UL

Standard Form 298

Henry M. Formitain

I HAVE REVIEWED AND FOUND SATISFACTORY THIS PRODUCT

P

3

The number that identifies the station in this summary is an AWS Master Station Catalog number. This number is comprised of the was number is comprised of the wmo number. Lin the addition of a suffix zero; or, in cases where there is no designated wmo number, a 5-digit number created in agreement with wmo rules; plus a sixth qualifying digit. These numbers (also referred to as DATSAV or USAFETAC numbers) uniquely identify each of more than 15,000 reporting stations around the world. This is the provenance of the number (e.g., MSC 999999) which will appear on future OL-A standard products.

OPERATING LOCATION "A" ASHEVILLE NC USAFETAC,

the state of the s

LIMITED SURFACE OBSERVATIONS CLIMATIC SUMMARIES (rrsocs)

Control of the control of the state of the state of the control of the state of the

•

-:

A RUSSWO-like set of summaries of hourly observations for the station's normal operating hours; Hourly Observations: Those record or record-special observations recorded at established hourly intervals. General Comments: DEFINITION:

- The hourly data are screened to exclude extraneous or occasional hours outside the normal observing hours.
- A brief description preceeds each summary. 5
- Those values are Summaries containing "TOTALS" and "ALL HOURS" are only from the hours summarized. representative only for the operating hours.
- The monthly and annual "ALL HOURS" summaries are not presented because they are not representative, and would result in meaningless or blased values.
- There are no "Sky Cover" nor "Sea Level Pressure" summaries for METAR stations.

2 "Station History" AWS Form Table of Contents:

Weather Conditions Part 1:

Surface Winds Part 2:

Ceiling Versus Visibility, Sky Cover Part 3:

Daily High, Low, Mean Temperatures; Max High and Min Low Temperatures; Psychrometric Tables; Mean and Standard Deviation of Temperatures; Relative Humidity Part 4:

Station Pressure; Sea Level Pressure у. • Part

All summaries having diurnal variations are summarized in 3-hour periods corresponding to the following sets of hourly observations and limited to normal observation reporting hours (LST): Standard 3-Hour Groups:

1800-2000 1500-1700 2100-2300 1200-1400 0300-0500 0000-0500 0600-0800 0900-1100

See hours summarized on Note that the first and last hour groups may or may not contain all three hours, front cover to determine which hours are included in these two hour groups.

FT HUACHUCA AZ ESTIMATED SUMMARY OF DAY DATA

WINDS PEAK GUSTS	51	49	57	57	57	53	72	56	45	45	52	53	57	1.5
MIN MON	0	0	0	0	0	0	0	0	0	0	0	0	0	30
ALL MEAN MON	-	-4	7	*	0	0	0	0	0	#	ч	7	7	30
SNOWFALL MAX ME, MON MO)	10	1.0	7	4	0	0	0	0	0	7	'n	18	18	30
MAX 24HR	ო	'n	9	ო	0	0	9	0	0	7	ιΛ	12	12	30
N MIN MON	0	0	0	0	0	0	1.3	4.	#	0	0	0	0	30
PRECIPITATION MAX MEAN MON MON	9.	9.	.7	e.	.2	4.	4.1	3.5	2.0	1.2	5.	6.	15.0	30
PRECII MAX MON	2.6	2.2	2.4	1.0	9.	1.3	8.9	8.1	7.5	5.5	2.2	5.0	8.9	30
MAX 24HR	6.	1.4	1.0	.7	7.	φ.	2.3	2.5	2.4	2.1	1.4	1.6	2.5	30
ATURE MIN	6	14	18	24	34	48	58	55	77	30	18	∞	ω	30
TEMPERATURE MAX MIN	81	84	85	91	100	104	102	86	100	76	98	79	104	30
MONTH	:AN	FEB	MAR	APR	MAY	JUN	JUL	A.UG	SEP	CCT	NOV	DEC	ANN	YEARS

NOTE: # INDICATES LESS THAN THE AMOUNT INDICATED IN THAT COLUMN. ALL TEMPERATURES ARE IN DEGREES FAHRENHEIT AND THE PRECIPITATION/SNOWFALL AMOUNTS ARE IN INCHES.

FT HUACHUCA AZ DAYS WITH

(

The world the second of the

F0G	MEASURABLE PRECIPITATION 5	THUNDERSTORMS	MEASURABLE SNOWFALL 1	SNOW COVER
) 4		: #	- -	ч н
4		**	7	#
7		1	#	#
ч		7	0	0
e		Ŋ	0	0
15		20	0	0
12		18	0	0
7		æ	0	0
7		2	***	0
က		#	**	#
4		#	ı	г
99		56	4	ო
30		30	30	30

THE LACK OF SUMMARY OF DAY DATA PRECLUDES A COMPLETE CLIMATIC BRIEF, HOWEVER THE DATA PRESENTED HERE WERE OBTAINED FROM SEVERAL SOURCES AND COMBINED BY A CLIMATOLOGIST.

٢	TATION	STATION NO. OF SUMMARY STATION NAME	C STATION MANE								
ا المنظمة	722730	730	FORT HUACHUCUA/LIBBY AAF AZ		CATITUDE N 31	35	цонеттори W 110 20.	4664		DHA NOIS TOYS	BANDA ORA
	; · · · · · · · · · · · · · · · · · · ·		STATION LOCATIC	N	ND	ISTRU	MENT	ON AND INSTRUMENTATION HISTORY	HIST(ORX	
	NUMBER OF		GEOGRAPHICAL LOCATION & NAME	TYPE 0F	AT THIS LOCATION	OCATION	LATITUDE	LONGITUDE	_	ELEVATION ABOVE WSL.	0083
-1	LUCALIUM	,		STATION	FROM	10		,	ינופרס (ניג)	HT. BARO.	(DAT)
	H	Fort Huac Sig Corps	Fort Huachuca AZ (AEPG) Sig Corps	ASC	Oct 54	Dec 58	N 31 34	W 110 20	4666	Ä	2.7
	N M	Same	(Str. Closed Tr.)		Jan 59		N 31 35	W 110 20			7
	4 10	Libby AAE,	Ft Huachuca	ASC	Sep 72	Mar 82	Same	Same	4664	22	12-18
	ø	Same	, L	Same	Apr 82	Aug 86	Same	Same	4664	4684	TSVBQ)
							,————	÷ ÷	<u> </u>	·	
		<u> </u>						हैं द⊕ से	· · · · · · · · ·		بر يدة يندي
		`			^					guel.	ű à
-						,			, , , , , , , , , , , , , , , , , , , ,		
					,			-		•	چېچىدىنىن
<u> </u>	NUMBER OF	NTE OF	SURFACE WIND EQUIPMENT		INFORMATION						
ا ت	LOCATION	9	LOCATION		TYPE OF TRANSMITTER	TYPE OF RECORDER	HT ABOVE GROUND	REMARKS, ADD	JITIOMAL EOUIPN	(ENT: ON REA	REMARKS, ADDITIONAL COUIPMENT; OR REASON FOR CHANGE
		Oct 54 to	Not Available		AN,	 	App			<u>;</u> ;	
		Jan 69			بخ اقع =		77 77				
		Sep 72	Located near Touch down po Rnwy 29	oint	Same	RO-362	. 7 £t				
-											
					·*····						
1		FORM									

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

رد الريسيد فيمادك ماديات كالمحامد فالمطفيلات ماد عار عالمعطيك بالمرد وماسكس فإسلالكالمالي فالإدارة فالاحد

WEATHER CONDITIONS

The state of the second second

ART 1.

This summary is a percentage frequency occurrence of various atmospheric phenomena and obstructions to vision, derived from hourly observations, and is presented by month by the available 3-hour groups,

Thunderstorns -- All reported occurrences of thunderstorm, tornado, and waterspout.

Rain and/or drizzle -- All liquid precipitation, falling to the ground, not freezing.

Freezing rain and/or freezing drizzle (glaze) -- Precipitation falling in liquid form, but freezing on contact with an unheated surface Snow and/or sleet (ice pellets) -- Included are snow, snow pellets, sleet, snow grains, ice crystals, and ice (Snow pellets also known as soft hail.) pellets.

Hail--Occurrences of hail.

Since more than one type of precipitation may be reported in the same observation, the sum of the individual categories may exceed the percentage of the observations with precip. Percentage of observations with precipitation-Included in this category are the observations when one or more of the above phenomena occurred.

Fog -- Included are fog, ice fog, and ground fog.

Smoke and/or haze--Occurrences of smoke, haze, or combinations of smoke and haze are included.

Blowing snow--Occurrences of blowing snow.

Dust and/or sand -- Included are blowing dust, blowing sand, and dust,

Blowing spray -- This item if reported, is not shown in a separate category on this form but is included in the computation Percentage of Chservations with Obstructions to Vision, below, Percentage of observations with obstructions to vision—Included in this category are the observations when Since more than one type of obstruction may be reported in the same observation, the sums of the individual categories may exceed the percentage total vision for purposes of this summary; therefore, the percentage total of obstructions to vision need not Also, although precipitation may reduce visibility, it is not considered an obstruction to one or more of the above obstructions to vision occurred. reflect the total observations with reduced visibility.

Continued on Reverse

For METAR stations beginning Jan 68 and Synoptic reporting stations, only the highest order of atmospheric phenomena was reported, recorded on the AWS Forms 10a, and transmitted longilne. Beginning Jan 70, reporting procedures the summaries for WETAR, and Synoptic reporting stations are highly questionable in the hourly summaries. This primarily effects the obstruction to vision columns, but may also have minor effects For example, if the observation consisted of rain, fog and smoke, only the rain was trans-METAR stations recorded all atmospheric phenomena on the AWS Form 10a, but transmitted longithe only the Because of these Our data base, as a result, contains only rain for that observation. on the precipitation columns. mitted longline. highest order. NOTE:

2. When the value of ".0" appears in the summaries, it represent one or more occurrences amounting to less than .05 percent.

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC FT HUACHUCA AZ STATION NAME 722730 STATION

77-86

AON A

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

				<u> </u>								 ~
TOTAL NO. OF OBS.			A.7 ft	0.14	816	760	600	84 85 84		-	-	4020
N OF OBS			3.5	T 0 %,	200	1.0	ය දැ	67 57	-			ಲಾ ನಚ
AND/OR SAND	-	Į Į										
SNOWING												
SMOKE AND/OR HAZE												
50			3.1	3.1	20.00	1.8	<i>အ</i> လ	2.3				2.5
S OF OBS WITH PRECIP.			សួ	9 . 4	ខ្ម	7 • 4	7.1	6,3				9•9
HAIL						.1						0.
SNOW AND/OR SLEET			9	1.2	.,	٥.	7 · U	Đ				30
FREEZING RAIN & /OR DRIZZLE												
RAIN AND/OR DRIZZLE			4.9	5.0	5.8	9•9	6.7	6.5				6.4
THUNBER. STORMS				2.	.2	w.	ις.	٠ س				-2
HOURS (L.S.T.)	30-ún	03-05	80-90	09-11	12-14	15-17	18-20	21-23				
MONTH	JAN											TOTALS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ STATION NAME 722730 STATION

77-86

FE CONTRACTOR

PERCENTAGE FREQUENCY OF OCCURRENCE OF MEATHER CONDITIONS FROM HOURLY OBSERVATIONS

		1	- 15	- 1	- 1	- 1	- 1	, 1	<u> </u>	1	1	
TOTAL NO. OF			614	762	766	719	502 5	341				3784
N OF OBS WITH OBST TO VISION			2.3	6	e •	e	<u> </u>	ე•				1.0
DUST AND/OR SAND												
WONS SNOW												
SMOKE AND/OR HAZE												
700			2.3	٥٠	8	-8	S	9•				1.0
N OF OBS WITH PRECIP.				3.0	3.7	2007	6.0	6.2				\$ • tı
HAIL												
SNOW AND/OR SLEET			7.	6.	1.3	1.1	1.2	6•				1.0
FREEZING RAIN & JOR DRIZZLE												
RAIN AND/OR DRIZZLE			2.9	2.2	3.0	3.9	5 • 3	5 € N				3.8
THUNDER. STORMS				4.	5,	. 1	4.5	• 6				η•
HOURS (L.S.T.)	30-00	03-05	80-90	09-11	12-14	15-17	18-20	21-23				
MONTH	FEB											TOTALS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

I

FT HUACHUCA AZ 722730 STATION

77-86

MAR

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

·	-		- 1	-							
1000 1000 1000 1000			707	ឧ៤៣	1.98	900	677	396			4305
N OF OBST WITH OBST TO VISION			1.7	- i	၁		•1				æ
AND/OR SAND			20.	3.	5						લ
SNOW											
SMOKE AND/OR HAZE			\$	۲.							• 1
509			1.0	8.	23		• 1				3
X OF OBS WITH PRECIP.			4 . 5	3.8	2.6	2.7	3.7	D • 17			3.6
HAIL											
SNOW AND/OR SLEET			8	1.0	6.	e-i	.3	ທຸ			9•
FREEZING RAIN & /OR DRIZZLE											
RAIN AND/OR DRIZZLE			3.8	2.9	2.1	2.6	3.5	3 • 5			3.1
THUNDER. STORMS				**	•2	.2	7.				• 2
HOURS (L.S.T.)	0.0-02	03-05	80-90	09-11	12-14	15-17	18-20	21-23			
MONTH	MAR										TOTALS

A Market Street Charles

4

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC 722730 FT HUACHUCA 12 STATION NAME

A C

77-86

A P.R. MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF NEATHER CONDITIONS FROM HOURLY OBSERVATIONS

TOTAL NO. OF	,		693	648	648	799	653	379	۳		4222
N OF OBST WITH OBST TO VISION				,		พ	ຍ	m	· · · · · · · · · · · · · · · · · · ·		.2
DUST AND/OR SAND				-			-2				0.
SNOW!											
SMOKE AND/OR HAZE											
POG						٤, ٩	1-7	٠ در:			.2
X OF OBS WITH PRECIP.			-7	1.2	2.1	2.1	3.4	2.4			2.0
HAIL					ī						
SNOW AND/OR SLEET			•1	ੜ ਾ	†	.3	5.	ĩ.			7.
FREEZING RAIN & /OR DRIZZLE					-						
RAIN AND/OR DRIZZLE			9	٥.	2.0	2.1	2.9	1.8			1.7
THUNDER- STORMS					. 7	1.1	ب	m			5.
HOURS (L.S.T.)	0 0-02	03-05	86-98	09-11	12-14	15-17	18-20	21-23			
MONTH	APR	-									TOTALS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC 722730 FT HUACHUCA AZ STATION NAME

77-86

YEARS

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

				· · · · · · · ·								
TOTAL NO. OF OBS.	-	-	1169	882	882	819	655	383		•		4315
N OF OBS WITH ORST TO VISION			3	~			N		*	-	-	
DUST AND/OR SAND		,					2					0.
BLOWING			_									
SMOKE AND/OR HAZE		-	. #i •	.2								0.1
FOG												
X OF OBS WITH PRECIP.				9•	1.1	1.1	1,2	1.6				6.
HAIL												
SNOW AND/OR SLEET												
FREEZING RAIN & /OR DRIZZLE												
RAIN AND/OR DRIZZLE				• 6	1.1	1.1	1.2	1.6				6.
TH!JNDER- STORMS				• 3	2.5	2.2	1.7	1.0				1.3
HOURS (L.S.T.)	90-02	03-05	06-08	09-11	12-14	15-17	18-20	21-23				
, MC∩NTH	MAY											TOTALS

. }

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC 722730 FT HUACHUCA AZ STATION NAME

77-8

/EARS

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

		- 1			1		_ :		-	<u> </u>	<u> </u>		7 .
NO. OF	-	 -	6.76	860	860	801	658	389				-	4244
NOF OBS WITH OBST TO VISION	1		***	-		-						-	
DUST AND/OR SAND													_
SLOWING SNOW			-	-									
SMOKE AND/OR HAZE		3											
70G													
% OF OBS WITH PRECIP.				£7	2•2	3.7	2.7	3.1					2.0
HAIL													
SNOW AND/OR SLEET													
FREEZING RAIN & /OR DRIZZLE													
KAIN AND/OR DRIZZLE				• 3	2.2	3.7	2.7	3.1					2.0
THUNDER- STORMS				7.	5.7	6.9	3.8	2.6	,				5.3
HOURS (L.S.T.)	20-00	03-05	80-90	09-11	12-14	15-17	18-20	21-23					
MONTH	านท												TOTALS

The state of the s

to another and address to the contract of

1

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC 722730 FT HUACHUCA AZ STATION NAME

77-86

reARS

3

NOW

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

	يتعث									 	<u> </u>	·
TOTAL NO OF OBS.	* ***		730	897	897	828	650	4.54			-	4.20
WITH OBST TO VISION				m'	о 1	-1	.2			 -		5
DUST AND/OR SAND		-					.2				-	0
BLOWING	2	-		~		-					è	
SMOKE AND/OR HAZE		: 3	177		3.1	•						.1
FOG			\$ €	• 3	-1	• 1						• 3
X OF OBS WITH PRECIP.			2.2	2.1	4.5	9.6	13.1	12.5				7.3
HAIL												
SNOW AND/OR SLEET												
FREEZING RAIN & /OR DRIZZLE									!			
RAIN ANC/OR DRIZZLE			2.2	2.1	4.5	9.6	13.1	12.5				7.3
THUNDER- STORMS			ታ•	1.2	13.8	21.5	17.4	6.6				10.7
HOURS (L.S.T.)	00-05	03-05	06-08	09-11	12-14	15-17	18-20	21-23				
MONTH	JUL											TOTALS

A Company of the control of the cont

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS

;

ジャー こうさん

.....

FT HUACHUCA AZ 722730 STATION

77-86

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

									•		•	
•				<u> </u>	Ť	Ť	ŤΠ	Ī				Ī
	TOTAL NO. OF OBS.		•: 	7.48	8.97	897	828	6.73	441			1811
	X OF OBS WITH OBST TO VISION			† •	ณ		`	٠1				•1
	DUST AND/OR SAND		-		-							
	BLOWING				,							
	SMOKE AND/OR HAZE											
	FOG			₽•	•2			r-4 •				• 1
	* OF OBS WITH PRECIP.			2•3	1.9	ស្ន	7.9	8	9•9			5.3
	HAIL											
	SNOW AND/OR SLEET											
	FREEZING RAIN & /OR DRIZZLE											
	RAIN AND/OR DRIZZLE			2.3	1.9	त ।	7.9	8.8	9•9			5.3
	THUNDER- STORMS				6.	11.9	19.8	14.6	7.3			9.1
	HOURS (L.S.T.)	00-02	ũ 3-0S	06-08	09-11	12-14	15-17	18-20	21-23			
	MONTH	AUG										TOTALS

ともからからから ·

?: ;

> GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

Œ

722730 FT HUACHUCA AZ
STATION NAME

76-85

FAKS

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

	···.	·								 	
TOTAL NO. OF OBS.		*	719	837	837	7.79	630	40.6	•	,	4208
X OF OBS WITH: OBST TO VISION		:		ល	ហ	ĸ.					Ñ
DUST. AND/OR SAND			,		,						
BLOWING SNOW											,
SMOKE AND/OR HAZE					•2						• 1
FOG			3 7	4.	.2	.3					•2
* OF OBS WITH PRECIP.			2.5	1.7	3.1	5.9	\$ \$	3.4			3.6
HAIL											
SNOW AND/OR SLEET											
FREEZING RAIN & /OR DRIZZLE											
RAIN AND/OR DRIZZLE			2.5	1.7	 1	5.9	4.8	3.4			3.6
THUNDER- STORMS			1.4	1.0	6.2	8.7	5.9	3.0			4.4
HOURS (L.S.T.)	00-05	03-05	06-08	09-11	12-14	15-17	18-20	21-23			
MONTH	SEP										TOTALS

7

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICEZHAC

FT HUACHUCA AZ 722730 STATION

76-85

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

7	أتنتن	· · · · ·		- 1		~ ~ .		· 1				<u> </u>
TOTAL NO: OF OBS.			7.45	85.7	855	802	638	406			,	4303
X OF OBS WITH OBST TO VISION			2-1	5	#	.7.	9	1.0	-	,		1.8
DUST AND/OR SAND		•				-	-		,			
BLOWING	,											
SMOKE AND/OR HAZE		,	` '	ì								
FOG			2.1	1 • 1	4.	.7	9•	1.0				1.0
% OF OBS WITH PRECIP.			4.0	3.2	2.7	4.50	5.0	3.4				3.8
HAIL												
SNOW AND/OR SLEET												
FREEZING RAIN & /OR DRIZZLE												
RAIN AND/OR DRIZZLE			4•0	3.2	2.7	4.5	5.0	3.4				3.8
THUNDER- STORMS			8	ហ	1.9	2.7	2.0	-7				1.4
HOURS (L.S.T.)	0 0-02	03-05	06-08	09-11	12-14	15-17	18-20	21-23				
МОМТН	OCT											TOTALS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ 722730 STATION

76-85

YEARS

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE OF MEATHER CONDITIONS FROM HOURLY OBSERVATIONS

			. 4 4			a.e 112				***		1	******
TOTAL NO OF OBS		4	653	795	#6 2	## <i>E</i>	593	348	, , , , , , , , , , , , , , , , , , ,		i co		3927
X OF OBS WITH OBST TO VISION	3 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 3	Î.S.	£.8.	TOTAL S	T.T.	7.	9.		,			1.2
DUST AND/OR SAND					4				•			-	
BLOWING	,					, ;							
SMOKE AND/OR HAZE	` ,		Í	,	,								
FOG			1.8	1.8	1.1	1.51	7.	• 6					1.2
% OF OBS WITH PRECIP.			2.0	3.6	h* h	2.5	3.4	2.6					3.5
HAIL													
SNOW AND/OR SLEET					Ĭ.	₽•	5*	•3					*5
FREEZING RAIN & /OR DRIZZLE													
RAIN AND/OR DRIZZLE			2.0	3.6	£•#	5.0	2.9	2.3					3.4
THUNDER- STORMS				• 1		7.	• 3						1.
HOURS (L.S.T.)	00-02	50-£0	06-08	11-60	12-14	15-17	18-20	21-23					
MONTH	ΛGN												TOTALS

TOTAL CHANGES AND A CONTROL AND SERVICES AND A CONTROL OF SERVICES OF THE SERVICES AND A CONTROL OF THE AND A CONT

₹ ~

医第二次 经营品

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

() -

FT HUACHUCA AZ

722730 STATION

76-85

Š

DEC

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

7000 100 100	(· ~ ~ ·	****			7 7 1	· .	~ 1				7	· · · ·
TOTAL NO OF OBS:			544	801	799	686	4:22	233 ^		ڊر بي	, 1		3485
X OF OBS WITH OBST TO VISION	Sq. cm. A. S	· · · · ·	1,68	1.2		is is		6.					I. 3.
DUST. AND/OR SAND	. 3	/ (5) /						,				,	
BLOWING	,												
SMOKE AND/OR HAZE								·					
FOG			1.8	1.2	3.5	1.05	-1	6.					1.3
X OF OBS WITH PRECIP.			5.0	4.6	4.8	5.7	S.9	6.0					χ, τύ
HAIL						• 1							0.
SNOW AND/OR SLEET			1.5	1.0	1.3	1.0	7.	1.7					1.2
FREEZING RAIN & /OR DRIZZLE													
RAIN AND/OR DRIZZLE			4.0	3.6	3.6	4.8	5.5	4.3					4.3
THUNDER- STORMS													
HOURS (L.S.T.)	00-02	03-05	06-08	09-11	12-14	15-17	18-20	21-23					
MONTH	230												TOTALS

Ĩ

The color was an extensive the control of the color of th

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ 722730 STATION

76-86

ALL

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

		: 	· ī		· (İ		1	· · ·			•		
NOTAL NO OF OBS	4020	3784	4305	4222	4315	#244	4,420	4,484	4208	#303	3927	3485	4.9.717
WITH OBST TO VISION	5.5	1.0	9.	.2	#4 •	·	ਬ •	, PH	• 3	1.0	1.2	1.3	.7
DUST AND/OR SAND		,	, .2,	Ō	D		ದ	-					0.
BLÖWING SNOW													
SMOKE AND/OR HAZE	· .		• 1		• 1		₽		, ч	-			0
FOG	2.5	1.0	4.	•2			÷ 33	i	•2	1.0	1.2	1.3	1.
X OF OBS WITH PRECIP.	9*9	4.5	3.6	2.0	6.	2.0	7.3	5.3	3.6	3.8	3.5	5.3	O ◆ ⅓
HAIL	u•											Ċ.	0.
SNOW AND/OR SLEET	8.	1.0	•	# ·							•2	1.2	भ
FREEZING RAIN & /OR DRIZZLE					-								
RAIN AND/OR DRIZZLE	5.9	3.8	3.1	1.7	6.	2.0	7.3	5.3	3.6	3.8	3.4	4.3	ω. 8
THUNDER- STORMS	•2	77	.2	.5	1.3	3.3	10.7	9.1	ħ• ħ	1.4	• 1		2.6
HOURS (L.S.T.)	ALL												
MONTH	JAN	FEB	MAR	APR	MAY	NOU	ากเ	AUG	SEP	100	NOV	DEC	TOTALS

AMERICAN CONTRACTOR OF THE STREET OF THE STREET STREET, STREET STREET, STREET, STREET, STREET, STREET, STREET,

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

man the state of the same

SURFACE WINDS

PART 2

Presented in this part are various tabulations of surface winds as follows:

percentage frequency of wind directions to 16 compass points and calm vs 11 wind speed (knots) increments Bivariate percentage frequency tabulations: Derived from hourly observations, these tabulations are a in Beaufort classifications. Percentages are shown for both directions and speed, and in addition the mean wind speed is given for each direction.

A separate category is provided on the form for variable winds, which are reported in some data sources In these data where light and variable winds are reported with no directions but with speeds given, the speeds will be summarized in the appropriate groups opposite the column headed VRBL.

These tables are prepared for all years combined, by month by available 3-hour groups.

A percentage frequency of ".0" in these tables represents one or more occurrences amounting to less than ".05" percent. TO PROPERTY BETTO CONTRACTOR WAS TO SELECTIVE AND THE SECOND OF THE SECOND SECO

100:0		7.5 1.5	14.6		דאדאר ^ד
40.3 77	ממדונות מנות מנת מידות מנווו	ווווי	ייייייייייייי	וזדהינודן	בער וו
A COLOR SERVICIO DE COMPANION DE CONTRACTOR DE COLOR DE C		• • • • • • • • • • • • • • • • • • • •			VARIABLE
Comment of the second s	AND COMMENSATION OF THE PARTY OF THE SECOND COMMENTS OF THE SECOND C	:		3	HNH
1.0.	BRANCHE MAIN AND AND AND AND AND AND AND AND AND AN	1.	•	9.	AN
A. H. B. B.	,	n.	9.	1.0	XXX
The state of the s	2000 Committee Committee of States and States	2.2	3.0	3.3	Έ.
. 3		6.	1.6	5.4	282
19.8 S.		.3	5.5	70.0	a s
	. 1	11.	1.2	4.3	858
cariame		1.0	9.	ឆ. ទ	S
	A 1 NAMES OF THE PARTY OF THE P	, ,	9•	3.3	SSF
,	MANAYAN BANAMA GIFBUMAN KAMAMANAKAN BANAMAN BANAMAN BANAMAN MANAYAN MANAYAN MANAYAN MANAYAN MANAYAN MANAYAN MA	9,	1.5	6.	5.E
The second secon	SE, SE WARRENDER DE SE WERTEN ENGINE SE MANDRES SERVICES	٤,	9.	0	ESE
	об ча дайардараў Надаравайнайдзі дай Байзілі в простава простав в праводу у втом правагада да проставання вера	• 1	.1	1.0	įąj
100 201		.1	9•		Ext
10.8	AN MARKAN PARA PARAMAN NA MARKAN NA MARKANANANANANANANANANANANANANANANANANANA			٠,	NE
4 2 7 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	AN TO AND AND AND THE PROPERTY OF THE PROPERTY		-	۴.	JNK
			5		
40-55 GE 56 FOIAL HEAR	25-27 20-33° 30°40 q Y-47	7-10 11-16	4-C	1-3	UIRECTION (DEGREFS)
0 0 0 0 0 0 0 0 0 0 0 0 0 0	SPEED TH KNOTS				• • • • • • • • • • • • • • • • • • • •
1E COND 1 77-86 USO - UR OU	FT HUACHUGA AZ HEGOHDI HONTHE JAN HO	IAME: FT HUI	STATION NAME:	1	STATION NUNBER: 722730
JEFACE WIND DERECTION VERSUES WINDS SPEED AND STATE OF THE STATE OF TH				J	AIR WEATHFR SERVICE/HAC

											N MORNING N				Ī					***	-							
FROM HOURLY OUSERVATIONS	perion of alcohol.	**************************************	18 KROTS 30-40	TANK TO THE TANK THE			H 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.4	9 N. B. B. C.	9.0. B. II	219 21A	- 1711	6.8		9.9 2.8	1 0 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9.2	0 9 1.0 f	0.5 0.6		men mentementi ilifaha dan siA huki kecamanalaki indedalaki dan sidalah dalah bi. 11 hakabawa alabam pesar ber		THE RESIDENCE OF THE PARTY OF T		AND THE PROPERTY OF THE PROPER	TOTAL		
PERCENTAGE FREGUENCY OF SCYUM	P F HUACHUCA AR			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	in, on teath. undergreeness of . 4. joint branchisesen, a thickey solds seek.		AND A RECEIVED THE STATE OF THE		1 0 1	2	S.		7.		2.	1.1	n *	and an appropriate the second	en dieden de degen der in 4 wel de bran in best de de in der indem enterden de				, , , , , , , , , , , , , , , , , , ,		A THE THE PROPERTY OF THE PROP	Andrews Andrews and Andrews An		- E de reit berteile beteile berteile b
RECKTAG	A. 1. F.		Q1-2	***************************************				1.7	2 • 2	ສຸດ	1.2	٠2	1 . 2	8.	٠ د د	1.5	1.2	6	7.			11111111	16.6	******	514			
İ	TATION		2 9-11	1:2	a.	٥.	219	5.2	2.6	3.6	1.6	٠,	1.0	9•	٥.	1.4	1.4	٦٠ د	=			minn.	2.03	1:	I OM S :			†
LOUY BRAN'H	1.722735 5		71-1		2.0	8.5	3.9	8.9	3 • 6	3.4	٠,	1.3		2.	7.	1 . 4	1.1	0 1	1 . 5				31.7	••••••	OF UNSERVATIONS:	. X - 1- 2 virgi v-10-000		1
CLUBAL CLINATOLOGY BRANTH	AIR REATHYR SERVICE/HAC STATION NUMBER: 722733 STATION NAMP			(OF ARTES)	NNF	2.5	ENE		FSE	3:	585	s	ASS	2.2	2	z	Мин	3.8	3. X.	• • • • • • • • • • • • • • • • • • • •	ĺ	CACH	LOTALS		TOTAL NUNTER C	ens la si bennados biens essentius part pur	eriperangus e escriptorporario e co e summestro	
					A London Company of the Spirit					,										-	-						7,000	

Miller St. Committee Commi

The state of the

1. 中華學

And the Sala

3 to 1/2 11

STATION NAME: 1.0 2.5 5.5 5.5 5.5 3.9 3.9 3.9 3.9 3	1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	PERCENTAGE FREQUENCY OF OCCURRENCE OF SURFACE WIND UTRECTION VERSUS WIND SFEED. FROM HOURLY OBSERVATIONS	FT HUACHUCA AZ HONTHI JAN	WIND SPEED IN KNOTS	11-16 17-21 25-27 28-53 30-40 41-47	2		• 6	•1 •2 •1 60W		2.1				1		. 17	.7	•	6.	2.7 4.5	•		0:001		
	2.5 2.6 3.4 3.7 2.5 2.5 2.2 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7		STATION		9-	1.5	7.	1.0	2.5	5.5	5.3	3.9	1.0	8.		.,	2.2	1.7	۲.	2.0	1:1		יוווווויי	29.0	1 •	in

-;--

The second secon

A STATE OF THE STA

· 公理等 · 公理 · 公司

The Sale Bridge

STATION NUMBER: 728750 3141104 MARE: F NUMBER: F NUMBE	STATION NAME: FT HUACHUCA AZ WIND SPEED IN KNOTS WIND SPEED IN W	
NAME 2-0 1.3 1.4 1.5 1.4 1.5	DISECTION 1-3 4-6 7-10 11-10 17-21 22-27 28-33 34-40 10-662555 1.4 .5 .5 .5 .5 .5 .5 .5	
NHE 2-0 1.3 14 .5 3.0 3.2 1.4 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.8 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1	NNE 2.0 1.4 .5 .5 .5 .5 .5 .5 .5	3.7 3.8 3.7 2.9 3.6 4.7 9.6 4.9 7.5 8.3 4.9 4.8 2.9 5.1
NNE 2.6 1.9 .5 .5 .5 .5 .5 .5 .5	NNE 2.8 1.4 .5 NE 2.0 1.3 NE 2.9 .8 ENE 3.9 3.0 2.2 .4 ESE 2.1 2.8 1.1 .4 SSE 1.1 1.2 .3 .4 SSW .4 .8 .5 .1 .4 NSW .4 .8 .5 .1 .4 NNW 1.3 1.4 .8 .5 NNW 1.3 1.4 .8 .3 NNW 1.5 1.4 .8 .3 NNW 1.5 1.4 .8 .3 NNW 1.5 1.4 .8 .3	2 2 3 3 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
NE 2.0 1.3 3.7 2.6 4.7 ENE 2.0 .8 .1 .4 5.6 4.9 6.3	2.9 .8 2.1 2.8 1.1 .4 2.1 2.8 1.1 .4 1.1 1.2 .3 1.7 .4 1.1 1.2 .3 .4 1.1 1.2 .3 .4 2.1 3.3 1.7 .4 2.1 3.3 1.7 .4 2.1 3.3 1.7 .4 2.1 3.2 4.2 2.0 2.1 2.5 2.6 .4 2.1 3.3 .1 1.3 1.4 .8 .3 1.3 1.4 .8 .3 1.3 1.4 .8 .3	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
NE 2.9 1.9 1.1 1.4 1.1 1.2 1.1 1.4 1.1 1.2 1.1 1.4 1.2 1.1 1.4 1.2 1.1 1.4 1.2 1.1 1.4 1.2 1.2 1.2 1.3 1.1 1.4 1.4 1.5 1.3 1.4 1.4 1.5 1.3 1.4 1.5 1.3 1.4 1.5 1.3 1.4 1.5 1.3 1.4 1.5 1.3 1.4 1.5 1.5	2.9 .8 3.9 2.1 .4 .1 2.1 2.8 1.1 .4 1.9 1.7 1.3 1.9 1.7 1.3 1.1 1.2 .3 .4 1.1 1.2 .3 .4 2.0 2.1 3.1 1.1 1.2 .3 .4 2.1 3.2 4.2 2.0 2.1 3.4 4.7 2.1 2.1 3.4 4.7 2.1 2.1 3.4 4.7 2.1 3.4 3.2 2.6 .4 3.5 2.5 2.6 .4 3.7 3.8 .3 1.3 1.4 .8 .3	* * u u u u u
ESE 3.9 2.1 .4 .1 .9 .1 .9 .1 .9 .9 .9	3.9 2.1 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4	
SSE 1-1 2-8 1-1 44 7-15 5-13 5-15	3.9 3.0 2.2 44 2.1 2.8 1.1 .4 1.9 1.7 1.3 1.1 1.2 .3 .4 1.1 1.2 .3 .4 .4 .8 .5 .1 .9 .9 3.3 .9 .3 .9 .9 3.4 4.7 2.1 .9 3.4 4.7 2.1 .9 3.4 4.7 2.1 .9 3.4 4.7 2.1 .1 1.6 1.7 .3 .1 .1 1.3 1.4 .8 .3	n n n n n n
SSE 1.1 1.2 3.3 1.7 1.4 4.4	2.1 2.8 1.1 .4 2.1 3.3 1.7 .4 1.9 1.7 1.3 .4 .8 .5 .1 .4 .4 3.2 4.2 2.0 .9 .9 3.4 4.7 2.1 .9 3.4 4.7 2.1 .4 1.6 1.7 .3 .1 1.3 1.4 .8 .3	20 T
SSE 1.9 1.7 1.3 1.7 1.4	2.1 3.3 1.7 .4 1.8 1.7 1.3 .4 .8 .5 .1 .4 .9 .9 3.3 .9 .3 .9 .9 3.2 4.2 2.0 .9 3.4 4.7 2.1 .9 3.4 4.7 2.1 .9 1.6 1.7 .3 .1 1.3 1.4 .8 .3	4 6 6 2 8 2 8 8 2 8 8 2 8 8 8 2 8 8 8 2 8
SSE 1-9 1-7 1-3 -4 2-9 5-1 -4 -2 <	1.9 1.7 1.3 1.1 1.2 .3 .4 .4 .8 .5 .1 .4 .9 .9 3.2 4.2 2.0 .9 3.4 4.7 2.1 .4 1.6 1.7 .3 .1 1.3 1.4 .8 .3	0
SSW .4 .8 .5 .1 .4 .6 .2 8.6 6.8 8.2 8.4 8.5 8.4 8.2 8.6 8.2 8.6 8.2 8.7 8.4 8.7 8.1 8.4 8.5 8.0 8.2 8.0 8.2 8.0 8.2 8.0 8.2 8.0 8.2 8.0 8.2 8.0 8.0 8.2 8.0 8.0 8.2 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0	0, 4	8 8
SK	, 4 .8 .5 .1 .4 , 9 .9 3.3 .9 .3 , 4 3.2 4.2 2.0 , 9 3.4 4.7 2.1 , 9 3.4 4.7 2.1 , 4 1.6 1.7 .3 .1 1.3 1.4 .8 .3	0
NSW .9 3.3 .9 .3 MSW .9 3.2 4.2 2.0 MNW .9 3.4 4.7 2.1 6.9 MNW .9 2.5 2.6 .9 4.1 6.9 MNW .9 1.3 1.4 .8 .3 .1 3.6 5.2 MNW .9 1.3 1.4 .8 .3 .1 5.2 .8 .5 .8 TOTALY TOTALY 24.7 31.3 25.0 .8 .8 TOTALY ANY OF A CONSERVATIONS: 7.6C .8 .8 .8	.9 .9 .9 .3.2 .9 .3 .4 3.2 4.2 2.0 .9 3.4 4.7 2.1 .4 1.6 1.7 .3 .1 1.3 1.4 .8 .3	
NSW .4 3.2 4.2 2.0 11.2 6.7	, q 3.2 4.2 2.0 , q 3.4 4.7 2.1 , q 2.5 2.6 .4 , 4 1.6 1.7 .3 .1 1.3 1.4 .8 .3	.7
NN	3.4 4.7 2.1 3.4 2.5 2.6 .4 4.4 1.6 1.7 .3 .1 1.3 1.4 .8 .3 1.1.1111111111111111111111111111111	2.
HNV 1,5 2,5 2,6 4,4 4,1 6 1,7 3 .1 3 .1 3.6 5,2 HNV 1,3 1,4 .8 .3 .1 5 5,2 CALM ////////////////////////////////////	1.3 1.4 .8 .3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	77
NW	1.3 1.4 .8 .3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	-
HAN 1.3 1.4 .8 .3 VARTATALE CALM INTITITITITITITITITITITITITITITITITITI	1.3 1.4 .8 .3 ////////////////////////////////////	
VARTATE CALM ////////////////////////////////////	7.	
VARIATLE 24.7 31.3 25.u 7.8 .8 101AL 1777/17/17/17/17/17/17/17/17/17/17/17/17	711111111111111111111111111111111111111	
TOTALS 24.7 31.3 25.u 7.8 .8 TOTALS 24.7 51.3 7.8 .8 OTAL NUMBER OF OBSERVATIONS: 76.C	111111111111111111111111111111111111111	10.0 777
101ALS 24.7 31.3 25.4 7.8 .8 01AL NUMBER OF OBSERVATIONS: 76C	3 6 11	100.0
OTAL NUMPER OF OBSERVATIONS: 76C	24.7 31.5 25.4	
NUMMER OF OBSERVATIONS:		
	NUMBER OF OBSERVATIONS:	
The same of the sa		

NUMBER: 722730 1704 1-3 EES) 1 1-3 1.0	STATION NAHE: 4-6 7-10	FT HUACHUCA		
DIRECTION (DEGREES) N N N N N N N N N N N N N N N N N N	7-19	• • • • • • • • • • • • • • • • • • • •	PERIOD OF RECORD: 77-86	
DIRECTION (DEGREES) N NNE NE	7-10		10 SPEED IN KNOTS	.0002-00
11.0 11.0 NE 1 .7	.5	11-16	22-27 28-33 34-40 41-47 48-55 GE 56	HEAN
5. 7.			. M. P. K	•
	5.		60	8 × ×
	.2			. ~
ENE .	.3			, 3.
5 .7 1.	1.0 0.1		.5.2	±
ESE	.5 1.0		Ž.	S
55 1.6	.7 .8		i en	
SSE 3.0 2.	2.3	.2	, · S	m
S 3.8 1.		.2	. •	8
SSK 3.1 1.	1.6 .5	8	4.9	
SK 8.9 3.	3.9 .5	1.0		2
NSW 5.1 5.	5.6 1.3	8.	1.2.1	9• # 5
n 6.2 5.	5.4 5.3	1.6	16.6	
MNW 3.0 1.	8.	• 2	5.9	h•n> 6
NK .8	5		. 2.1	1 5.5
2. NNN				5. 2.0
VARIABLE				
CAL** (11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	,,,,,,,,,,,,,	,,,,,,,,,,,,	2-61	111111
101 ALS 39.5 26.3	.3 9.7	† • ¤	r	- 1
			•••••••••••••••••••••••••••••••••••••••	• • • • • • • • • • • •
TOTAL NUMPER OF OBSERVATIONS:	: 608			

the control of the second of the second of the control of the second of

A THE GENTHER SERVICE PROCESS AND THE STATE OF THE GENTHER ARE THE WASHING AND THE STATE OF THE SERVICE PROCESS OF THE GENTHER AND THE STATE OF THE SERVICE PROCESS OF THE SERVICE PROC	GLOBAL CLINAT USAFETAC	OLOGY BRANC		PERCENTAGE FREQUENC	FREQUE	Y OF	E OF SURFACE WIN Ourly observatio	OCCURRENCE OF SURFACE WIND DIRECTION VERSUS FROM HOURLY OBSERVATIONS	US WIND SPEED	PEEU		
72779 57411011 1446E FT HUAGHUGA AZ PRENDEN AND HOUSELETH: JAN HOU	AIR WEATHER S	ERVICE/MAC							• •		31 .	- 124
NECTOR 1-3 4-6 7-10 11-15 17-21 22-21 26-35 34-00 41-41 46-55 54-56 10 kg	STATION NUNBE	R: 722735	STATION		ниасни	1		ERIOD OF RECORD: MONTH: JAN HO	URS (LST):	2100-23		
NVE NVECTION 1-3 4-6 7-10 11-15 17721 22-7 28-33 34-40 41-47 48-55 0g.55 17 4-8 18-15 18-1		:_				WIND SPEED	KNOTS	• • • • • • • • • • • • • •	• • • • • • • •			
NY NY NY NY NY NY NY NY	UIRECTION (DEGREFS)	1-3	4-6		ļ	-21 22-21	8-33	48-55	GE 56 T	ŀ	1	, ;
ESE 3.7 1.1 SSF 1.1 1.7 2.0 SSF 1.1 1.7 2.0 SSF 1.1 1.7 2.0 SSV 3.1 1.7 2.0 WSW 6.2 4.0 1.4 .3 .3 WARTAPLE CALF ////////////////////////////////////		6.	9.	3		•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • •		1.7	4.2	•
ENE ESE .9 .3 .9 .3 .9 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	∃หม											;
ESE	W Z									۴.	5.0	, .
SE 1.7 1.1 SE 1.1 1.7 2.0 SSF 1.4 4.5 1.7 .3 SSV 3.1 1.7 .3 .3 .3 .3 SW 10.5 4.0 1.4 .3 WNW 6.2 4.0 1.4 .3 WNW 6.2 4.0 1.4 .3 WNW 6.2 4.0 1.4 .3 WNW 6.2 4.0 1.4 .3 WNW 6.2 4.0 1.4 .3 WNW 7.6 8.5 4.0 2.6 .6 WNW 7.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	ENE								,			
SSE 1.1 1.7 2.0 SSE 1.4 4.5 1.7 .3 S 3.7 4.3 .3 .3 .3 SW 10.5 4.0 1.4 .3 WNW 6.2 4.0 1.4 .3 WNW .6 .3 4.0 .6 .6 WWW .6 .3 WNW .6 .3 TOTAL NUMFER OF OFSERVATIONS: 35.5	إدا	1.7	•						•	2.8	2.8	. () V
SSF 1.4 4.5 1.7 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	S	6•		6.		-			72	2.0	9.	
SSF 1.4 4.5 1.7 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	S		1.7	2.0					-	8		
SSV 3.7 4.3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .	SSE	1 • 4	4.5	1.7	۳.					8.50	5.2	
SSV 3.1 1.7 .3 .3 .3 .3 .3 .3 .3 .5 SV SSV 3.1 1.7 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6	V	3.7	4.3	m		۴.			~	9.5	, Z, • h;	
NW 6.2 4.0 1.4 .3 NW 6.2 4.0 1.4 .3 NW 6.2 4.0 .6 .6 .6 NW 6.5 .3 NW 7ARTAPLE CALF TOTALS 35.6 33.5 11.9 2.6 .9 .3 OTAL NUMFER OF OUSERVATIONS: 35.2	v)		•		M	m,		4 -		.5:e,7	8,0	
MNW	N N	10.5	4.3		9•				7	15,49		
WNW .5 1.7 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6 .6	WSW	5.9	4.0	1.4	.3					1.1.9	. =	- [
NW .6 .3 NW .6 .3 NARIABLE .5 .3 TOTALS 35.5 11.9 2.6 .9 .3 OTAL NUMPER OF OBSERVATIONS: 35.2	£	r. 4	8.5	D•#	9•				() 4),	17.0	5 • 3.	
NW	מאמ	٤٠	• • •	9.	9.	9•		-			ı	
VARIAPLE	A N	9•	٤.							6.	2.3	-
VARIAPLE	HWN	5.	۴.						Ę		2,07	
VARIAPLE CALF ///////////////////////////////////	•		•	•	•		• • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • •	· ,•		
CALF 1////////////////////////////////////	VAR TAPLE							` /	•		•	
TOTALS 35.5 11.9 2.6 .9 .3	CALP	11111111111	11111111	11111111	1111111				111111	1	11111	F
OTAL NUMPER OF OUSERVATIONS: 352	101 AL S	35.5	33.5	11.9	2.6	•				100.001	3.4	
OTAL NUMFER OF OGSERVATIONS: 35							• • • • • • • • • • • • • • • • • • • •	•••••••	• • • • • • • • • • • • • • • • • • • •	•		
	OTAL NUMFE	ó	S	352						,	,	
												`;
											-	

The state of the s

Name 1.22 1.23 1.24	STATION HAME: FT 4-6 7-10 11	FROM HOUR	FROM HOURLY OBSERVATIONS
1.3 q-6 7-10 11-16 17-21 28-33 31-40 41-47 44-55 6E 56 70 AL 186	1-3 4-6 7-10	A2	PERIOD OF RECORDS. 77-86 HONTH: JAN HOURS (LST):
3.6 (1) (2.5) (2.6) (3.4		WIND SPEED 1 17-21 22-27	34-40 41-47 48-55 6E 56 TOTAL HEAN
1.5	•	• • • • • • • • • • • • • • • • • • • •	
1.6			. 64
1.6 1.6 1.5 1.9	9.		
2.2 2.3 1.5 .2 4.5 4.5 6.1 5.0 2.2 2.3 1.5 .2 7.1 6.1 5.0 2.0 2.6 2.1 .4 4.6 4.6 4.6 4.7 4.6 4.7 4.6 4.7 4.6 4.7 4.6	.8 1.6	1	. 3.
2.2 2.3 1.5 .2 6.1 5.0 2.0 2.6 2.1 .4 7.1 6.1 5.0 1.8 1.7 .9 .7 .0 .0 4.2 4.2 1.6 .9 .7 .0 .0 4.1 6.1 6.2 2.4 3.3 3.3 1.5 .0 8.0 4.8 6.6 1.2 2.4 3.3 3.5 1.5 .0 10.5 6.6 1.2 3.4 .9 .1 .0 .1 4.6 6.4 1.0 .6 .2 .1 .0 .1 9.0 6.6 1.2 .2 .1 .0 .1 .0 1.9 1.9 6.4 1.7777/////////////////////////////////	.5 3.0 1.	. 2•	3
2.0 2.6 2.1 .4 4.6 4.5 4.6 4.6 4.9 1.6 .9 .7 .0 .0 4.6 4.6 4.2 4.6 4.2 4.2 4.6 4.6 4.6 4.2 4.6 <td>.2 2.3 1.</td> <td></td> <td>•1</td>	.2 2.3 1.		•1
1.8 1.7 .9 .7 4.6 4.9 2.3 1.1 .5 .1 .0 4.2 4.2 1.6 .9 .8 .0 4.2 4.2 2.5 2.7 2.4 .8 8.0 4.8 2.4 3.3 3.3 1.5 .0 8.4 5.9 1.2 1.4 1.5 .1 4.6 6.4 1.0 .6 .2 .1 .0 3.0 5.9 1.0 .6 .2 .1 .0 1.9 4.2 1.0 .6 .2 .1 .0 1.9 4.2 1.0 .6 .2 .1 .0 1.9 4.2 1.0 .6 .2 .1 .0 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9	.0 2.6 2	⊅*	•1.
2.3 1.1 .5 .1 .0 <	. 8 1.7 ·		• 6 . 4 •
4.1 1.6 .6 .2 4,1 6.2 4.1 1.8 1.3 .7 .0 8.0 4,6 8.0 4,6 2.5 2.7 2.4 .8 .8 1 10.5 6.6 1.2 1.4 1.4 .5 .1 .0 4,6 6.4 1.5 .6 .7 .1 .0 3.0 5.9 1.5 .6 .7 .1 .0 4.2 1.7 .6 .7 .1 .0 4.2 1.7 .6 .7 .1 .0 1.9 4.2 1.7 .6 .7 .1 .0 1.9 4.2 1.7 .7 .1 .0 .1 .0 1.9 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .1 .0	3 1.1	0.	.2
4.1 1.8 1.3 .7 .0 4.8 8.0 4.8 2.5 2.7 2.4 .8 .8 1.5 .0 8.4 5.9 1.2 1.4 1.4 .5 .1 .0 4.6 6.4 .8 1.1 .9 .1 .0 4.6 6.4 1.0 .6 .2 .1 .0 1.9 4.2 7////////////////////////////////////	. 6. 9.	•	9
2.5 2.7 2.4 .8 .8 .8 .8 .8 .9 .10.5 .6 .6 2.4 3.3 3.3 3.5 .1 .9 .1 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .9 .1 .9 .4 .2 .9 .4 .2 .1 .9 .4 .2 .7 <td>•1 1•8 1</td> <td></td> <td>, • •</td>	•1 1•8 1		, • •
1.2 1.4 1.5 .0 1 4.6 6.4 .8 1.1 .9 .1 .0 3.0 5.9 1.5 .6 .2 .1 1.9 4.2 1.7 .6 .2 .1 1.9 4.2	.5 2.7 2.	8.	#
1.2 1.4 1.4 .5 .1 .0 3.0 5.9 1.5 .6 .2 .1 .1 .0 1.9 4.2 77777777777777777777777777777777777	.4 3.3 3.	5	Š
1.5 .6 .2 .1 .0 5.9 1.5 .6 .2 .1 1.9 4.2 777777777777777777777777777777777777	.2 1.4 1.	S.	9•
1.5 .6 .2 .1 1.9 4.2 17.7 13.0 17.2 17.2 5.4 .4 .0 .0 100.0 4.2	8 1.1		•0 8•
77777777777777777777777777777777777777	9, 0,	. 1	• h 6•
77777777777777777777777777777777777777			
1.9 26.2 17.2 5.4 .4 .6			18.8
	1.9 26.2 17.	h• h•	
	OF OBSERVATIONS: 472C		
OBSERVATIONS:			
OBSERVATIONS:			

Secretary solds and water and water and an extension of the second

PERIOD OF RECORD: HONTH: FEB HOURS 1015 3 34-40 41-47 48-55 GE	The second of th	BRANCH		PERCENTAGE FREDUENCY	GE FREO	OF OCCURRENCE OF SURFACE WIND DIRECTION	VERSUS WIND SPEED	
Color Colo	AIR WERIHIK SEKVICE	-/MAC				A 4 3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		
RECTION 1-3 4-6 7-10 11-16 17-21 22-27 23-35 12-55 16 56 101AL 1 1	0	TATION		FT HUAC	AZ	URS (LS)		
NET 1.5 1.6 7.10 11-16 17-21 22.27 28-33 34-40 41-55 61 56 101.0 11	•			•	•	WIND SPEED IN KNOTS	• • • • • • • • • • • • • • • • • • • •	
NHE	DIRECTION (OEGREES) (, I	11-16	22-27, 28-33 34-40 41-47	GE 56 TOTAL	
NET 2	. 2	7	2					
EVE .3 .2 .5 .5 .5 .5 .5 .5 .5	INE I	2.						**
E 1.5	N.E.						m	
SEC 1.5 .5 .7 .2 .2 1.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0	373	• 3					5	
SSE 1.5		• 1						ľ
SSF 1.5	ESE	.5	٤.				m	:
SSF 1.5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .	Sr	80	1.0	•2	• 2	•	1	<u> </u>
St 11-1 3-9 4-7 5-1 3-9 4-9 5-7 3-9 5-9 3-9		1.5	• 2	5.				
SSW S5.7 .8 .2 .2 .5 .4 .2 .5 .4 .2 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .5 .4 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5		4.7	5.	5			7.	
11.1 3.9 115.0 2.9 2.9 2.9 1.5 2.9 2.9 3.6 4.9 3.6 3.9 3.9 3.0 3		5.7	80	.2			, r.	
NN4 .7 1.0 .33		1:1	3.9				.0.	
NN4 .5 1.1 .8 .2 .6 5.9 NN4 .7 1.0 .3 .9 .2 .0 5.1 NN4 1.1 .3		4.4	2.4	1.0	7.	.2	ħ 9•	
NN		5.6	2.4	2.0			9	
NNH 1.1 .3 2.0 5.1 NNHH 1.1 .3 1.5 2.4 ARIAPLE	FNZ	.5	1:1	8	.2		9.	
NNW 1.1 .3 2.4 ARIA ^D LE	X Z	۲.	1.0			•	.0.	
ARIAPLE 36.5 14.8 5.2 2.9 .2 100.0 2.3 NUMPER OF 09SERVATIONS: 614		1:1	۳.				.5 2	
	VAR IAPLE				• 1		• • • • • • • • • • • • • • • • • • • •	
STALS 36.5 14.8 5.2 2.9 .2 100.0 2.3 NUMPER OF ORSERVATIONS: A14		HILLIII.	1111111	1111111.	1111111		n . Un .	
NUMPER OF ORSERVATIONS: 614	- -		14.8	3.8	5.9	2	100.0 2.	
NUMPER OF ORSERVATIONS: Alu	• • • • • • • • • • • • • • • • • • • •			•				
	NUMPER OF	RVATIO		614				
	e. de entre de la large de la constitución de la co	1.0						

the transport of the forest the strainstance same one of the second of t

では、中国の ないできる がない かってん

STATION NUMBER 72273 STATION NUMBER FINDANDEA AZ PERSON OF RECOMMENDENCE PERSON OF RECOMMENDEA AZ P	TATION NAME: FT HUACHUCA 42 4 10 11-16 17-21 2 4 4 4 8 1 1.8 6.3 1.8 5.5 1.3 2.6 2.0 .1 8 7 .3 8 7 .3 7 .3 7 .3 7 .3 7 .5 7 .7 8 .7 9 .4 9 .7 9 .7 9 .7 9 .7 9 .7 9 .7 9 .7 9 .7 9 .8 9 .7 9 .8 9 .7 9 .8 9 .7 9 .8 9 .7 9 .8 9 .7 9 .8 9 .7 9 .8 9 .7 9 .8 9	6.0900±1100
Continue 122730 STATON NAME: FT HALAGHOLA AZ FURTON NAME PERSON OFFICE PROMESSERIO PRO	722730 STATION NAME: FT HUACHUCA 42 4100 SPEED IN KNOTS 1-3 4-6 7-10 11-16 17-21 22-27 28-33 2-1 .4 .4 1.8 .8 .1 5.1 3.5 1.5 5.1 3.5 1.5 3.0 2.6 2.0 .1 1.0 .3 1.0 .4 .5 .5 .5 .1 .4 .1 .1	PERIOD OF RECORD: 777-86. HOUTH'S FEB. HOUTH
No.	1-5 4-6 7-10 11-16 17-21 22-27 28-33 2-1 .4 .4 1-8 .8 .1 4-1 1.8 7-2 6-3 1.8 5-1 2.6 2.0 .1 5-1 3.5 1.5 3-7 .7 5-1 3.5 1.5 3-7 .3 3-7 .4 1.0 .3 1.0 .4 1.0 .3 1.0 .4 1.0 .3 1.0 .4 1.0 .7 1.7 .5	4-40 41-47 48-55 46E-56 7101ALE FARENCE CONTROL OF CONT
No. 1 - 2 1 - 4 1 - 10 11 - 16 17 - 22 22 - 25 23 - 10 23	UDEGPECS) 1-3 4-6 /-10 11-16 17-21 22-27 28-33. N	41-47 48-55 40E 556 101AL MEAN
No.	NNE 1.8 .8 .1 NE 1.8 .8 .1 NE 1.8 .8 .1 EHE 4.1 1.8 E 7.2 6.3 1.8 ESE 5.1 3.5 1.5 SE 3.0 2.6 2.0 .1 SSE 8 7 .3 SY .8 .7 .3 SY .9 .8 .7 .3 SY .9 .9 .7 .3	
NE 1.8	3.7 .7 4.1 1.8 7.2 6.3 1.6 5.1 3.5 1.5 3.0 2.6 2.0 .1 .9 .8 .7 .3 1.0 .3 1.6 .4 .4 .7 1.7 .5	80 M
No.	3.7 .7 4.1 1.8 7.2 6.3 1.8 5.1 2.5 1.3 3.0 2.6 2.0 .1 .5 .8 .7 .3 1.0 .3 1.0 .4 .5 .5 .5 .1	-9 2.9
1.0 2.6 2.0 1.8	4.1 1.8 7.2 6.3 1.8 5.1 3.5 1.5 3.0 2.6 2.0 .1 .9 .8 .7 .3 1.0 .3 1.0 .4 .5 .5 .5 .1 .4 .7 1.7 .5	-9. 2.9
SE 7.2 6.3 1.8 1.8 1.9 1.5	5.1	201
SE S.1 3.5 1.5 SE S.0 2.6 2.0 .1 SE S.0 2.1 2.2 .4 SE S.0 2.1 1.2 .4 SE S.0 2.1 1.2 .4 SE S.0 3.1 3.2 3.3 SE S.0 3.1 3.4 3.6 3.6 SE S.0 3.2 3.1 3.7 3.4 SE S.0 3.2 3.3 3.4 3.5 SE S.0 3.3 3.4 3.5 3.5 SE S.0 3.5 3.5 3.5 SE S.0 3.5 3.5 3.5 SE SEC SEC SEC 3.5 3.5 SE SEC SEC SEC SEC 3.5 SE SEC SEC SEC SEC SEC SEC SEC SE SEC SEC SEC SEC SEC SEC SEC SEC SE SEC S	5.1 2.5 1.5 3.0 2.6 2.0 .1 .5 .8 .7 .3 1.0 .3 1.6 .4 .5 .5 .5 .1	5.4
SE	3.0 2.6 2.0 .1 .5 .8 .7 .3 1.0 .3 1.0 .4 .5 .5 .5 .1	3
SSE	1.0 .3 1.0 .4 .5 .5 .5 .5 .1	
SSK	1.0 .3 1.C .4 .5 .5 .5 .1	
SSK	,5 .5 .5 .1 ,4 .7 1.7 .5	3.
SH	и I оч о7 1.7	2
15 1.7 1.4 2.6 1 1.5 1.4 1.6 1.8 1		2 1700,23
NW .9 1.2 2.1 .9 .7 .4 .5 .1 .8 .8 .8 .8 .8 .8 .8	SW .3 .8 2.1 1.2	, a
NW	1 .9 1.7 .1.4 2.6	3 (
NW .9 .5 .1 [3.5] 5.6 NW .9 .5 .1 [3.5] 5.6 NUMPER OF ORSERVATIONS: 76.2	9 1.2 2.1	200
NAM PER OF ORSERVATIONS: 762	. 9 1.3 .7	ð.
NUMBER OF ORSERVATIONS: 76.2	5. 6.	. 3
NLY 33.7 25.9 16.0 6.6 .7		
33.7 23.9 16.0 6.6 .7		. Z. &I.
NUMBER OF ORSERVATIONS: 762	33.7 25.9 16.0 6.6	
NUMBER OF ORSERVATIONS:		
	NUMBER OF ORSERVATIONS:	A STATE OF THE STA
ACTION AND A CONTRACT OF A CON		
		CALLEST AND COLUMN TO THE COLU

こうなないれていないという かんけいけんか

												7.5								1 2 20 7 1		· 注		January 11	Total Action	
Company of the Compan	The first of the second	.1200-1400\\		TOTAL WHEADS		3. C.	in a market have a superior market with the market of the superior of the supe	A BLOWN BY	10.8	(6.55) H • 8	88 5 5 . 1	3.45 j	of 20 & 9 the service of the 3 the service of	22.5	4.6	8'89 JOST	12:1	7.6	6 .3. Teh.	3.47	111111111111111111111111111111111111111	100.00				
WERSUS WIND		RECORD: 77-86 B HOURS(LST):	Sagar Asia Asiana Sagar Sagar	48-55. GE. 56. T.	A STATE OF THE STA	the state of the s	A CONTRACTOR OF THE STATE OF TH	Company of the control of the contro	the program was a program of the second	As a standard service of the s				The second of th	myeria o min e eta esta esta esta en e	Service Code Code Code Code Code Code Code Cod					THE THEFT					
VCE HIND DIRECTION	ERVATIONS	PERIOD OF RECORDS. HONTH: FEB. HOL		1=47				, , , , , , , , , , , , , , , , , , ,							X 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2											``
CCURRENCE OF SURFACE WIND	FROM HOURLY OBS		TS	.28-33													٠3	-	,	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	m.				
0 40		A AZ	S QNIA	17-21 22		**		Ł	, .i	•		Ì	• 1	5	K•	•,5	3	•1	٤.							
PERCENTAGE FREQUENCY		FT HUACHUCA AZ		11-16 1		• 1	·	• 1	,	í.	1.0	, tj.	.	6.	1.4	3.4	5 • #	1.3	1.0	5		14.4				
ERCENTAG		NAME: F		7-10		.3	• 1	٤.	2.1	ω.	2:2	8	6.	3.	1.7	2.9	5.1	2.9	2.0	.7		23.1	;	766		
		STATION NAME:		9-b	6.	• 8	1.4	1.7	5.1	3.8	3.8	1.0	٦.	5.	6•	1.8	3.6	2.1	1.6	6.	11111111	28.6		10%5:		
LOGY BRANC	RVICE/MAC	: 7227.30		1-3	20	2•6	2•3	2.7	3.7	1.8	2•3	1•3	8 •	₹,•	٠.	ĸ•	7 •	1.2	1.4	1.7		25•1		F OBSERVATIONS:		
GLOBAL CLIMATOL	USAFETAC AIR WEATHLR SERVICE/MAC	STATION NUMBER: 7227.30		UIRECTION (•-	NNE L	NE	ENE 3	W	ESE	ਨ ਜ	SSC	<u>``</u>	l wss	SK	WSW	·ŧ	nan l	 z	N N N	⊢	2		TOTAL NUMBER OF		
		·	,																					1		

「新聞」、新聞記記載の発記が終める新聞におからて、1回日、たちゅうで

The second secon

The second second second

The second of the second

STAN AND S

made y																												
Control of the Contro	SURFACE WIND DIRECTION VERSUS WIND SPEED.	to the state of th	HONTH'S FEB HOURS ILST DE 1800-1700	• • • • • • •	j.		the second second control of the second control of the second sec	the state of the transfer of the state of th	in the second second of the second se	\$ 1.5 mg	A CARLO CONTRACTOR OF THE CONT	ne se de la companya de la companya de la companya de la companya de la companya de la companya de la companya Tanàna de la companya	is the first the second of the	the second secon	and the second of the second o	we have a many former than the second of the	112	2	The second of th	9.00	4.0. 5.9				00 00 00 00 00 00 00 00 00 00 00 00 00		the production of the producti	
	PERCENTAGE FREQUENCY OF OCCURRENCE OF SURFACE I			IND SPEED IN KNOTS	12-									•3	h, 8°	• 7 • 3	1.8	, h• 3°-я	1.3 .6	1.7	•1				11.1 2.9 .1			
	ERCENTA		1		7-10	8	9.			1.0	۲۰	ħ´•	9•	9.	1.1	1.7	0• ₽	8.2	4.7	u.2	1.7			,,,,,,,	30.5	719		
			STATION NAME:		9-4	1.8	1.0	1.4	1.4	2.2	2.9	2.6	1-1	۲.	1.4	1.7	1.9	3.9	4.5	2.6	1.1			,,,,,,,,	30.2	IONS:		,
	LOGY BRANCE	RVIÇE/MAC	722730		1-3	2.6	2 • 4	1.4	1.9	2.2	80	1 • 4	1.0	9•	.7.	1.0	1.3	1.3		5.	1.1	• • • • • • • • • • • • • • • • • • • •	77777777		20.2	 F OBSERVATIONS		
	GLUBAL CLIMATOLOGY BRANCH USAFETAC	AIR HEATHER SE	STATION NUMBER:	!	OIRECTION (DEGREES)	:•	HNE	ŇĒ	ENE	w	ESE	SF	SSE	S	SSW	A S	HSW .	*2	RNR		NNW	-			TOTALS (TOTAL HUMPER OF		
		C		,			ŕ	`	,	,						, x. max										0		

The state of the s

Bar of the state o

34-40 15 34-40 11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1		GLOBAL CLIMATO	CLIMATOLOGY BRANCH		PERCENTAGE FREQUENCY	E FREQUE	90 E	OCCURRENCE OF SURFACE WIND DIRECTION SYERSUS NIND SPEED OF STATES OF THE PROPERTY OF THE PROPE	
Note 1.2	C	AIR WEATHER SE			1	,		T T T T T T T T T T T T T T T T T T T	
No. 1-2 1-4 1-6 1-16 11-21 12-22 18-35 34-40 41-47 466-155 11-46 11-		STATION NUMBER		STATION	1	Т ноасно	ا سا		the state of the s
SECOLOM 1-3 4-6 7-10 11-16 17-21 (22.27)	1]			•	•	:	IN KNOTS	٠ .
NE 1, 2 2, 5 2,		OLRECTION ((DESREES)	1-3	4-6			1-21	28-55 54-40 41-47 48-55 65 56 56 1018C 8100C	and received
NE			6	.5	:	•		ිට බැඳි ද විසිට ම මුද්දර සම්බන්ධ විසිට මෙන මෙන මා විසිට විසිට මෙන මෙන මෙන මෙන මෙන මෙන මෙන මෙන මෙන මෙන	Security Section
NE 1.5	. 1	NNE		ن				The second secon	ماري او مالهون
SE	<u> </u>	Z Z	-2					معه هرسترون و در برنه سرود و . معرف میشود و در برنه سرود و .	Action to the contra
SE		ENE	ហ្	M				The state of the s	a to de extreme
SE 1.0 1.4 .2 .3.1 .2.16 .3.1 .3.2 .3.1 .3.2 .3.1 .3.2 .3.1 .3.2 .3.1 .3.2	l		6•	.7				E	A CONTRACTOR
SE		ESE	7.	۴.					The second second
SE .9 .3 .7 .2 .3 .4 .6 .5 .5 .5 .5 .5 .5 .5		SC	1.0	1.4	2.			9.	TOPING & PANA
SE	i	SSE	6•	E.				•2	and I shak I sa
SSW 3-6 -9 -7 -5 -3 -3 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5		s	2.9	6.		.2		3.	12 1 1 1 CC
SW 6.0 3.3 1.2 .9	ļ	ASS	3.6	6.	٠.	ð.	m.	5	121. 1 16.00 h
		WS	6.0	3.3	1.2	6.		→	the second second
жин 2.2 2.6 1.2 5.2 NИ 1.9 2.6 1.5 6.0 4.6 NИ 1.9 2.6 1.5 6.0 4.6 NA 1.9 2.6 1.5 13.4 3.6 NA .7 .5 .2 13.4 3.6 NA .7 .7 .5 .2 13.4 3.6 NA .7 .7 .7 .7 .7 .7 .7 .7	-	MSM	3.6	6.5	2.2	1.0	•2	N 400 10 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NW 1-9 2-6 1-5 1-5 1-6 4-6 4-6 1-6 1-6 1-6 1-6 1-6 1-6 1-6 1-6 1-6 1		.\$	0.9	12.0	5.0	1.2		. S.	
NN 1.9 2.6 1.5 NN 7.7 5 .2 2.8 33.6 NUMBER OF OBSERVATIONS: 562	-	ANA	2.2	2.6	1.0	• 5			***************************************
NAM	- 1			2.6	1.5				****** *** ***
	ľ	MNN	1	• 5	.2				The Market
NR TABLE		•		•	•	•	•		
NIALS 32.6 33.3 12.7 4.3 .5 NUMBER OF OBSERVATIONS: 562	İ	VAR IABLE						* 4 15 70 2 1 6 V V V V V V V V V V V V V V V V V V	
NUMBER OF OBSERVATIONS: 582		CALM	mminn	11111111	11111111	minni	I	1	100 May 100 Ma
NUMBER OF OBSERVATIONS: 582		TOTALS	32.5	33.3	12.7	4.3	• 5	S. S. D. BOLES	1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NUMBER OF OBSERVATIONS: 58									
		NUMBER	1 1	IONS:	582				\$ 15 C
				***************************************		***************************************			

The second secon

SATE THESE SE PESTELL TRANSCERSES SEE ALL MALE TO SEATE AND A MELLENGE SATE AND A SATE OF THE SEATE OF THE SE

### PERCENTAGE FREQUENCY OF FAILUR NAME: FT HUACHUCA AZ ### ### ##########################	OCCURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED. FROM HOURLY OBSERVATIONS PERIOD OF RECORD: 77-81;83.86 HOURLY AND SPEED.	SPEED IN KNOTS 22-27 28-33 34-40 41-47 4			
	GLOBAL CLIMATOLOGY BRANCH PERCENTAGE USAFETAC USAFETAC AIR WEATHER SERVICE/HAC STATION NUMBER: 722733 STATION NAME; FT	DIRECTION 1-3 4-6 7-10 11- (DEGREES)	.3	3.2 .9 1.5 9.7 2.9 8.2 9.1 2.6 6.2 10.3 4.4 2.1 1.2 .9 1.2 1.5 .3 .3	VAKIABLE CALB 101ALS 38.4 28.7 11.1 07AL NUMBER OF OBSERVATIONS: 341

;

いっかい かんかいかんかい かんしょう しゅうしゅう

The state of the s

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC	OLOGY BRANC ERVICE/HAC		P ERCENTAGE	: FREQUENCY	0F 0	CCURRENCE OF SURFACE WIND DIRECTION VERSUS, FROM HOURLY OBSERVATIONS	VERSUS, WIND SPEED.
STATION NUMBER:	R: 722730	STATION	NAME: FT	г ниасниса	CA AZ	PERIOD OF REC	OF RECORDS. 77-86. FEB HOURS(IST):
•			**		S	SPEED IN KNOTS	
DIRECTION (DEGREUS)	1-3 	9-tı	7-10 1	11-16	17-21	22-27 28-33	5. GENSON TOTAL TOWNER OF THE ANY OF THE PARTY OF THE PAR
· · · · · · · · · · · · · · · · · · ·	1.6	7.	3	. 1			ڡٷ؈ڰٷ؋؋؋ٷۼٷۼ؋ۼٷۼۅ؋ۄ؋ۄ؋ۄ؋؋؋؋ۼ؋ۼ؋ۼ؋ۼ؋ۼ؋ٷٷٷ؋؋؋؋؋؋؋؋؋؋
NNF	1.5	•	• 2	<i>a.</i>			the second secon
38	1.6	٦.	0.			27	er en en en en en en en en en en en en en
ENE	1.9	1.1	.1	0.			
ıı.	3.0	2.9	1.0	0.			The second secon
ESE	1.3	2.2	9.	0.			ϕ_{ij}
SE	1.9	2.2	1.0	• 1			
SSE	1.2	٠.	ហ	• 2			2.6. 4.8
S	1.8	9.	ω	.2			and the second of the second
ASS	2 • 1	σ: •	٠,	• 5	1.0		4 • 3 6 • 0.
#S	3.0	2.0	1.2	.7	•1	0.	The state of the s
WSW	2.4	3.1	2.5	1.7	7.		10.10.10.10.10.10.10.10.10.10.10.10.10.1
**	2.4	4.6	4.4	2.7	.2	end •	114.3
HNR	1.2	1.8	2.3	9	•1		6662 7.01
A K	1.1	1.8	1.6	7.	•1		5.1 6.6
HNE	1.1	9.	\$	•1	ů.		2'•3 4'•9
VARIABLE							
САГМ		1111111	111111111111111111111111111111111111111	11111111	11111111		111111111111111111111111111111111111111
101 AL S	39.2	26.5	17.4	7.7	1.3		
	_						
า มบหกะห	OBSERVA		3784				

STATON WINNERS PROSERVATION PROPERTY	GLOWAL CLINATOLOGY BRANCH USAFETAC	CLOGY BRANCI		PLRCENTAGE	. FREQUER	5	RENCE OF SURFACE	OF OCCURRENCE OF SURFACE WIND DIRECTION VER FROM HOURLY OBSERVATIONS	VERSUS WIND SPEED.	
1,	AIM WEATHTH SE			- 1				Mile landing beddyng desperii kepantama das inch juwa n tur japa anp anga		
1.5	STATION NUMBER	ĺ	STATION	į		<		RECOR R	7 URS (L	-0000-
1.3	• • • • • • • • • • • • • • • • • • • •				•	DNIA	IN MHOTS	••••••••		:
11.	P 4 1	1-3			1-16		28-33	. h = 1.h	जह <u>५</u> ६	MLAN
1.0	. 2	9	:-		•	• • • • • • • •	• • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		3.0
1.0	N I C	. 8	.3						101	3.6
1.4		8.							1.0	
2.5 1.6 .3 3.6 3.8 3.0 1.4 3 .1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	فادف		=						2.1	7
1.3 1.6 .3 1.4 .7 .1 2.3 1.0 .3 2.4 .4 .3 .1 4.5 .3.1 1.3 .1 4.5 .3.1 1.3 .10 .1 4.5 .3.1 1.3 .1 1.0 .1 2.5 3.8 3.0 1.4 .3 .1 1.0 .1 2.6 .4 .1 .1 .1 .1 2.7 .7 .7 .3 .1 3.6 .1 .1 .1 .1 3.6 .1 .1 .1 .1 3.6 .1 .1 .1 .1 3.7 .1 .1 .1 3.8 .1 .1 .1 3.8 .1 .1 .1 3.8 .1 .1 .1 3.9 .1 .1 .1 3	ij	5•2	۴.						3.5	8
2.3 1.0 .3 3.8 3.8 4.7 7.8 4.8 4.7 7.8 4.8 4.8 4.5 3.1 1.3 7.0 1.1 1.8 7.8 7.8 7.0 1.1 1.1.8 7.8 7.0 1.1 1.1.8 7.8 7.0 1.1 1.1 1.2 7.0 1.1 1.1 1.2 7.0 1.1 1.1 1.2 7.0 1.1 1.1 1.2 7.0 1.1 1.1 1.2 7.0 1.1 1.1 1.2 7.0 1.1 1.1 1.2 7.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1	TS:I	1.3	1.6	n					3.1	Š
2.5 1.0 .3 .4 .4 .4 .5 .7 .4 .4 .5 .1 .4 .4 .5 .1 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	L S	1.4		-		***************************************	では、このでは最一年を一部・機関を「こったがなった。」という世界をランプ・ルフ	1 A	Z • 3	İ
4.0	385	2 • 3	1.0	n.					8.8	~
4.6 3.7 1.3 2.0 1.1 1.3 2.0 1.1 1.8 3.	70	1.1	1.	3		de de compet de des competents de la competent de la competent de la competencia della competencia del competencia della	T CASE SERVICE CASE DECEMBER	THE REPORT OF THE PROPERTY AND THE PROPE	2.0	
11.6 2.5 3.8 3.0 1.4 3.0 1.4 3.0 1.4 3.0 1.4 3.0 1.4 3.0 1.4 3.0 1.4 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	* 5 v	2 2	8	gr.		P. M. C			7.8	=
11.0 2.5 3.8 3.0 1.4 .3 .4 3.1 3.6 .6 .1 .1 .1 .1 .1 1.4 3.6 .6 .1 .1 .1 .1 .1 1.0 3.6 1.1 8.9 7.7 7777777777777777777777777777777	Ŋ	5.1	3.3	1.4	9.	1,			11.5	İ
2.5 3.8 3.0 1.4 .3 .1 .1 3.1 1.4 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1	200		1.00	913	,		· · · · · · · · · · · · · · · · · · ·	の物質を含ませる。 は 日本のでは、な サー・・ サーキの スク・コング・コング・コング・コング・コング・コング・コング・コング・コング・コング	11.0	1000
1.6 35.4 1.1 8.9 r.1 .7 35.4 1.1 8.9 r.1 .7 .1		2 - 2	K.	0.5	=	3 7		The state of the s	11.8	
35.6 1.1 8.9 F.1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .		1.7	۲.	٠.	٧,	1			1.8	
35.4 1.1 8.9 F.1 .7 .1 TOURSERVATIONS: 1.1 1.1 .7 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	2	9•	9;		.1		;	放射性 (基本 () - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	# T	
35.6 1.1 8.9 F.1 .7 .1 TOURSERVATIONS: 1.1 .7 .1 TOURSERVATIONS: 1.1	ABI A			7.			to a few and a secondary	Marine M. Marine C. C. C. C. C. C. C. C. C. C. C. C. C.	0 · 1	1,000
35.6 11 8.0 F.T T I I I I I	V A 2-1 A 1-1 F			•	••••	:	•••••••••••			
SS-4 1:11 B.O FT. 17 T. T. T. T. T. T. T. T. T. T. T. T. T.	כערא	untintin	יוונווונו	<i>Manna</i>	mm		. Hermen en en en en en en en en en en en en e	77777777777777777777777777777777777777		
CF OASFRVATIONS: 127	TO 1 AL "	35.4		٥ 8	1.0 1.0 1.0	.,		Manager of Manager of Tax	0:.001	
CF ONSFRVATIONS:					1:					i :
	TOTAL WIN-LP (10881	127			-			

Protog of Ricordi 77-16 Hours (1.51)	1V101 00 10 00 10 00 10 10 10 10 10 10 10	A CO CO CO CO CO CO CO CO CO CO CO CO CO		1 1111	10 [1]	0.01	LOS AND MANUFACTURE AND VALUE AND AND ADDRESS OF THE ADDRESS OF TH	O 1 E	C C C	The transformation of the state	1) 1 (() 1)	į	man 9.11 a	0.6	٠	**************************************		COLLECTION BOREST AND AND AND AND AND AND AND AND AND AND	0.001
INP SPEED IN KNOTS	27.2.2.7.2.7.2.7.2.7.4.0		igge A derivation and against designation of the contract of t		RANGALISHER RAMEN PRINTERS OF THE AMERICAN STREET AND AND AND AND AND AND AND AND AND AND			THE BOATED THE THE REPORT OF THE BOATED THE STATE OF THE	7.	· ·	to the contract of the contrac	٠.	., .,	The second personal control was all before a control descriptions of the control	7			mminiminimini	
• }	-16 17					÷	· ·	۲,	~ .		7.1	1.4	••		۲,	.1	• • • • • • • • • • • • • • • • • • • •		1
AME : FE	11 31-1 3-0		- †		١. ٥	3.0	1.9	1,1	£ ,	1.6	7.0	\$ • \$	ਦ =	1.0	(·	:		minne.	7.5.7
SIATION NAME:	ن ا			* *	ي ن	2.2	:	= -	٠.	r .		1.6	1.7		1.2	 	•		~
	75		7.7	4.1	5.0	در ج •	•	6.	. 7	u.	٠.	-	۲٠٠	***	^.				27.4
STATEO 4 WEST P. 7.2.73.9 STATION NAME: FT HUNCHUGA	1 (0 (30)	-					- -	 2	^	 - c	; ;	e 3	*		;		V & EATER		וסוערג

HOURLY OBSERVATIONS DIRECTION VERSUS WIND SPEED. PERIOD OF RECORD!	27 28-33 34-40 41-47 48-55	in and a second			2:9 6:9		(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	7	5.01 S.8.	. 12 ÷ 0.	9.01 17.71	•1	. 5 . 4. 8 . 2	3'.9'.		TITITITITITITITITITITITITITITITITITITI	1.1			
AZ AZ	4 I ND						v	8•	9•	7	. 6.	•1	1.				3.4			
PERCENTAGE FREQUENCY NAME: FT HUACHUGA	11-16 17	. 4 . 1			9•	• 2	= "	1.9	9•2	3.2	6.5	1.4	1.2	7.	•	THE THE PROPERTY OF THE PROPERTY OF THE PART	18.8			
P CRCENTAG	1-1			1.1	2.0	2.6	6.	2.2	2.9	h•9	6.9	2.7	1.8	1.4		THILLIAN I	33.3	•	857	
TATION	9-11	1.5	• 1	3.6	3.2	1.1	1.2	1.3	1.8	1.3	2.8	1.8	1.5	1.4		11111111	26.8		TIONS:	
SLOGY BRANSERVICE/HAC	1-3	1.5		2.2	1.2	3	104	5.	9.	9•	2.	9•	۲۰	• 7		mmin	13.7		OF OBSERVATIONS:	
GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHFR SERVICE/MAC	JIRECTIUN (DEGREES)	NN E	2	ENE	ESE	SE	385	S S K	3.0	HSH	**	328	32	*7"	VARIABLE	CALP	101 AL 5	•	TOTAL NUMBER	

The second of th

The Marie again the

The state of the s

The state of the s

かいなったとうなる もしいとをあれているというな

, <u>5</u>

0N HAME: FT HUACHUCA AZ WIND SPECO IN KNOTS WIND SPECO IN WIND SPECO IN WIND SPECO IN THE SPEC	185 (UST) 1 1500-1700. 2 - 2 - 4 3 - 0 - 4 3 - 0 - 4 3 - 0 - 4 3 - 0 - 4 1 - 4 - 6 1 - 4 - 6 1 - 4 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 1 - 7 2 - 8 2 - 8 2 - 8 2 - 8 3 - 8
1-3 4-6 7-10 11-10 17-21 22-27 28-33 34-40 41-47 5 1.0 .1 .1 .1 1.0 .1 .4 .1 5 1.7 .2 .4 .1 1.1 1.4 .4 .2 5 1.2 .9 .4 .1 5 1.2 .5 .4 .2 1.2 .8 5.3 2.2 .4 .1 5 2.5 1.7 5.7 5.4 .4 .1 7 8 1.4 .1 7 8 1.4 .1 7 8 2.6 .4 .1 7 8 2.6 .4 .1 7 8 2.6 .4 .1	2.2 4.5 3.0 3.0 3.0 1.5 2.2 6.6 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3
1-3 4-6 7-14 11-16 17-21 22-27 28-33 44-40 41-47 48-55 -5 1.1 .5 .4 .1 -5 1.7 .2 .1 -6 .4 1.0 .2 -5 1.2 .5 .4 .2 -7 1.1 1.4 .4 .2 -7 2.4 3.2 .5 .4 .1 -7 2.4 3.2 .5 .4 .1	3.1. \$5.1. \$5.1. \$5.1. \$5.1. \$5.1. \$5.1. \$5.1. \$5.2. \$
.9 1.6 .4 .2 .5 1.1 .1 .1 1.0 .1 .1 .5 1.7 .2 .1 .1 1.0 .4 .1 .5 1.2 .6 .1 .5 1.2 .5 .4 .2 .5 1.7 5.7 5.4 .0 .1 2.8 5.3 2.2 1.0 .1 2.8 5.3 2.2 .4 .1 .1 2.8 5.3 2.2 .4 .1 2.1 4.8 2.6 .4 .1 .1 2.1 4.8 2.6 .4 .1	2.2 4.99 1.27 2.8 3.0 4.5 1.6 6.1 1.9 6.1 1.9 6.1 1.19 9.7 1.30 9.7
1.0 .1 .1 .5 1.0 .1 .1 .1 2.	2.2 4.9 2.0 4.5 3.0 4.5 1.6 6.1 1.9 6.1 1.9 7.6 1.3.5 10.0
1.0	2.6. 5.3. 3.00 4.55 3.00 4.55 2.2. 6.6.1 2.8. 7.6. 11.9. 9.7
1.1 1.4 .4 .1 .2 .9 .4 .1 .4 .7 .6 .1 .5 1.2 .5 .4 .2 .5 1.9 1.9 2.2 1.0 .5 2.8 5.3 2.2 3.4 .4 .5 2.5 11.1 7.8 1.4 . .4 2.1 4.8 2.6 .4 . .7 2.4 3.2 .5 .4	3.0 4.5 3.0 4.5 1.6 6.1 2.2 6.6 1.0 2 1.3.5 10.0
101 104 04 01 02 09 04 01 05 102 05 04 02 05 102 05 04 02 05 109 109 202 100 05 208 503 202 100 05 205 1101 708 104 00 04 201 408 206 04 07 204 302 05 05 04 07 204 302 05 05 04 08 09 09 09 09 09 09 09 09 09	3.0 1.6 1.6 1.0 1.3 1.0 1.3 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0
.4 .7 .6 .1 .5 .1.2 .5 .4 .2 .5 .1.2 .5 .4 .2 .5 .1.9 1.9 2.2 1.0 .1 2.8 5.3 2.2 .4 .4 .2 1.7 5.7 5.4 .4 .4 2.1 4.8 2.6 .4 . .7 2.4 3.2 .5 .4	1.66 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
.6 .4 1.0 .2 .5 1.2 .5 .4 .2 .1 2.8 5.3 2.2 1.0 .2 1.7 5.7 5.4 .4 .4 2.1 4.8 2.6 .4 .7 2.4 3.2 .5 .4	9 9 5 0 5
.5 1.2 .5 .42 .5 1.2 .5 .42 .1 2.8 5.3 2.2 1.0 .2 1.7 5.7 5.4 .4 .4 2.1 4.8 2.6 .4 .7 2.4 3.2 .5 .4	
.5 1.2 .5 .4 .2 .5 1.9 1.9 2.2 1.0 .1 2.8 5.3 2.2 .42 1.7 5.7 5.4 .4 .4 2.5 11.1 7.8 1.44 2.1 4.8 2.6 .4 .	0.00
.5 1.9 1.9 2.2 1.0 .1 2.8 5.3 2.2 .4 .4 .4 .5 2.5 11.1 7.8 11.4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .	
.1 2.8 5.3 2.2 .442 1.7 5.7 5.4 .4 .45 2.5 11.1 7.8 1.44 2.1 4.8 2.6 .4	101
.6 2.5 11.1 7.8 1.4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .	10
.6 2.5 11.1 7.8 1.4	
.4 2.1 4.8 2.6 .7 2.4 3.2 .5	
.7 2.4 3.2 .5	10.4
	7.52
NNW -9 2.2 1.6 .1	(80 ° 13) (80 ° 13)
BLF	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
CALM THEFT THE THE THEFT THE THEFT THE THEFT THE THEFT THE THEFT THE THEFT THE THE THEFT THE THEFT THE THEFT THE THEFT THE THEFT THE THEFT THE THE THE THE THE THE THE THE THE TH	
TOTALS 9.3 24.8 37.7 22.3 4.1 .7	P. P. D. D. D. T. T. T. T. T. T. T. T. T. T. T. T. T.
TOTAL NUMPLR OF OBSERVATIONS: 808	

The state of the s

The Control of the Co

The state of the s

FROH HOURLY OBSERVA-TONS.	PERIOD	SPEED IN KNOTS THEN WEEDS GENERALL WHEAN					19 ACT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	O. N. Carry Co. C. C. C. C. C. C. C. C. C. C. C. C. C.				.01	「A Section of the S		.9 0	1.	8. 9. 9. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	3		* 1		0.00.00.00.00.00.00.00.00.00.00.00.00.0				
5,	FT HUACHUCA AZ	ONIT	17-21					, T		.1 .3	•1	.6 .1	1.3 .7	6.	3.0	2.5		ħ·			THI THE THE	5.1 6.6				
PERCENTAGE PRECUENCY	1		7-10 11	.3			.1			7	9.	7.	1.8	4.1	5.5	5.9	2.1	2.4	6.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	24.5			67.7	
	STATION NAME:		4-6	7.	3		.1		.3	7.	9.	1.6	1.6	5.8	5.5	10.3	0.4	1.8	1 13		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2		•	OBSERVATIONS:	
LOGY BRAN RVÌCE/KAC	: 722730	•	1-3	7.	6•	7.	6.	6.		5	9•	1.0	6•	3.2	3.4	4.3	1.8	1.2	1.0		t		2.22		OF	
GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/HAC	STATION NUMBER:	•	DIRECTION		INE	ĸ	ENE	น	ESE	SE	SSE	S	HSS	หร	RSR	2	ANK	AZ	322		VAN JAHLE	CALR	TCT AL >	•	TOTAL NUMBER	

																					1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 (0)		: : !				_
	And a control of the	\$00°	HEAN	TO THE PROPERTY OF THE PROPERT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 .	# (F. C.)	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	2 2 mm	7.00		5.8	5.5.7	, Ç. Ç.		6.3	S. J.	4 . 4	.3.6.	12.2.		111111	, v v v	N • *				•
SPEED	Ca yo sayes	2100-2	TOTAL		* * * * * * * * * * * * * * * * * * *	The same of the state of the	3 1/2	in .	1,65		18.81	2,88	5.3	7.6	13.9	19.9	24.5	5.3	1,68	1.0.3	0,0000000	12.6		1.00.1				
ONI M. ŚŃŚŁ	-21	HOURS (EST	GE '56)	- ી •	l`	100000000000000000000000000000000000000		W. C. C. C.	212th 1 1 27 5			20.80		3 7 7 8 7 7 7						, , ,		111111111111111111111111111111111111111		-		,		
DIRECTION VERSUS WIND	ACUAC SO	HONTH: WAR HOURS (EST) : 2100-2300	48-55		.					• • •					,	ŕ					• • • • • • • • •	37777777			• • • • • • •			
4 1.0	ATIONS		:						E ICAD					\$							• • • • • • • • • • • • • • • • • • • •				• • • • • • •			
F SURFACE WIND	LY OBSERV		7-72																									
OCCURRENCE OF	FROM HOUN		SPEED IN KNOTS	97 17-										.3							•			• 3				
90		AZ	ON I M	- 1								٤.		1.0		5					• • • • • • •			1.8				
FREQUENCY	1 1	ниасни		1-16							5•		S.		2.8	3.0	80	ю.						7.8				
PERCENTAGE		NAME: FT		7-10						m)	m.	8.	1.0	1.5	2.3	3.5	5.3	1.0					,,,,,,,,,,	16.2		396		
		STATION	:	9		8	• 3		• 3	٤.	ε.	5.	2.3		5.1	7.3	11.6						,,,,,,,,,,	32.3		ATIONS:		
Nega A	RVICE/HAC	: 722730		1-3				۴.	1.3		8.		1.5	3.0	3.8	5.6	6.8	2.5	1 .	• 1			11111111	29.0		OF OBSERVATION		
T was 1	USAFETAC AIR WEATHER SERVICE/HAC	ON NUMBER:	1	DIRECTION (DEGREES)	•	NNE	z E	ENE	<u>ω</u>	ESE	SE	SSF	V	355	3.8	33	3	ANA	2 2	375		VARIABLE	CALY	TO 1 ALS		ง บหายล		
	USAFE USAFE AIR WE	STATION	•	10) (0)																	1 '					TOTAL		

Control of the Contro

i 1

									2.05								7				West to					The second		
A Comment of the Comm	strate to the strate of the	e i i septembri de especialista especialista de especialista de especialista especialista especialista especial		PUREANNESS		3.88	(13'0)3'	3.368	4. 10 (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	(9.8 S	5.09	5.2	9.0	80 • (80)		8•1	, , , , , , , , , , , , , , , , , , ,	7.5	Total	, in		Titie	,e. ż.		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			
DASPEEDVIN	ورد من المراجعة المحادمة	77-86 USTATE		GE SE SE		TOTAL STREET	1 . T.	3.0	5.43	E • # ***		3.1	3.9		10.2	12.6	18.0	9.9	* ******	3.0	9,000	1.111.1.	Log. o				,	
TON WERSUS WIND	3 1	RECORD: 77-86 AR HOURS(UST):		48-55 GE 56		A STATE OF THE STA														·	• • • • • • • • • • • • • • • • • • • •	rininininini				-		
OCCURRENCE OF SURFACE WIND DIRECTION VERSUS FROM HOURLY OBSERVATIONS			•	34-40 41-41	• • • • • • • • • • • • • • • • • • • •	•	,	,		,					0.						•		0.					
OF SURFA			IN KNOTS		• • • • • • • • • •									0.	٥.						•	יווווווווויו	ŀ					
CCURRENCE FROM HO			SPEED	22-21 2	• • • • • • • • •									0.	.1	Ω•	• 1	D.	0.			,,,,,,,,,,,,	ħ.					
OF		AZ	GRIN	1	• • • • • • • •						0.	0	• 2	9•	۳.	• 3	•6.	•2	•1		•		5.4					
PERCENTAGE FREQUENCY		FT Н ИАСНИСА	:	11-16				0.	0.	•2	•2	• 2	.	1.4	1.7	Z•0	4.2	1.1	ທຸ		•	***************************************	13.1					
PERCENT		N NAME:	•	7-10		2.	•	• 2	۲۰	1.1	1.1	ڻ• •	7.	1.7	2.9	£ • ħ	6.3	2.3	1.6	10		11111111	25.0		4305			
имсн	•) STATION	• • • • • • •	9-t	1 .9	9• (9•]	5 1.1	5 2.1	1 2.0	9 1.2	6.	1.2	1.2	3.0	3.0	1 4.7	1.9	9 1.4	3 1.2		111111111	1 27.1		ORSERVATIUMS:			
CLIMATOLOGY BRANCH	ERVICE/H/	R: 722730		1-3	1	0.	1 1 1	1.6	2 • 5	1.1		1.2	1 • 4	1.4	2 - 1	1 2.0	2 • 1	1 • 1		.8	- !-	11111111	22.1	_ :	OF ORSERI			
GLOBAL CLIMATOLOGY BRAN	AIR WEATHER S	STATION NUMBER:	•	UIRECTION (DEGREES)		HNE	NE	ENE	ш	ESE	ន	SSE	S	A S S	a s	KSH	¥	3.72	яN	NN	A LA STABLE	CALF	101 ALS		TOTAL NUMPER			
	(1			

The state of the s

,Q

[>4

ATHER SERVICE THE STATE OF THE PRINCIPLE AT HUNDRED AT	USAFETAC	OLOGY BRANCE		PERCENTAGE	E FREGUENCY	٩ ا	OCCURRENCE OF SURFACE WIND DIRECTION FROM HOURLY OBSERVATIONS	: ا	EKSUS WIND SPEED	and the second of the second o
722730 SIAJION NAMES FT HAAAHUGA AZ PERING OFFICE O	AIR WEATHER S	ERVICE/MAC				- 1			A TOTAL CASE TO SELECT STATE OF THE SELECT S	
Note of the control	STATION NUMBER	722730				ΑZ		PERIOD MONTH:	0600-	300.
MME 1.7 1.3 1.0 1.1	•		•		• • • • • • • • • • • • • • • • • • • •	UNIK	IN KNOTS			The second secon
NNK 2.2 13 14 17 18 18 18 18 18 18 18	1 1	1-3	9-4	-10		7-21	28-33	41-47 48-55	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
NNE		2.2	. 1	. 1					(2.5.	9
FRE 2.2	NNE	7.	۴.					,	I Tour	
FORE 2.0 .7 .9 .1 6.5 31.9 5.7 2.7	NE	2.2	٤.	-:			,		2 • 6.	
Fig.	ENE	2.0	.7						75.2	
FSE 2.13 1.9	tal (3.6	•		•1		•			3.99%
SSE 2.2 2.0 1.3 .3 .5 .6 .6 .8 .1 .7 .5 .8 .6 .8 .8 .8 .8 .8 .8	l v	2.3	1.9	η.					H • 6	0.4
SSF 2.2 2.0 1.3 .3 .9 .9 .9 .6 .5 .9 .9 .6 .3 .1 .1 .1 .2 .1 .0 .3 .1 .3 .1 .1 .5 .5 .0 .7 .7 .3 .1 .5 .5 .0 .7 .7 .3 .1 .5 .5 .0 .7 .7 .3 .1 .5 .5 .0 .7 .7 .3 .1 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5		1.6	1.4						80° K'	(E.e.)
SSV 2.6 2.0 1.4 64 .1 10 666. 5-3 SV 5.1 2.5 2.0 1.4 64 .1 10 666. 5-3 NSW 2.5 2.3 .9 .9 .6 .1 10 66.5 NSW 1.4 .6 .6 .3 .1 10 66.5 NNW 1.4 .7 .7 .1 10 .6 .6 .2 NNW 1.5 .5 .9 .9 .9 .6 NNW 1.5 .5 .9 .9 .9 .6 NNW 1.5 .7 .1 10 .6 .6 .3 10 .7 .1 10 .7 .1 10 .5 .6 .5 NNW 1.5 .5 .5 .7 .1 10 .	S	2.2	2.0	•	• 3			5		5,60 () () () () () () () () () (
SSV 2.6 2.0 1.4 64 .1 10 0.7 3 .1 10 0.7 5.0 10 10.7 5.0 10 10.7 5.0 10 10.7 10.7 10.7 10.7 10.7 10.7 10.7	v	1.7	1.2	1.0	• 3				- 1	`. 5•'I'
SSP 5-1 3-5 1-0 -7 -3 -1 -1 -6-5 -6-5 MSW 2-5 2-3 -9 -6 -3 -1 -6-5 -7-1 -1 -1-1 -6-5 -5-5 -7-1 -1 -1-1 -6-5 -5-5 -7-9 -6-5 -7-9 -7-9 -7-9 -7	SSW	1 2.5	2.0	•	ħ	•1			9.9.9	
USW 2.5 2.5 2.5 2.5 2.9 .6 .3 7.41 6.55 UNN 1.4 .6 .3 .9 .6 .3 4.9 HAW 1.0 .6 .3 .3 .3 .3 .3 VARIABLE CALF ////////////////////////////////////	3.6	5.1	• [•	.7	.3	• 1		10'57	, S.O.
MAN 1.4 .6 .5 .9 .6 .5 .3 .9 .6 .5 .3 .4 .9 .7 .1 .1.6 .3 .7 .1 .1.6 .3 .7 .1 .1.6 .3 .7 .1 .1.6 .3 .7 .1 .1.6 .2 .9 .4 .9 .8 .1 .2 .2 .9 .1 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	HSH	2 • 3	3.0		7.	•3	.1		7.2	
HAN 1.9 .6 .6 .3 .4.9 HAN 1.0 .6 .3 .9 .4.9 VARIABLE CALP 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	ં	2.5	2•3		6.	9•			7.64.	
NNW 1.0 .6 .3 1.9 3.5 NNW 1.0 .6 .3 1.9 3.5 VARIABLE CALY ////////////////////////////////////	32.25	1.4	9.	9.					5.6	4.49
NAW 1.0 .6 .3 .19 3.5 VARIABLE	ak		2.						9.1.	3. J. J. J. J. J. J. J. J. J. J. J. J. J.
VARIABLE CALP ///////////////////////////////////	avn	1.0	• 6	m				À.	1.9	(3'-5')
VARIABLE CALF ///////////////////////////////////				•				• • • • • • • • • • • • • • • • • • • •		
TOTALS 34.1 22.5 9.7 3.8 1.3 .3 .4	VAR JABLE		111111111	11111111	11111111	- I~	111111		28.4	inne
OJAL NUMPER OF OBSERVATIONS: 693	101 ALS	34.1	22.5	F.6	3.8	. IM			1	
OJAL NUMBER OF OSSERVATIONS: 69										
	OFAL	0	lo	693						
									_	
									•	

AIR WEATHER SFRVICE/MAC STATION NUMBER: 722739	CLIMATOLOGY BRANCH	P	RCENTAGE	PERCENTAGE FREQUENCY	0F 0C	CURRENCE OF SURF. FROM HOURLY OBS	CURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED FOR STATE OF	S. Vandan
	1		1 1					To the same
	l	Z		ниаси	AZ		PERIOD OF RECORD: 77,886 HONTH: APR HOURS (LST): (0900-1100:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
:	• • • • •	•			MIND	ED IN KNOTS		4. A. 4.C.
DIRECTION (DEGREES)	1-3 4	9-	7-10	11-16		-27 28-33	E. Sécrio TOTALON MARANEMANTE SECRIO	2 4 m 8
:	2.1	1.1			•	•	ြန္ေတြကို လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္း လူတိုင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္တြင္း လူတိုင္း လိုင္း လိုင္း လိုင္း လိုင္း လိုင္း လိုင္း လိုင္း လိုင္း လူတိုင္း လိုင္း င္း လို	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
NNE	1.5	1.6	• 2	• 1			A STATE OF THE STA	
NE NE	1.9	2.4	. 5				The first of the f	2 12
ENE	3.7	4.4	9.				A Company of the second of the	
E	3.7	4.9	3.2	•1			1.41.69 (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	10 Te 2
ESE	1.9	4.2	4.2	• 5			1. 10 (8h.) Juice of the state	\$ 1.4.5.A
SE	8.	3.3	1.8	• 5	• 2		The second of th	· · · · · · · · · · · · · · · · · · ·
SSE	y•	1,3	8.	ħ•			The second secon	*
S	1 • 1	6.	1.4	1.2			The state of the state of the S	3 3 3
SSK	.	.7	1.2	1.9	.2	• 1	the second secon	1
ns	• 1	9.	2.0	2.5	7.	.2	2	
ES#	5	1.1	2.4	2.5	.2	• 2	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
3	1.2	6.	3.9	2.1	• 2	2.	39•66:	
KNK	n•	1.0	2.5	.7	•2	. 1	Seas	
z z	ď	6.	a	• 1			2.3.7. (\$5.5)	
nne	2.0	1.2	65				3.4	:
VARIAGLE								
-		1111111	11111111	111111111	,,,,,,,,	111111111111111111111111111111111111111	THE S. W. CHILLIAN STATE OF THE	, . ;
	22.6	1712	9 5 C	12.5	7.1	0	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
101 // 2	9.77	- 1	9.67	16.3	;	٨.	Ĉ. D. D. O. D.	
TOTAL NUMPER OF C	OBSERVATIONS:	:	óħα			•		
								1

さんできない いっぱん かんしん しんじゅうしょ かんしん

CONTRACTOR SECTION CONTRACTOR CON

AIR WEATHLR SE	USAFETAL AIR WEATHLM SERVICE/HAC						Audie Carlo	7
STATION NUMBER: 722730	: 72273G S	STATION NAME:		FT HUACHUCA	1 AZ	PERIOD OF RECORDS:	URS (L'S	
•	ONIE				SPEED	N KNOTS		
DIRECTION	1-3	4-6	7-10 1	11-16 17	. 2-21	00 0/r 18-18	110	
OEGRETS	6	1.1	6				2.99 (1) 100 mm 1 mm 1 mm 1 mm 1 mm 1 mm 1 mm	
F 22	1.1	5.	7.	• 1			200	
		1.2	5				The state of the s	3 To Co.
3 E	101	1.6	ភ	1.			**************************************	
ENE	5.1	2.2	1.9	2.			S. S. S. S. S. S. S. S. S. S. S. S. S. S	
, i	. 3	1.6	2.8	2.		2	The state of the s	7
300	6	1.5	1.8	7.			5	
3 C	9.	1.6	1.3	4.		32.7 St. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	2000	
	3.	1.8	2.4	1.8	. 1		***************************************	· ;;
ลงง	5.	3.	2.1	2.8	.2 .1			4000
1 34 V	2.	.7	3.9	ti • ti	. T.		10.62, 1313.63, 10.00,	
NSH	•1	1.6	5.2	4.5	. 6 2		3	
'c	٠5	2.4	7.1	5.4	1.1 .7		CONTRACTOR OF THE CONTRACTOR O	
នមក		1.5	2.7	2.2	.4 .1			· .
32	.5	1.4	6.	2.0	•1	•		
RNR	5.	1.8	ທ	5				1
• L	_ :					•		- 1
VAR JABLU CALE	THE THE THE THE TANK	anne,	min.	111111111		THE THE PROPERTY OF THE PROPER	Z.•0." //	
TOTALS	10.2	23.0	34.7	29.5	3.4 1.4		NO S . A DO ON L . A SECOND . A	
• • • • • • • • • • • • • • • • • • • •		i •						
TOTAL NUMPER	OF OBSERVATIONS:	11085:	648					3
							A CANADA CAMBARA CAMBA	3
					والمساورة والمساورة والمساورة والمساورة والمساورة والمساورة والمساورة والمساورة		A CANAGA IN THE STATE OF THE ST	Ì

USAFETAC	GLOBAL CLIMATOLOGY BRANCH USAFETAC		PEPCENTAGE	E FREQUENCY	NCY OF OCC	CURRENCE OF FROM HOURLY	SURFACE	HIND DIRECTION VERSUS :NI TIONS	the state of the s
AIR KEATHER S	ERVICE/HAC		}		l t			SECTION OF RECORDS 77-86:	Company of the second of the s
STATION NUMBER: 722730		STATION NAME:	NAME: F	FT HUACHUCA	١,٠			HONTHE APR HOURS (LST) : 1500 - 1700	ST); 1500-1700; 15
•	•		ONIP		• 1	SPEED IN KNOT	TS) =	
	1-3	4-6	7-10	11-16	. 7	C-87	04-46		
	1.4	1.8		.3					10 10 10 10 10 10 10 10 10 10 10 10 10 1
RNE	r.	• 8	• 3	٤.					Control of the State of the Sta
u z	· S	• 3	. 1						A CONTRACTOR OF SECULO
3/3	5.	3.	5.						Comment of the State of the Sta
ш	• 3	1.8	80	.1			, 	Action with the control of the contr	16 6 D. January
ESE		6•	6.				•		2°5' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
SE		• 8	٥٠	r.				\$1.00 X 1.00 .9	
SSE	-3	1.6	9•	.3				A SALAN TO THE SALAN THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO THE SALAN TO	21884 C. J. 6 6 6 C. J. C. C. C. C. C. C. C. C. C. C. C. C. C.
S	1.0	.3	1.6	1.8	•1				4.68 June 19. 2 Some by the state of the sta
MSS	I-	1.0	2.5	2.5	6.		.1	A CAN THE TOTAL CONTRACT OF THE STATE OF THE	the second 1011 of the second
нs	.	69	ਹ ਹ	4 • 1	1.6	7.			The state of the s
MSM		1.9	S • S	5.5	1.1	•3			THE STATE OF THE PARTY OF THE P
3	5	1.4	8.6	6.6	2.0	• 1	.1		22.5 11.5.
HNR	ф •	1.8	3.4	3.6	ĸ.				Commence of the particular of the commence of
32	5	2.4	2.3	1.5	•3				3 (6 • 9
ANE	• 5	1.0	1.1	. 1					3565 1 1 5 5 5 7 1 1 1 1 1 1 1 1 1 1 1 1 1
•	_	•			•				
VARIABLE									11.8
CALM		1111111	11111111	,,,,,,,,					
101 4LS	₹°1	19.5	33.7	30.2	6 • 3	5.	• 3		
• • • • • • • • • • • • • • • • • • • •							•		
TOTAL NUMPER	OF OBSERVATIONS:	IONS:	199						
								4 / 4 /	The second secon

A CALL THE CONTRACT OF THE CALL THE CAL

	D. DIRECTION VERSUS HIND SPEED	STOCKET STOCKET TO STOCKET THE STOCKET	PERIOD OF RECORD: 77-06 HOUNTH: APR HOURS'ILS' SAID-2000		41-47 48-55 GE 56 TOTAL HEAN		, C	Extraction of	\$ \$ 4. 4 \$ 2.		#3.5c.2		,	A Transport			10 M 20 20 10 10 10 10 10 10 10 10 10 10 10 10 10	- 6-Z	9	6.44	9 5.5			100.00			**************************************
	PERCENTAGE FREQUENCY OF OCCURRENCE OF SURFACE WIND DIRECTION VERSUS		FT HUACHUCA AZ	LIND SPEED IN KNOTS	22-27 28-33 34-40	2.	.2	• 2	2.	.35	•2	.3 .5	2. 2.	101	N° 5.	2.			2,3 1,1 ,2	1.2 .6	1,2						
es en un mario de circumante de companya de companya de companya de companya de companya de companya de company	CLIMATOLOGY BRANCH	ERVĮCE/MAC	NUMBER: 722730 STATION NAME:		1-3 4-6	1.1.6	• 3	, , , , , , , , , , , , , , , , , , ,	£• 3•	.2 .3	ξ. ξ.	9; 9•	5. 2.	1.8 1.2	1.2 2.5	2.0 4.4	2.6 6.0	3.2 7.8	1.8 2.9	.9 1.8	6. 8.	• • • • • • • • • • • • • • • • • • • •	Managaran Managaran Managaran Managaran Managaran Managaran Managaran Managaran Managaran Managaran Managaran M	17.5 32.9		· OBSERVATIONS:	
	GLOBAL USAFETA	AIR HEATHUR SE				Z	., NWE	. N	ENE	341	ESE	SF	SSE	, v	NSS.	NS	NSA	34	NNA	NK	ANN	VARTABLE	·	101 ALS	••••••	TOTAL NUMPER OF	

1	,					,					A SAMP TO THE SAME SERVICE	200	***
and the state of t	GLOBAL CLIMATOLOGY BRANCH USAFETA,C	LOGY BRANC	, :	ERCENTAG	PERCENTAGE FREQUENCY	ICY OF OC	CURRENCE OF SURFACE WIND FROM HOURLY OBSERVATION	FACE WIND DIRECTION	CT ION VERSUS	ONIA	SPEED ALLES OF SAME STATES OF SAME SAME SAME SAME SAME SAME SAME SAME		
(AIR WEATHER SERVICE/HAC	RVICE/HAC			7.			:		, , , , , , , , , , , , , , , , , , ,	The state of the s		*****
	STATION NUMBER: 722730	1: 722730	STATION NAHE:	NAHE: F	FT HUACHUCA	A AZ	,	PERIOD OF HONTH: AF	RECOF	10: 77-81; HOURS (LST):	77-81,83-86 EST): 2100-2300		
		1:	•	•		LIND	SPEED IN KNOTS				3	A Comment of the Comm	
	UIRECTION	1-3	4-6	7-10	11-16	17-21	2-27	34-40 41-41	48-55 I	E 56	TOTAL SHIND STATE	Commercial Control of the Control of	iven:
		£	•	•	• • • • • • • •		• • • • • • • • • • • •				*(*,*,*,*)*(*,*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*)*(*,*,*,*,		
	U XX	'n	,	-		,	* 1		W 40814 774	The state of the s			nes.
			5.	<u> </u>						en e super productives	The second of th	Carried a Marketina	
	ENT				٠,٠					t extent a term	Or granty to have been all the services of	**************************************	
.,,	m	٤.	g. •			,		\$. \$. \$. \$. \$. \$. \$. \$. \$. \$.		100000000000000000000000000000000000000	To I will fig to	State of the state of	
	ESE	5•	. 5.	·	,	4							
,	SF	• 3	8.	6.5	.3.		; }				1.8	4, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	SSE	8•	8.	,	. •5	,	b				2.1	1 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
, , , , , , , , , , , , , , , , , , ,	S	2.1	3.4	, F•	i,		-				6.1. 4.2		
	SSW SSW	 1.8	3.2	1.1							6.1		
	, äs	3•4	2•8	2.1	• 5	.3	•				14.5		
,	NS E	4.5	11.1	2.9	1.8	έ μ	M				20.8	100 00 00 00 00	
_	**	D•#	15.6	10.8	1.6						31.9		
	ARH.	• 8	2.6	1.8	1+1	۴.)	3			6.6. (7.3)		
ر من	, NW		,	.3							•3 <u>7</u> •0		
	NNR	5.	٣.	ທຸ		,		•			1.3		
												•••	
	VAK JANÇE		11111111						THE THE THE		5.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	7 T		0 20			a	Y					1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	101 853		- 1	7.00									jum o je Struži
į	TOTAL WURBER C	OF OBSERVATIONS:	•	379									
		- 1											ر المنازع المنازع المنازع المنازع المنازع المنازع المنازع المنازع المنازع المنازع المنازع المنازع المنازع المن المنازع المنازع
						-						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
					-		والمتنازية ويسترش والمتروث والمتراوية	والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراع			57 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -		÷.

STATION HUNDER 22233 STATION MANE: FT HUACHUGA AZ FERRION OF RECORDS: FT FT FT FT FT FT FT F	1.5 1.4 1.6 1.7 1.8 1.7 1.8	N NAME: FT HUACHUCA AZ WIND 7-10 11-16 17-21	r. Var	かっかい から かっぱ アンプライン アン・カート アンプランド・アンプランド・アンプラント
1.2 1.2	1-3 4-6 7-10 11-16 11-21 22-27 28-33 34-100 07 18-35 04 55 10 18 18 18 18 18 18 18	N NAME: FI HUACHUCA AZ WIND WIND 7-10 11-16 17-21		
1.9 .7 .2 .1 1.0 11.16 11.21 22.27 28.33 3440 34-4 48.515 6E 56, 1010, 1610, 1	1.5	7-10 11-16 17-21		d
1-3 4-6 7-10 11-16 17-21 22-27 28-33 34-40 31-47 48-55 12 12 12 12 12 12 12	1-3 4-6 7-10 11-16 11-21 22-7 28-13 34-10 31-7 48-55 48-	DIRECTION 1-3 4-6 7-10 11-16 17-21 22- (DEGREES)	D IN KNOTS	
1.4 .9 .3 .0	1.0 .9 .2 .0 .1 .0 .1 .0 .0 .0 .0		28-33	2 14 1 - 19 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1
1.0 .9 .2 .1 .2 .4 .8	1.0 .9 .3 .0 .9 .4 .0	N 1.4 .9 .3 .0		
1.6 2.2 1.4 .1 .1 .1 .1 .2 .2 .2 .4 .2 .2 .2 .4 .2 .2	1.6 1.5 1.5 1.4 1.1 1.6 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.0 1.6 1.8 1.1 1.0 1.6	2.		March 1
1.5 1.5 1.5 1.4 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.8	1.5 1.5 1.5 1.5 1.4 1.1 1.6 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.1 1.8 1.7 1.8	1.0 .9		
1.6 2.2 1.4 .1 .1 .1 .1 .1 .1 .	1.6 2.2 1.4 .1 .1 .1 .1 .1 .1 .	1.5 1.5		
1.1 1.8 1.7 .1	1.1 1.8 1.7 1.1 1.3 1.0 3.7 6.4 1.9 1.4 1.1 1.1 1.0 3.7 6.4 1.0 1.4 2.0 1.6 1.5 1.1 1.0 1.0 1.0 1.0 1.1 2.4 3.0 2.7 1.1 1.1 1.0 1.0 1.0 1.0 1.2 3.3 4.0 3.2 1.6 1.2 1.6 1.2 1.0 1.7 3.9 6.4 4.5 9 2 1.0 1.0 1.0 1.7 3.9 6.4 4.5 9 1.2 1.0 1.0 1.0 1.7 3.9 1.0 1.0 1.0 1.0 1.0 1.8 1.7 2.3 1.6 2.0 1.0 1.9 1.2 1.6 1.0 1.0 1.0 1.9 1.2 1.6 2.9 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	1.6 2.2 3.4		
-7 1.5 1.1 :3 .0 -9 1:4 :8 :3 .0 .0 .0 .1 .2 .1 .2 .0 .	1.2 1.3 1.4 1.1 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	1.1 1.8 1.7		'n
1.2 1.3 1.4 1.1 .0 .0 .0 .0 .0 .0 .1.2 1.3 1.4 1.1 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	1.2 1.3 1.4 1.1 .0 .0 .0 .0 .0 .1.2 1.2 1.3 1.4 1.1 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	7 1.5 1.1 .3 .		.9
1.2 1.3 1.4 1.1 .0	1.2 1.3 1.4 1.1 .0 .0 .0 .0 .0 .0 .	. 95 15t . 88	1	, ,
1.0 1.4 2.0 1.6 .3 .0 .0 .0 .6 .4 .8 .7 .1 .1 .1 .1 .1 .1 .1	1.0 1.4 2.0 1.6 .3 .0 .0 .0 1.5 2.4 3.0 2.7 .7 .1 .1 .1 .1 .1 .1	1.2 1.3 1.9 1.1	1	
1.6 2.4 3.0 2.7 .7 .1 .1 .1015, 889 1.7 3.9 6.4 4.5 .9 .2 .0 1.8 1.7 2.3 1.6 .2 .0 2.9 1.2 .6 .1 .2 .0 1.0 18.1 27.3 26.6 16.6 2.9 .6 .0	1.6 2.4 3.0 2.7 .7 .1 10.5 818 1.7 3.9 4.0 3.2 .6 .2 .0 12.6 .4 .9.2 .0 17.6 8.9 1.8 1.7 2.3 1.6 .2 .0 .0 .0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	1.0 1.4 2.0 1.6		•8, , , , ,
1.7 3.9 6.4 4.5 .9 .2 .0 1 17.6 9.2 .8 1.7 2.3 1.6 .2 .0 6 .9 1.2 .6 .1 2 .6 .1 2 .0 .0 2.9 5.0 10.1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	1.7 3.9 6.4 4.5 .9 .2 .0 17.5 17.5 9.2 .0 17.5 .0 17.5 9.2 .0 1.7 2.3 1.6 .2 .0 .0 2.0 .0 2.0 2.0 2.0 2.0 2.0 2.0	1.6 2.4 3.0 2.7.	ĵ.	0.5
1.7 3.9 6.4 4.5 .9 .2 .0 .0 .0 .5.7 8.5 .9 .5.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .	1.7 3.9 6.4 4.5 .9 .2 .0 .0 .1 .8 .6 .7 8.5 .9 .2 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	1.3 3.3 4.0 3.2	2.	***
.6 1.3 1.0 .8 .0 .0 3.8 7.5.0 .0.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	.6 1.5 2.3 .0 3.8 7.5 .6 1.2 .6 .1 2.9 3.8 7.5 .9 1.2 .6 .1 2.9 5.0 .1001111111111111111111111111111111111	1.7 3.9 6.4 . 4.5	2	6
.9 1.2 .6 .1 27.9 5.0. (1111111111111111111111111111111111	.9 1.2 .6 .1 27.3 26.6 16.6 2.9 .6 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	.8 1.7 2.3 1.6	u•.	8
9 1.2 .6 .1 2.9 5.0.	9 1.2 .6 .1 2.9 5.0	6 1.3 1.0 .8	0.•	
18-1 27-3 26-6 16-6 2-9 -6 .0 100.0 100.0 6-9	18-1 27-3 26-6 16-6 2-9 6 0 10000 6-9	.9. 1.2 .6		, Š
18-1 27-3 26-6 16-6 2-9 -6 -0	18-1 27-3 26-6 16-6 2-9 -6 -0 18-1 27-3 26-6 16-6 2-9 -6-9	VARIABLE	•	
18-1 27-3 26-6 16-6 2-9 .6 .0	18-1 27-3 26-6 16-6 2-9 .6 .0	THE THE PROPERTY OF THE PROPER		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
		18.1 27.3 26.6 16.6	0° 9•	100.00

			:,-																									
1			2		5.2	r in	0.2	7.5	× 4	3.6	£.0.0	1	8.0	1.1	3:0	3	4.0	4.7		1.1	:		777777	1:1			minimus (kitta	
INDISPEED			POTAL		: '	× .	A .	2		9:4	215	2	1:4	3.2	613	4:4	6.3	4.2	4.5	147			11.12	1.00.1				
ERSUS, WIND	96-11	••••••	9539	0,00000,00,00		1																 -1	11111					
CTION VER	OF RECORDS 7	••••••	59-95								-													,				
WIND DIREC	PERIOD OF	• • • • • • • • • • • • • • • • • • • •	1. h = 1. h		7					***************************************							***************************************		***************************************		• • • • • • •	iciale (aip-falele					1,	
20.6			34-40		İ														-			intelevatedet.						
OUREY OBSE		IN KNOTS						-				-					,				•••••	L. Leladadadadad			• • • • • •	1		
OCCURRENCE OF FROM HOURE		SPEED	22-27	• • • • • • •																					••••••			*
OF	CA AZ	HIND		• • • • • • • •							ŀ		7		-							11111111		-				_
SE FREQUENCY	ниасн	•	11-16					1.1	•	-		1	-	-			r•			7	••••••••••	11111111	*	;	• • • • • • • • • • • • • • • • • • • •			
P.ERCENTAGE	1. [7-10	1				6.0	6	1.3	1.3		9	,		7	1.2	٠.	.3			TTTTTTT	1.0			694		
	STATION		3-6	0.	1.0	٥.	1.9	3.3	1.7	2.2	1.7	2,2		1			9.7	1:.7	1.0	9		minn	25.0	.				
JGY BRANC TCE/HAC				2.9	1.7	2.4	3.3	3.7	4+2	1.5	1.6	2.66	163	0.4			500	1 ·	1.2	1.2	••••••••••••••••••••••••		3.7.6		OBSERBIANTOR	71 WAW 35		
GLOBAL CLIMATOLOGY BRANCH USAFETAC ATR WEATHER SERVICE/NAC	LR																	- -	<u> </u>	- -	in E	1111	1	_	10 90 G	;		
GLOBAL (USAFETAC	STATION NUMB	0.185.0	(DEGREES)	Z	MNE	r s	ENF	ш	ESE	SF	SSE	v	SSK	4.0	ASA	-	1 2 2 2		2 :	N S	VAR TAPLE	CALN	TOTALE		G. Idkil N TATOT		*	
								,														Î		:				
								.]				,	_]												1	Y		

1,52 Fz

Note 1	STATION NUMER: 722733 STATION NUMER: 722733 DIRECTION 1-3 (DFGREES) 2.4				10020, 2001				
NET 1.1 1.2 1.2 1.2 1.2 1.3 1.5	DIRECTION 1-3 (DIGREES)			THUACHUC	Ţ	* 100	ERTOD OF RECORD!	17-86 0900-113	00
NHC 2-16 1-2	(Drer: FS) 1-3		• • • • • • • • •		WIND SPEED		**************************************		
NHC 2.4 1.5 1.6 1.7 1.6 1.8 1.6 1.8	3.00 - 2	9-h	-		12-27 12-	3.11-11	1-0); Li,-1,i	נפ נטואו.	-
NE 2:0 1.0 .2			g •	•••••				まごす	
NE					•			B. H. A.	3.6,
SE S.7 9.8 1.5 1.5 1.6 1.6 1.6 1.6 1.6 1.7 1.6 1.6 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7									ė
10.2 1.5	~							6:0	1
SF 1.2 1.6 2.9 1.6 1.1 1.7 1.5 1.7		3.	-	.2	3			10.2	
SSY	SE] 3	2	ε,				=	3.6
1.5 1.2 1.7 1.7 1.8			2.		. 1	٠			7.7
\$58	- 1º		-					614	6.7
SSK .5 1.4 1.7 1.5 .1 6.0 9.6 9.6 8.8 .2 8.4 .7 1.0 2.7 2.8 .8 .8 .9 .6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9	2			ì.5	, 1	2		9.9.	8.8
SY .7 1.0 2.7 2.8 .8 .8 .8 .8 .8 .8 .	<u>-</u>	4	••	1.5					8.8
NAW 1.2 1.1 .3 .2 8.9 1.7 NAW 1.2 1.1 .3 .2 8.9 1.7 ALT				2 • 3	्र (ए.	-		6.8	9.8
NAW 1.2 1.1 .3 .2 2.9 1.5 NAW 1.2 1.1 .3 .2 ALT				147	, h.				919
NN	-			1.5			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8.9	7.7
NAW 1.2 1.1 .3 .2 2.9 9.7 ARTHER STATES ST. 0 25.4 15.4 .8 100.0 6.1 HULL STATES ST. 0 25.4 15.4 .8 100.0 6.1	_			ē.				7.8	•
AFIABLE 777777777777777777777777777777777777		П	-	6.			AND THE PARTY OF T	1 · 1	- 1
ARIABLE TYTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT		-	-	. 2	A CAMPAGNA C		, la	6.5	1.6
ACTELS 23.6 51.0 25.4 IP.7 1877777777777777777777777777777777777		•	* • • • • • • • • • • • • • • • • • • •					0 0 0 0 A 0 0 0 0 0 0 0 0 0 0	-1
ATELS 23.6 51.0 25.4 IP; WALLS LOUSERVATIONS: "92	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					THE BOARD AND THE PROPERTY OF	la falida la la la la la descipitat de la la la la la la la la la la la la la	te yellisella sanoan tatatetila	արաստանում և հայաստանում և արարարարարարարարարարարարարարարարարարա
172L\$		minu	การการการ	mini				5 * * *	
HUMILER OF 0182. RyATE012: RAZ				13:1	8.	**		กะกัดไ	1.4.0
HUHLLR GF OUSTRYATIOUS:			••••••	:					
	HUMLER OF	1.7	264		(1) 100 -		AND AND AND AND AND AND AND AND AND AND	A TOTAL PART OF THE PROPERTY O	18 1 2
	and the second desired the second second second second second second second second second second second second				新聞 宇宙の はってい 一番の 一番の 一番の 一番の 一番の 一番の 一番の 一番の 一番の 一番の	新 1 年 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	蘇榜性高祖。 前で、行り温素・この質量		
	1		***************************************				,		والمتالية والمتالية والمتالة والمتالة والمتالة والمتالة والمتالة والمتالة والمتالة والمتالة والمتالة والمتالة

El mer in the

: 5 -:

1

Ē

28-44	URS.4. ST) 1 1200-14	OF 55 TOTAL HLAN	5°8 5°8	1.6 3.9	1.9. 4.0	1.9 4.5	8°G 6°H	6.8 0.11	H . 5 . 6 . H	5.1 7.8	10.7 9.5	9.6 2.6	11.3 11.0	9.6 8.6	13.3 9.6	7.7	2.8 6.9	3.3 6.7		0.001		
RVATIONS PERIOD OF REC	TOWN AT CHANGE	-27 28-33 34-40 41-47 48-	· · · · · · · · · · · · · · · · · · ·		, ,						• 1			,d •						5.		
20		of: 1	• • • • • • • • • • • • • • • • • • • •								m.	. 1	٥.	1.	5.						1:	
FT HUACHUCA		11-11	•				•1	1.	9.	6.	3.1	2.8	h• h	3.1	4.1	2.0	1.1	۲.		23.0		
NAME: FT		7-10	8	.1	.3		1.8	1.5	1.5	2.7	9•6	4 - 1	4.2	9•11	6.1	3.3	2.8	ý.		39.3	:	382
TATION		9-tı	3 . (6.	1,2	1.2	1.9	1.8	1.5	1.0	2.0	1.6	1.4	1.4	2.0	1.6	2 • 2	1.4		24.3		IONS:
4VICE/MAC 722730		1-3		ç,	٤,	9•	1.0	9•	1.0	ភ.	ហ្	ម.	• 3	ن.	9•	G.	, ,	۲۰		0.6		OF ORSERVATION
DEAFETAC ALT WEATHER SEAVICE / HAC STATION WINNERS: 722730 S		DIRECTION I		NNC	L Z	נאכ	រប	ESE	35	SSE	8	HSS	AS	NSW	*	HWH	32	NNN	VARIANLE	נערא		TOTAL NUNPER C

1-3 4-6 7-10 11-10 17-21 23-27 23-33 34-40 41-47 43-55 65 50 171AL HANN HOURS II.571) 1500-1700 -3 4-6 7-10 11-10 17-21 23-27 23-33 34-40 41-47 43-55 65 50 171AL HANN HA	ND SPEED IN KNOTS 22-27	FT HUACHUCA AZ WIND SPEED IN KNOTS 11-16 17-21 22-27 28-33 34-40 41-47 2 .1 4 .5 6 4.3 .5 6 4.5 .1	
ND SPEED IN KNOIS 22-27 26-33 34-40 41-47 48-55 GE 56 107AL HEAN 22-4 6.0 -7 3.5 1.8 4.9 1.1 3.6 1.1 8.6 -4.9 1.1 3.6 1.1 8.6 1.1 8.6 1.1 8.6 1.1 8.6 1.1 8.6 1.1 10.3 10.4 1.1 10.3 10.4 1.2 3 10.4 1.3 10.4 1.4 1 8.6 1.5 10.1 1.	ND SPEED IN KNOTS 22-27 28-33 34-40 41-47 48-55 GE 56 101AL HEAN 22-27 28-33 34-40 41-47 48-55 GE 56 101AL HEAN 3.1 3.8 1.9 1.1 3.8 1.9 1.1 3.8 1.9 1.1 3.8 1.0 1.1 1.1 3.8 1.0 1.1 1.1 3.8 1.0 1.1 1.1 3.8 1.0 1.1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	#IND SPEED IN KNOTS #IND SPEE	7 .2 7 .2 7 .2 5 .4 6 1.1 5 1.1 5 3.5 7 4.6 7 4.6
2.4 6.0 .7 3.5 1.8 4.9 1.1 3.8 1.8 4.9 1.1 3.8 1.1 3.8 1.1 3.8 1.1 3.8 1.1 1.1 7.1 1.1 8.6 3.1 7.0 7.0 6.4 10.3 10.5 10.4 10.3 10.5 10.4 10.9 9.5 6.1 8.6 3.5 7.7 10.11/////////////////////////////////	2.4 6.0 7 3.5 1.8 4.9 1.1 3.8 1.1 3.8 1.1 3.8 1.2 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 7.1 1.1 8.6	.7 .2 .1 .2 .1 .4 .5 .5 .2 .5 .2 .5 .4 .5 .5 .6 1.7 3.5 4.3 .5	.1 .1 .1 .5 .5 .4 .5 .4 .5 .4 .5 .4 .5 .4 .5 .1 .1 .1 .1 .1555
1.8 4.9 1.1 3.8 1.8 4.9 1.1 3.8 1.8 4.9 1.7 7.1 1.7 7.1 1.7 7.1 1.7 7.1 1.7 7.1 1.1 8.6 1.0 6.4 10.5 10.4 10.5 10.4 10.5 10.6 10.6 10.6 10.7 10.7 10.7 10.7 10.7 10.7 10.7 10.7	1.8 4.9 1.1 3.8 1.8 4.9 1.1 3.8 1.8 4.9 1.7 7.1 1.7 7.1 1.7 7.1 1.7 7.1 1.0.1 10.3 10.5 10.4 10.5 11.5 11.5 11.5 11.5 11.5 11.5 11.5	.5 .2 .6 1.7 4.3 .5	.2 .5 .4 .4 .5 .5 .5 .5 .6 .1
1.8 4:9 1.1 3.8 1.8 4.9 1.1 3.8 1.8 4.9 1.1 7.1 1.7 7.1 1.1 8.6 3.1 7.0 8.8 9.5 8.8 9.5 6.1 8.6 3.5 7.7 3.5 7.7 3.5 7.7 3.6 7.7 3.7 7.7 3.7 7.7 3.7 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7.7 7 3.8 7	1.1 3.6 1.1 3.6 1.1 3.6 1.8 4.9 1.7 7.1 1.1 8.6 3.1 7.0 7.0 6.4 10.3 10.5 10.4 16.0 10.4 16.0 10.4 16.1 8.6 1.0 10.1 17.17.17.17.17.17.17.17.17.17.17.17.17.1	.5 .5 .6 .6 .4.3 .5	3.5 4.6 4.6 4.6
1.1 3.8 1.8 4.9 1.7 7.1 1.1 8.6 3.1 7.0 3.1 7.0 3.1 7.0 10.3 10.5 10.4 16.0 10.4 16.0 10.4 16.0 10.1 11111111111111111111111111111111	1.1 3.8 1.8 4.9 1.7 7.1 1.7 7.1 1.7 7.1 1.7 7.1 1.0.1 8.6 3.1 7.0 7.0 6.4 10.3 10.5 10.1 16.0 10.4 16.0 10.4 17.1///////////////////////////////////	.5 .6 .6 .7 .4 .3 .5	, 5 , 4 , 5 , 5 , 5 , 5 , 6 , 1
1.8 4.9 1.7 7.1 1.1 8.6 3.1 7.0 3.1 7.0 3.1 7.0 3.1 7.0 7.0 6.4 10.3 10.5 10.4 16.0 10.4 16.0 10.4 18.8 9.5 6.1 8.6 1.01 1.01 1.01 1.02 1.03 1.03 1.04 1.05 1.04 1.05 1.05 1.07 1.07 1.07 1.07 1.07 1.07 1.07 1.07	1.8 4.9 1.7 7.1 1.1 8.6 3.1 7.0 3.1 7.0 3.1 7.0 7.0 6.4 10.3 10.5 10.4 16.0 10.4 16.0 10.4 16.0 10.4 10.1 10.1 10.1 10.	.5 .6 .6 4.3 .5 .5	2.6 4.5 5.6 4.6 6.1
1,7 7,1 1,01 8,6 3,1 7,0 7,0 6,4 10.3 10,5 10.4 16.0 10,4 16.0 10,4 16.0 10,4 16.1 8,6 6.1 8,6 3.5 7,7 11111111111111111111111111111111111	1.7 7.1 1.1 8.6 3.1 7.0 7.0 6.4 10.3 10.5 12.3 10.4 16.0 10.4 16.0 10.4 16.1 10.1 8.8 9.5 6.1 8.6 3.5 7.7 1101.111111111111111111111111111111111	.5 .6 .6 4.3 .5 4.5 .5	2.6 3.5 4.6
1.1 8.6 3.1 7.0 7.0 8.4 10.3 10.5 12.3 10.4 16.0 10.4 18.8 9.5 6.1 8.6 3.5 7.7 (1111111111111111111111111111111111	1,1 8,6 3,1 7,0 7,0 6,4 10,3 10,5 11,1 12,3 10,4 16,0 10,4 16,0 10,1 8,8 9,5 6,1 8,6 3,5 7,7 10111111111111111111111111111111111	4.2 .5 4.5 .5	1.1 2.6 3.5 4.6
3.1 7.0 7.0 6.4 10.3 10.5 12.3 10.4 16.0 10.4 16.1 10.1 8.8 9.5 6.1 8.6 3.5 7.7 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.1 7.0 7.0 8.4 10.3 10.5 10.3 10.6 10.3 10.6 10.4 16.0 10.4 16.0 10.4 16.0 10.4 16.0 10.4 16.0 10.4 17.77 1	1.7 4.3 .5 4.5 .6	1.1 2.6 3.5 4.6
7.0 6.4 10.5 10.5 11.3 10.6 12.3 10.4 16.0 10.4 16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 11111111111111111111111111111111111	7.0 6.4 10.3 10.5 12.3 10.4 12.3 10.4 16.0 10.4 18.8 9.5 6.1 8.6 11.11111111111111111111111111111111	4.3 .5	3.5
10.3 10.5 12.3 10.4 16.0 10.4 16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 11111111111111111111111111111111111	10.3 10.5 12.3 10.4 16.0 10.4 16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 7.7777777777777777777777777777777	4.3 .5	3.5
12.3 10:4 16.0 10.4 16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 21.11//////////////////////////////////	12.3 10.4 16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 ((((((((((((((((((((((((((((((((((4.5 .5 .	4.6
16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 (1111111111111111111111111111111111	16.0 10.4 21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 7.7777777777777777777777777777777	4.7	6.1
21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 (111/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	21.5 10.1 8.8 9.5 6.1 8.6 3.5 7.7 7.77///////////////////////////////	1.0	
8.8 '9.5 6.1 8.6 6.1 8.6 3.5 7.7 3.5 7.7 (11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	8.8 9.5 6.1 8.6 3.5 7.7 3.5 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7	. п. 7.8 .6	.5 9.n
6.1 8.6 3.5 7.7	6.1 8.6 3.5 7.7 3.6 7.7 (11111111111111111111111111111111111	2.7	3.9
3.5 7.7 (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	7.7	7	2.7
	.2 1.00.0 9.2	. 2.	1
	.2 100.0		
19.3 37.2 32.1 2.4 .2	.9 19.3 37.2 32.1 2.4 .2		
		32.1 2.4	37.2
RVATIONS: 919			
			!

Ś

STATION NUMBER: 722730 STATION NAME: FT HUACHUCA AZ #IN DIFECTION 1-7 4-6 7-19 11-16 17-21 (DESPES)	FROH HOURLY OBSERVATIONS	
DIPECTION 1-7 4-6 7-10 11-	FT HUACHUCA AZ PERIOD OF RECORD: 77-81,83-86 HOURS (LST): 2100-2300	10.
OFFC(104 1-2 4-6 7-10 11-	U SPEED IN KHOTS	
	22-27 28-33 34-40 41-47 48-55 GE 56 701AL	HEAN
8° R	· 8	1.7
NNE - S	2 ` \$•*	2•0
NE .3	31, 5.	10:01
- Land		
E5	5. 0.,1	3.0
ESE .3 .8	n 0•1	मः• छ
Sf •3	2 5*	2 • 5
\$\$£ .8 .8	1.6	3.5
5 1.6 2.3 1.8	5.	5.∙8
SSW 2.6 2.3 1.6	7,.0	5,43
SR 4.4 7.6 4.4	16•4	5.3
NSW 3.4 12.3 3.7	.8	5.3
3.7 16.2 7.8	30.3 6	6.1
HNR 69 2.3 .8	•3 4•2 5	5.3
NW 1 1.0 .3	3. 5.1.	۰6 و 0
NAW .8 .3 .3	1.3	3.8
CAL P (1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/		11111
101ALS 20.4 46.7 20.5	100.0	5.1
TOTAL NUMPER OF UNSERVATIONS: 383		
Andreas de la company de la company de la company de la company de la company de la company de la company de l		

;

		Ways and the second						Ï		2		1		i İ		ï	چۆر ت		-3			Ceres				
WIND SPEED,	77-86 (LS1): All	. TOTAL	X VIN	2.8 4.2	2.2 3.8	• 5 4	۲۰	4.9 H.T	4.4 5.2	3.6 6.6	3.7 6.6	7.1 7.9	7.3 8.6	.,11.2 8.4.	1154 862	15.7, 8.2	6.4 7.6	4.7 7.4	2.9 6.0			1111	100.0	•••••••••••••••••••••••••••••••••••••••	ā	•
SURFACE WIND DIRECTION VERSUS OBSERVATIONS	PERIOD OF RECORD: MONTH: MAY HOURS	-40 41-47 48-55 GE																			Mannen de la company de la company de la company de la company de la company de la company de la company de la					
Y OF OCCURRENCE OF FROK HOURLY	42	IN KNOTS 28-33							0.				D. h.				0.				THE THE THE THE THE THE THE THE THE THE	1.2 .1				
-	STATION NAME: FT HUACHUCA	6 7-10 11-16	1.0 .5 .0	. 2 .0	1.1 .3 .0	1.3 .2	2.1 .0 .1	1.8 1.1 .2	1.1 1.2 .5	1.0 1.3 .5	1.9 2.4 1.5	1.6 2.7 1.9	.6 3.6	3.3 4.8 2.7	4.2 5.9 3.5	1.9 2.2 1.3	.4 1.8 .E	1.0 .7 .u			1111111111111	16.2	•••••••••••••••••••••••••••••••••••••••	4315		
2 6	722730	1-3	1.3	1-1	1.1	1.2			.8	8.	101	6.	1.7 2	1.2 3	1.4 4	.9	• 6	. 8	VARIARLE	-	2 36 2 81		R OF OBSERVA	;		e de debut designique establishes designique de la company de la company de la company de la company de la comp

	10	HE'AN WIND	•	2.5	3.0	2.7	3.3.	2.9	5 • 0.	# *#	3.6	μ•1	. अ∙ ध	3.8	4. 6	9•6	4 • 3	2•4		111111	2.8		,
SURFACE WIND DIRECTION VERSUS WIND SPEED 09SERVATIONS		34-4D 41-47 48-55 GE 56 TOTAL	3.7	3.0	3.1	0.4	i, • 7.	. 2.5	, L• H	2.5	5.5	3.1	[• t	6,2	.6.6	ħ•9	3.1	1.3	• • • • • • • • • • • • • • • • • • • •	71	100.0	•	
PERCENTAGE FREQUENCY OF OCCURRENCE OF SU FROM HOURLY O	FI HUACHUCA AZ	HIND SPEED IN KNOTS -16 11-16 17-21 22-27 28-33			• 1		л.		1.6	. 7 3	7.		τ.	, 9,	2.1	1.2	.4	•		miniminiminiminiminiminiminiminiminimin	, 6.6	9	
PER	STATION NAME:	-6		ħ.	6.	7.	2.7	1.5	1.2	1.8	1.5	9.	5	2.7	4.3	2.8	6.	۴.		11111111	23.4	NS: 67	
COGY BRANCH RVICE/HAC	722730	1-3	3.0	p.2	2.1	3.0	4.3	3.7	1.9	2•4	3.3	1.8	3.0	3.2	3.6	2•4	1.6	1.2		HHIHHHH	42.2	F GBSERVATIONS	
GLÓBAL CLIMATOLOGY BRANCH USAFETAG AIR WEATHGR SERVICE/HAG	STATION NUMBER:	UIRECTION (DEGREES)	!	NNE	11.5	ENE	Lu l	ESE	SF	385	s	ASS	N S	MSM	'n	KNK	NW	a nn	VARIAFLE !	-	TOTALS	TOTAL NUMBER OF	

The figure Table	GLOBAL CLIMATOLOGY BRAN USAFETAC	FOLOGY BRANCH		PERCENTAGE	E FREQUENCY	ENCY OF OCCURRENCE OF SURFACE WIND DIRECTION FROM HOURLY OBSERVATIONS	WIND DIRECTION VERSUS WIND TIONS	SPEED	
NATE 1 - 1 1 - 2 1 - 2 2 - 2 2 - 2 2 - 2 2 2 2	STATION NUMBE	- 1		- 1		- 1	E PECOPO.	94	
No. No.			:			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	JUN HOUR		
NM	DIRECT (DEG PE	1-3	• 1		•	NIND SPEED IN KNOTS 17-21 22-27 28-33 34-40	•	• b	
NMT	1: 1	2.0	2.4	8				5.2	
FNE 2.6 2.3 1.3 1.3 1.5 1.4 1.5 1.5 1.5 1.4 1.5	NNF	3.1	•	2.					3,0 14
FNE 3.7	R		•]					•	3.9
ESE 2-2 4-9 1-1 <td>ENE</td> <td>3.7</td> <td>n•n</td> <td>6.</td> <td></td> <td></td> <td>*</td> <td></td> <td>•</td>	ENE	3.7	n• n	6.			*		•
SSE 2-3 4-0 -9 -1 -1	ш	• 1	• 1	• [4.2
SSE 1.5 1.9 1.5 1.9 1.5 1.9 1.5 1.9 1.5 1.9 1.5 1.9 1.5 1.9 1.5	ESE	2.3	0.4		• 1				ų •.7
SSE 1.6 2.0 1.4 77 6.0 SSW .5 1.2 1.0 .7 .2 3.6 6.1 SSW .5 .7 1.2 .1 .3 3.7 9.0 WSW .9 1.3 2.2 .5 .5 .9 .9 .9 WAR 1.7 1.7 2.0 .3 .9 .1 .9 <td>SE</td> <td>1 2.9</td> <td>1.2</td> <td>•</td> <td>٤.</td> <td></td> <td></td> <td>•</td> <td>•</td>	SE	1 2.9	1.2	•	٤.			•	•
SSW SSW SS 1.2 1.0 2.3 2.2 3.6 8.1 SSW SS 1.2 1.0 7 2.2 3.6 8.1 SSW SS 7 1.3 1.2 1.1 SSW SS 1.3 2.2 5 5 5 6.0 WAN 1.4 1.7 2.0 .3 5 6.0 WARTABLE	SSE	1.6	2.0	1.4	7.				
SSM SS SS SS SS SS SS S	s	•	1.0	• • 1	.2			, ф• h	6.5
85 H .5 .7 1.3 1.2 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .9 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	MSS	s•	1.2	1.0	1.	• .		3.6	8 • 11
WSF .8 1.3 2.2 .5 6.0 WNK 1.7 .1.7 2.0 .3 5.0 6.0 NK 1.4 1.4 1.7 .7 .7 NK 1.4 1.4 1.7 .7 .7 NK 1.4 1.4 1.7 .7 .7 OALM ////////////////////////////////////	8.8	• 5	7.	• [•1			0.6
NNK 1.7 1.7 2.0 .3 5.8 6.0 NNK 2.6 1.5 .9 .1 5 .9 .1 5.1 4.4 VARIABLE CALM TITLE S2.6 5.6 .5 100.0 5.0 TOIDLS 32.6 34.5 21.2 5.6 .5 100.0 5.0	M S M	• 8	• 1	2.2	• 5			4.8	•
WAR 1.7 2.6 3 6.0 NK 1.4 1.7 .7 5.2 6.4 NAME 2.6 1.5 .9 .1 5.1 4.4 VARIARLE VARIARLE 7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/	*	1.3	1.5	1.7	• 5				0•9
NAW 2.5 1.5 .9 .1 5.1 4.4 VARIABLE VARIABLE 5.6 .5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	HNK	1.7	.1.7	2.0					6.0
VARIARLE CALM ////////////////////////////////////	3 %	1.4	1.4	•	7.				6 • 4
VARIABLE CALM ///////////////////////////////////	NNK	• 1	• 1	6.	• 1	•		5.1	ħ• ħ
CALM 777777777777777777777777777777777777	VARTARIE	-					•		
TOTALS 32.6 34.5 21.2 5.6 .5 100.0 5.0	CALM	111111111111111111111111111111111111111	11111111	111111111	111111111	- -			
OTAL NUMPER OF OBSERVATIONS: 26C	T01 ALS	32.6	34.5	21.2	5.6	2		100.0	O• 5
OTAL NUMPER UF OBSERVATIONS:									
	OTAL NU4PER	1	I ONS:	366					
								;	

AIR WEATHER SERVICE/HAC	BRANCH	P	PERCENTAGE	FREQUENCY	ENCY OF OCCURRENCE OF SURFACE WIND DIRECTION FROM HOURLY OBSERVATIONS	N VERSUS WIND SPEED		
	E/HAC						*	
STATION NUMBER: 72	722730 ST	STAIION NAME:	IAME: FT	г ниасниса	AZ PERIOD OF R HONTH: JUN	ECORD: 77-86 HOURS(LST):	1200-1400	, ,
:_	,			NIM	D SPEED IN KNOTS			• • • • • • • • • • • • • • • • • • • •
OIRECTION 1	1-3	4-6	7-10 1	11-16	22-27 28-33 34-40 41-41	-55 GE 56 JUIAL	į.	,
:_	1.5	1.9	6.	.2		• 5	5, 5	
- L	•.B	1.7	80			m		0,
NE	1.2	1.6	ស			3.	13 ,4°7	7
ENE	6.	1.2	8.			2.	9. 5.0	0
	2.3	2.4	1.3	•5		• 9	5 5.2	2
ESE	1.6	1.5	8.	-2		. 4	.2 .5	0.
SE	1.3	1.4	1.5	• 5		• #	.7 6.	ý
SSE	œ.	1.5	1.3	9•		• #	.2 6.7	7
, s	1.0	1.9	3.1	1.0	rd o	7.	.2 7.6	9.
SSK	5	• 6	ū•ħ	1.9		• 9	6 6	ħ,•
S	1.0	1.3	£.	3.0	• 1	• 6	8 8	.6
us u	ن	2 • 1	3.8	5.5	10	, <u>,</u> ,	6 1	-2
ie:	٠.	3.1	5.1	2.4		11.	. H.	3
ANN	& •	1.6	3.8	1.2		7	.8.	8.•0
MN	1.0	1.4	2.6	9•		5	9.	.1
HNW	9•	3.0	2.4	9.		. 9	9 9.	ħ•
-			•					
IFLE							2.1 /////	
		1111111	,,,,,,,,,,	,,,,,,,,,			ľ	7-1
107 ALS	16.6	28.3	37.1	15.6	• 3			
		:						
TOTAL NUMMER OF OP	OPSERVATIONS:	ORS:	860					
						-	,	

STATION NUMBER: 722730 STATION NAME: 7 HUNGHUGA AZ PERTON MORTH: JUN HOURIETTIS 1500-1700	No. No.	IR WEATHER	USAFETA C AIR WEATHER SERVICE/HAC		rencent Ase	SE FREUDENCI	2	CCURRENCE OF SURF FROM HOURLY OBS	SURFACE WIND UIRECLION VERSUS OBSERVATIONS	i i	WIND SPEED	
NET 1-3 4-6 7-10 11-16 17-21 28-25 34-50 41-47 49-55 65-50 94-44	No. 1	TATION NUMBI	:R: 722730	STATION	NAME:	FT НИАСН О	CA AZ		PERIOD (JUN HOURS (ES	7-86 T): 1500-1	
NE 1.2 1.4 1.5 1.7 1.2 22-77 28-73 33-40 41-47 48-55 65 56 56 56 56 56 56	NE 1.2 1.4 7.10 1.1-16 17.21 22.77 26.73 34-40 41-47 48-55 6E 56 10 AL		 :_					IN KNOTS		•		
NI	NT 1.1 2.6 1.5 1.4 1.5 1.4 1.5	DIRECTION (DEGREES)	<u> </u>	9-h.	7-10	11-16	1.7	28-33		95 39	TOTAL:	HEAN
NIC 2 1.1 1.0 1 1.0 1 1.0 1 1.5 1.4 1.5	NE 1.1 1.0 2.4 2.4 3.0	N	7.	1.1	2.0	.5	• • • • • • • •	• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	H • H	6.8
NE	NE 1.2 1.1 1.0 1.1 1.0 1.5	NNE		7.	## - -	• 1	,				1.2	6.8
SE	SE 1.0 1.1 .7 .9 .2 .9 .1 .7 .9 .2 .9 .2 .9 .9 .2 .9 .9	Li N	- 5	1.1	1.0	<i>,</i>					, 2,04	6.1
SE	SE	ENE	-2	5.	9•		,				1.5	8.9
SE	SE	u J	1.0	1.1	.7		.1	-	*		3.0	``•
SE	SE	ESE		7.	6.	.2					2.0	7.7
SS 1.0	SSE 1.0	SE	.5	6.		1.					1:9	5.6
SSY	SSW	SSE	1.0	9•	ς,				31	,	2.1	8•₩
SSW .5 1.1 3.2 1.7 10.5 1	SSW	v	9.	3.	1.7	£.		,			3.4	
1.0 1.5 4.2 3.7 10.5 12.4 10.5 12.4 12.4 12.5 12.4 12.4 12.5 12.4 12.4 12.5 12.6 12.6	SW 1.9 1.5 4.2 3.7 10.5 10.5 10.5 10.5 12.4	S	υ·	1.1	3.2		,			•	9•9	9.01
NN	1.6 4.4 10.7 6.6 .2 3.5 .4 10.6 .2 33.6 3.5 .4 10.6 .2 33.6 33.6 .2 33.6 33.	20	1.3	•	4.2	3.7				**	10.5	4.6
NW 3.3 2.7 5.6 2.0 10.6 4.4 10.7 6.6 .2 2.0 10.6	23.6 NN	MSM	5	2.5	5.6	3.5	ħ•	,			12.4	9.4
NW -5 2.0 4.1 1.5 8.1 NW -5 2.0 4.1 1.5 8.1 NW -6 2.2 1.4 .9 .1 ALM ////////////////////////////////////	NW	3	1.6	# 5	10.7	9•9	.2			-	23.6	8.9
NN	NNK .5 2.0 4.1 1.5 5.2 NNK .6 2.2 1.4 .9 .1 5.2 AAIABLE .7////////////////////////////////////	KVA	5.5	2.3	5.6	2.0				1	ᄋᆝ	8,•3,
ARIABLE ARIABLE ALM VIVILITITITITITITITITITITITITITITITITITI	ARIABLE ALH ///////////////////////////////////	a N		2.0	4.1	1.5				¢	8.1	
ARIABLE ///////////////////////////////////	ALM ////////////////////////////////////	NN	9.	2.2	1.4	6.	13					7.43
ALM TITITITITITITITITITITITITITITITITITITI	ARIABLE	•		•	•	•	**********	•	•	• • • • • • • • • • • •		
NUMPER OF OBSERVATIONS: 6J1	NALK 10.1 23.1 43.2 21.6 .9 100.0	1			1					3		**
JIALS 10.1 23.1 43.2 21.6 .9 100.0	51 ALS 10.1 23.1 43.2 21.6 .9 10 MPER OF OBSERVATIONS: 6.01	CALM	111111111	11111111	11111111	111111111	_	THE THEORY	<i>Annumur</i>	minimi	101	min
NUMBER OF OBSERVATIONS: 6J1	NUMFER OF OBSERVATIONS: 6J1	TOTALS	10:1	23.1	43.2	21.6	6.				100.0	8.2
NUMFER OF OBSERVATIONS: 6J1	NUMFER OF OBSERVATIONS: 6J1	•	. :					•	[•	:		• • • • • • • • • • • • • • • • • • • •
			ļ	TIONS:	6.11							
				* *************************************								
								•				

Men car a man

A THE RESERVENCE OF THE PROPERTY OF THE PROPER

;

NN FEET STATE STATION NAME: FT HUACHUCA AZ RECTION 1-3 4-6 7-10 11-16 17-21 22-27 28-33 34-40 NN F	AZ PERIOD OF RECORD: 77-86 HONTH: JUN HOURS(LST): 1800-2000 WIND SPEED IN KNOTS 21 22-27 28-33 34-40 41-47 48-55 GE 56 FOTAL HE Z.4 Z.4 I.1 I.4 I.4 I.4 I.4 I.4	11-16 11-16 3 .3 .2	10N NAME: 7-10 6 6 5 6 7-10 7-10 1 1 1	122730 1-3 1-3 3 3 6 6 6 6 6 6 7 7 7 7 8 7 8 8 8 8 8 8 8 8	NNE CITON NUMBER: OLRECTION OLRECTION NNE NNE ENE ESE ESE SSF SSW SSW SSAW S
ESECTION 1-3 q-6 7-10 11-16 17-21 22-27 28-33 34-40 STRECTION 1-3 q-6 7-10 11-16 17-21 22-27 28-33 34-40 NNE	WIND SPEED IN KNOTS 21 22-27 28-33 34-40	3 3 3 1 - 1 4	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 1 2 9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
RECTION 1-3 4-6 7-10 11-16 17-21 28-33 34-40 41-47 48-55 GE 56 17 8 1 2 2 2 2 2 3 3 4-40 41-47 48-55 GE 56 17 8 1 2 4 6 5 6 5 6 6 5 6 6 6 6 6 6 6 6 6 6 6 6	17-21 22-27 28-33 34-40 41-47 48-55 GE 56 TOTAL 2.4 1.01 1.04 1.04 1.04	.2 .3 .3 .3	7-1	-3 4. -6 .6 .6 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	O IRECTION O DESRECS) N N E N E N E N E N E N E N E N E N E N
NNE	2 - 4 1 - 2 1 - 4 1 - 4 1 - 4 1 - 4 1 - 4	.2 .3 .3 .3 .3 .3			N N E E E E S E E S S E E S S E E E S S E E E S S E E E S S E E E S S S E E E S S S E E E S S S E E E S S S E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E S S S E E E E E S S S E E E E S S S E E E E E S S S E E E E E S S S E E E E E E E S S S E
NNF .5	4 8 9 W				NNE NE ESE ESE SSE SSE SSE SSE SSE SSE S
ENE	6 6 7 7 9				ENE E E E E E E E E E E E E E E E E E E
ESE	N N 37 10 10				E E E E E S S S S S S S S S S S S S S S
ESF		,			ESE SF SSF SSW
SSF .5 .2 .3 SSF .3 .2 .3 SSF .3 .6 .9 .9 .2 SSW .9 1.1 1.2 .3 .2 SSW .9 1.1 1.2 .3 .2 SW 1.5 u.4 3.3 1.4 .3 NSW 2.4 6.5 6.7 2.7 NW 1.2 1.6 2.6 1.1 NWW .8 2.4 3.8 1.1 NALW NATABLE ALW NATABLE OTHER SSS 10.9 .5 OTHER SSS 10.9 .5 OTHER SSS 10.9 .5 OTHER SSS 10.9 .5	# 1 80 #	,			SSF SSW SSW
SSF .3 .8 .3 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	80 at	,			SSE SSW
SSW	3	,			SSF
SSV 3.2 3.2 3.2 3.2 5.8 1.4 3.3 1.4 3.3 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.7	,				SSU
SSW .9 1.1 1.2 .3 .2 SK 1.5 u.4 3.3 1.4 .3 WSW 2.4 6.5 6.7 2.7 WRAL 2.3 3.6 6.8 16.9 2.6 NW 1.2 1.8 2.6 1.1 WAY .8 2.4 3.8 1.1 ARIANE ALM (////////////////////////////////////	3.2. 5.1				nss
NSM 2.4 6.5 6.7 2.7 M 3.6 6.8 10.9 2.6 NM 1.2 1.8 2.6 1.1 ARIAHLE ALM MALM OTALS 18.4 31.5 35.9 10.9 .5	2	H			-
WSW 2.4 6.5 6.7 2.7 WRIA 2.3 3.6 1.2	.3				SK
NW 1.2 1.6 6.8 10.9 2.6 NW 1.2 1.8 2.6 1.1 WANN 8 2.4 3.8 1.1 ARIANLE ALW ////////////////////////////////////	18.4 7.1	2			WSW
NW 1.2 1.8 2.6 1.1 NW 1.2 1.8 2.6 1.1 NNV .8 2.4 3.8 1.1 ARIAHLE ALW	ò	6			
NW .8 2.4 3.8 1.1 ARIAHLE ALW (1777/17/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7	10.2 6.4			٠,	457
AR JAHLE	6.7 7.63	1		.2	32
ARIAWLE ALW 7/1/7/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	8.1	1.	£ 3		PNK
OTALS 18.4 31.5 35.9 10.9 .5	•••••••••••••••••••••••••••••••••••••••				VAR JAHLE 1
01ALS 18.4 31.5 35.9 10.9 .5	- I-	<i>minimi</i>	nnnn	mmmm	
	300 000 10000	0			TOTALS
TOTAL NUMMER OF OESERVATIONE: 658				ł	1
				skýmst-thri-tas kamesarhaki-areala tvarteniamis-ukum	eriese designations des la fect forest resultant designation desig

STATION NUMBER: 722730 STATION NAME: FT HUACH DIPECTION 1-3 3-6 7-10 11-16 (DEGREFS) .5 .5 .3 .3 .3 .3	UCA AZ HONTH: JUN HOURS (LST): ZIOD-ZZ HONTH: JUN HOURS (LST): ZIOD-ZZ HONTH: JUN SPEED IN KNOTS
OIPECTION (DEGREES) N N E	WIND Speak of the KNOTS
DIPECTION 1-3 1-6 7-10 (DEGREES)	
N .5 .5 .3	22-27 28-33 34-40 41-47 48-55 GE 56 TOTAL MEAN. X WIND
	•3
	•3 2•0
ENE •3 •3	. 3 • 5.
ESE •5	1.5 6.7
SE 6 .3 .3 .5	.3
	, Sed. Sed.
S 2.1 1.5 .5	4.51.
 x	•3
SW 2.8 5.7 3.3	.5 12.3, 5.6 2, 5.
HSH 4.6 13.6 8.5	1.0
k 4.9 15.7 7.2	1.0
WNW .8 2.3 1.3	Z•5 ++h
NW 1.0 .8	1.8 3.4
NNW NNW	•3 10•0:
1 3781	
TOTALS 22.4 44.7 23.4	1.5. 100.00
TOTAL AUMPER OF OBSERVATIONS: 769	

USAFETAC AIR WEATHER SERVICE/HAC	RVICE/MAC				FROM HOURLY OBSERVATIONS	
STATION NUMBER:	122730	STATION NAME:	NAME: FT	Т НИАСНИСА	CA AZ PERIOD OF RECORD: 77-86 HOURS (LST):	
• • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·		•		ALMO SPEED IN KNOTS	•
OIRECTION (OEGREES)	1-3	9-6	7-10	11-16 1	28-33 34-40 41-47 48-55 GE 56	TAL
N	1.5	1.3	6		• • • • • • • • • • • • • • • • • • • •	3.9
I 3.NM	1.2	1.1	• 3	• 1		2.4.
 2	1.2	12.4	η•			h*.h 0.*£
ENF	1.6	1.4	9•	0.		3.6. 4.63
. u	2.5	2.2	φ.	• 1	. · · · · · · · · · · · · · · · · · · ·	5,87, 4.84,
ESE	1.6	1.6	9.	•1	. 0•	3.9° 4.67
SE	1.1	ó.	1.1	•2		3.4
SSC	1.3	1.4	80	ħ•		3.9 5.6
s	1.5	1.2	1.7	4.	0.*	4.8 6.1
ASS	6•	1.9	2.0	ó.	•	4;59 7,·8
Sw	1.5	2•D	2.9	1.8		'8 • 2 <u>,</u> 7 • 8
HSF	1.6	3.8	4.2	1.9		11:6 7.3
2	2.3	ή·9	6.1	2.3	0.	15.7 7.
Z Z Z	1.5	2.2	3.1	6.		7.7
3.8	1.1	1.4	2.1	τ.		5 .4 7 ·
HNK	1.0	1.8	1.6	ç.	0.	H.9 6.4
איז דארני					1	
כארא		,,,,,,,,	111111111	,,,,,,,,,,		9.9
TOTALS	23.5	29.7	2.62	10.5	ъ.	100.0
				,		
TOTAL MUMBER O	OF OBSERVATIONS		h hZ h			
			*	A THE OWNER OF THE OWNER OF THE OWNER.		٥

	6LUE CLIRATOL	OGY BRANCH	3 0	PERÇENTAGE	FREQUENCY	96	OCCURRENCE OF SURFACE WIND FROM HOURLY ORSERVATION	1 0	DIRECTION VERSUS	JS WIND, SPEED	, ^		
<i>A</i>	USAFETAC AIR WEATHER SERVICE/HAC	{VICE/HAC											
\ 	STATION NUMBER: 722730		STATION NAME:	IANE: FT	нулсипса	۸2		PERIOD (PERIOD OF RECORD: MONTH: JUL HOUR	77-86 URS (LST): 0600	600-00-00		
	• • • • • • • • • • • • • • • • • • • •							• • • • • • • • • • • • • • • • • • • •	•••••••			• • • • • • •	-
	DIRECTION	1-3	9-4	7-10 1	11-16 17-	21 22-27	28-33 34-40	41-47	48-55	0E 56 101AL	HEAN	zo	
	-1:-	3.6		• • • • • • • • • • • • • • • • • • • •	•	•••••••		••••••	********	2.5	.9	0	
	2	0.3								2.1		3 . 6	٦
	r L	2	3							1.9		0.0	1
	722	2.5	.3							1.6	2	# ° i	
		5.6	1.1		,			٤		3.		3.0	T
	14' St.	2 • 5	1.5	7.				***************************************			1	3.5	Ť
	SE	2.9	1.2	m.			, 	***************************************	<u> </u>	# #	l	3.3	T
	386	1.2	1.4	.1						ev.	".	3.6	Ì
	5	2.5	7.							3.	2	3 . 4	T
	SSK	1.4	z.							1.	9.	2.5	7
	35	1.6	. 7			*				Ce	2	9.5	1
-	200	1.9	1.2							. E	£ .	3.0	Ť
	**	3.2	3.4	1.0	٠.			***************************************		7.	.7	4.3	1
	7.7.2	1.9	2.7	1.0						8.8		4.7	T
	2.2	1.8	1.9				(A) 1975年 1			Roll		4 . 3	
	コスニ	2.5	יי				A CHARLES OF LABOR LABOR AND A SECURIOR AND A SECUR			. E	2.6	2.5	
		• • • • • • • •			••••••		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	*******			*******		
	לאא ואי רב	מזמז החיות התחומות וווחדת הווור.	וזוווווו	untun	חחייחי		กากการการ	THITTI	การการกร	777777	: TTTTT		
		34.1	17.7	3.6	***	東 華 ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・		And the control of th	The state of the s	0.001	0.	1:6	
											:		
	ł	OF UBSTRVATIONS:	IONS	735	á	# # #	* * * * * * * * * * * * * * * * * * * *		# 12 L. X #	THE RESERVE AND ADDRESS OF THE PERSON OF THE			
7			!	*	*		H H K K K K K K K K K K K K K K K K K K	# 1 1	± ± ± ±				
						40.12 411121781 418181818181818181							
			í						•	AND THE PROPERTY OF THE PARTY O	Park Francisco		

STATION ADDROFT 1727-107-57-	1-3 1-3 2.9 2.7 2.7	FT HUACHUCA AZ HONTH! JUL HOURS (LST): NIND SPEED IN KNOTS 11-16 17-21 22-27 20-33 34-40 41-47 48-89 06 56 T	
No. No.	4-6 7-10 3.0 3.0 2.3 .2 1.8 .3	11-16 17-21 22-27 20-33 34-40 41-47 48-85 UE 56	
No. 1 - 3 1 - 6 7 - 10 11 - 10 17 - 21 22 - 77 20 - 33 33 - 10 41 - 47 141,000 15 - 51 15 15 15 15 15 15	DIRECTION 1-3 4-6 7-10 (DEGREES) 1-3 4-6 7-10 1-3 N N N N N N N N N N N N N N N N N N N	11-16 17-21 22-27 20-33 34-40 41-47 48-89 06 56 1	24 - 3
NE	NNF 5.0 3.0 .44 NNF 2.9 2.3 .2 NE 2.7 1.9 .3		YIND
NE 2.9 2.1 1.9	2.9 2.3 2.7 1.9 4.0 7.0	AMERICAN PROPERTY OF THE PROPE	
4.6 3.	2.7 1.8 4.0 7.0	-	
Secondary Seco	Q.5 C.4	#	7
SE 6.0 6.2 1.0 10.4 4.9 1			ř
SE	5.9 6.9		2
SE	3.0 5.4	10	7
SS	7.5 1.1		2
SSY	E .9 1.1	. 1	
SS. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	n° 8°		
1.1			
1.0 1.1 1.7 1.1 1.7 1.1 1.9 1.9 1.9 1.9 1.8 1.9	2.		,
NW 1.6 3.1 1.7 .1 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8	1.1		2
NN 1.5 3.7 1.7 .1 6.5 8.4 8.5 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8	2.0 2.8	ξ,,	=
NW 1.3 3.9 2.1 5.8 5.8 5.8 4. NUMPER OF OHSERVATIONS: 597 2.1 100 6.5 5.8 4.	1 1.6 3.1 1		2
ARIANLE 35.7 36.8 12.0 .0 1000 3.	1.3 3.0		S
ARIACLE 1777/7777/777777777777777777777777777	3.1 2.1		3
NALS 35.7 36.8 12.0 .0 1007777777777777777777777777777777	VARIATE		-1
NUMPER OF ORSERVATIORS: 597		THE THE THE THE THE THE THE THE THE THE	
NUNFER OF ORSERVATIORS: 697	35.7 36.A	ñ.	
NUMPLE OF ORSERVATIONS: 697			
	NUMPLE OF GHSERVATIONS:	The second secon	
	. The state of the	のでは、「「「「「「「「」」」」とは、「「「」「「」「「」「「」「」「「」「」「「」	

· 有祖 (") 2 364

(

AIR MEATHER SE	USAFETAC AIR MEATHFR SERVICE/HAC						
STATION NUMBER: 722739	1: 722730 \$	STATION NAME:	1	FT HUACHUCA		1	
•			* • • • • • • •	• • • • • • •	WIND SPEED IN KNOITS	:	
UIREGIION	1-3			16 17	21 22-57		ONIA
. 7	3.6	3.7	1.1	. 1		8	
L NN	1.7	2.7	٠,	1.			0
2.2	2.2	2.3	ħ•	• 1	. 1		(a a
14 7 L	2.0	3.1	1.0	.1	. 1	4.0	3.0
L	9.0	5.0	7:4	٤.		8° 60°	2.5
3		1.12	9-1	۳.		102	5.6
u 1	2		2.1	۲.		0.6	8.3
10						0.4	3.6
55.5		7.	0	-		D. B.	5.6
0		9	9.			2.1	5,3
X 2 %			æ	a,		2.5	7.5
A S	* * *					3.8	6 · S
WSW						5.8	9.9
72	7.	6.7	8 6	-		h. 7	5.0
ANK	-	5 6	0 -	3		S* S	4.9
X :			1.7			H*9	5.5
N N N							
VARIAGLE							
CALM	Thursday.	minn.	mmm	THATTATATATATATATATATATATATATATATATATAT			,,,,,
TOTALS	25.1	39.4	23.7	3.8	.1 .2		5 • 1
		١.			• • • • • • • • • • • • • • • • • • • •		
TOTAL WUNCER	OF OBSERVATIONS	rions:	7 60				
				- Advisor - Advi			
						4	
					a manufallimitet every man entitte branch and another and a		

GLUBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHFR SERVICE/MAC	OLOGY SKANC ERVICE/MAC		בארבאואס	ביייייייייייייייייייייייייייייייייייייי	5	FROM HOURLY OBSERVATIONS	
STATION NUMBER	R: 722730	TATION	NAME: F	FT HUACHUCA	UCA AZ	PERIOD OF RECORD: .77-86 HORTH: JUL HOURS (LST):	U: 77-86 HOURS (LST): 1500-1700
] •		•.•••••
DIPECTION (DEGPEES)	1-3	4,-6	1 :	1-16	17-21 22-27	34-40 41-47 48-55] 9 <u>6</u> 39
· · · · · · · · · · · · · · · · · · ·	1.0	2.7	2.3	3		• • • • • • • • • • • • • • • • • • • •	6.3
NN	٠ <u>.</u>	1.1	n •	• 2		2	2.6 5.5
L Z	1.0	1.1	9•	.1		Ť	2.8 5.0
EN IN	1.2	6.	• 1	3			2.6 5:0
ш	2.3	1.9	1.6				5.8 4.9
អ ស ម	.5	۲۰	1.1			-	N. W. N. T.
F (A	1.1	1.1	1.0	9•	. 1	,•	3.9 6.7
SSE	1.2	1.3	ŋ •				3.2 5.3
v	1.3	1.9	1.2	2.		7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	4.4.7 5.48.
# SS	1 1.3	1.0	1.2	2.			3.8 5.8
2.8	1.0	1.0	1.9	ស្			4.4. 6.8
asa asa	7.	2.2	3.2	1.6			7.8 8.2
3	1.9	4.ì	8.0	4.3			19.0 8.1
MNK	1-1	2.7	h•n	2.3			10.5
A K	- 6	2.7	9.5	1.0		, in the second	8.2 7.7
ARN	1.5	3.3	2.3	.7			7.8 6.3
	_	• • • • • •	•				
VAR JARLE							
CALT	THE THEORY OF THE PROPERTY OF THE PARTY OF T	TITLE .	minn.	1111111			7// ·5• h
101 AL S	18.6	56.3	33.6	12.7	1. 5.		3,9 0,001
TOTAL NUMPER	OF GSSERVATIONS	110%5:	H22				
			*				¥

USAFETAC AIR WEATHER SERVICE/HAC	CE/HAC				FROM HOURLY OBSERVATIONS	
STATION NUMBER: 7	722730 S	STATION N	NAME: FT	ниасниса	JCA AZ PERIOU OF RECORD: 77-86 HONTH: JUL HOURS(LST): 18UG-20GD	
.,					HIND SPEED IN KNOTS	2 4 4
DIRECTION (1-3	l 9-h	1-10 1	11-16	22-27 28-33 34-40 41-47 48-55 OE 56 TOTAL	VIND
	1.4	1.5	6	.3	2.2	:
	9•	۳	.	.2	1.7	5.7
u z	2.	89	٤.	,	1.2	5.6
ENE		• 3	۴.	2.	. 8.	7.6
E	1 • 1	9•	ហ	\$.	2.6	5.5
# S E	• 8	1.1	α 0	m	Q • 2	5.7
) v	'n	ω.	ω. •	2.	2 0 0	6.45
SSE	• 5	1.2	6.	9•	3.2	7.0
l v	1.1	1.8	1.7	8.	⊅• 80 ·	6.8
A S S	1.1	1.5	9•	• 55	.E • ₽.	5.1
Lo	89	1.8	89	6.	ti e 3	6.7
	8.	5.2	2.5	89	.2°6	h•9
73	3.5	•	10.2	2.2	24.6.	6.8
	1.5	ស•ន	ង•ន	o) •	13.2	9•9
 a	6•	2.8	2.6	1.4	7.*8	7.2
צאצ	1.1	1.2	1.5	8.	9• h	9,9,
- :	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•			
VAR TABLE					9.0	111111
CAL		////////	.,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
TOTALS	16.2	35.4	30.3	10.2	100.0	- 1
					· · · · · · · · · · · · · · · · · · ·	•
TOTAL NUMPER OF	OBSERVATION	:SNO]	059			

1.4 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	SURFACE WI OBSERVATI	PERIOD OF RECO HONTH: JUL	34-40 41-47 48-55 GE 56 TO		•	0.47	i -	1.	.2	8.	9	9 9	7	n e	a m		7.3 4.	.1 3.	.1 4.		2.001		
1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4	TAGE FREQUENCY	FT HUACHUCA AZ	ND SPEED 22-27	2.			ن. •	5.	2.	6	6	.2 1.2	5	7	.7	0	7.		• 5		4.5 .2		
	OGY BRANC Vice/hac	722739 STATEO	1-3 4-6		• 5	2.	7	.2 1.	ó		.7	.6 1	.1		.7		7	.1				OF UBSERVATIONS:	

Note Note	CL JHA A C A THE R	GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC	HUN	PERCENTAGE	GE FREQUENC	NCY OF OCCURRENCE OF SURFACE WIND DIRECTION VERSUS FROM HOURLY OBSERVATIONS	DNIN	SPEED	
1-5 1-6 1-10 11-10 17-21 22-27 28-33 34-40 41-47 46-55 65 67 74 1410 12-10 17-21 22-27 28-33 34-40 41-47 46-55 65 67 74 74 74 74 74 74 74	N NUMB	722733	1 1	1 1	FT HUACH	A2 F	RIOD OF RECORD: 77-86	6. A!!	
1.5 1.2 2.3 2.4	7 <u>E C1 10N</u>	1-3	9-4	7-10	11-16	WIND SPEED IN KNOTS	•••••••••••••		
1.5 1.4 3 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	EGPEFS)					-z1 zz-z1 z8-33 34-40	48-55 GE 56	O TAL	HEAN WIND
NE 1.5 1.4 .3 .1 .9 .9 .9 .9 .9 .9 .9	2	2	2.2	6.	7		•	5.9	:
NE 1.5 1.2 1.2 1.3 0.0 0.0 0.1 0.0 0.1 0.0	NS E	• }	1.4		.1				4 6.2
E 2 2 1 3 4 1 4 4 4 4 4 4 4 4	J Z	1.5	1.2		0.	0.			4.1
Section Sect	ENF	•	1.3			0.	-	3.9	
SE 1.7 2.3 1.1 .1 .0 .0 .1 .1 .1 .	E	•	• 1		7			7.0	7 7
SE 1.5 1.9 1.1 .3 .0 .0 .0 .0 .0 .0 .0	ESE	1.7	• 1	•		0.		5 : 2	5.0
SE 1.4 1.7 .8 .3 .0 .0 .3 .9 .5 .5 .5 .5 .5 .5 .5	SE	1.5	1.9	1.1	٤.	0.		F. 4	
S 1.4 1.7 1.8 1.5 1.0	SSE	1:1	• • •	6.	.2	0.		# H	u u
SK 1.0 1.0 .8 .5 .2 .3 .5 .8 .8 .3 .5 .8 .8 .3 .5 .8 .3 .5 .8 .3 .5 .8 .3 .5 .8 .3 .5 .8 .5 .6 .6 .6 .6 .6 .6 .6	s	1.4	1.3	8.		0.		4 N	•
SK	SSH	1.2	89	ហ	.2			4.0	•
	SK	• 1		8				1.5	e d
NK 1.5 3.5 2.7 .6 8.3 6.1 6.5 NK 1.5 2.3 2.0 .5 .0 6.1 6.3 NK 1.5 2.3 2.0 .5 .0 6.1 6.3 NK 1.5 2.3 2.0 .5 .0 6.1 6.3 NK 1.5 2.3 2.0 .3 .3 6.1 6.3 NK 1.5 2.5 20.3 5.2 .1 .1 .1 100.0 4.6 NK 1.5 2.5 20.3 5.2 .1 .1 .1 100.0 NK 1.5 0F OBSERVATIONS: 4420	WS K	1.4	2.2	•	• 5	. 0.		5.6	6.4
NW	-	2.6	6.9	₽. p) M	6.5
NW 1.5 2.3 2.0 .5 .0 6.1 6.3 NW 1.6 1.9 1.3 .3 5.4 5.4 RIAFLE	3.25		3.5	2.7	9•				6.1
## 1.6 1.9 1.3 5.1 5.4 5	25	1.2	• !	2.0		0.		• 1	6.3
RIAFLE 177777777777777777777777777777777777	3 2		159	1.3	• 3				5.4
LF ////////////////////////////////////	RIAFLE					•			
TALS 26.8 32.2 20.3 5.2 .1 .1 .1 1 .1 1 .1 1 .1 1 .1 1 .1 1	.1.1	minnin.	1111111	THE THEFT				15.2 //	1111
YUMFER OF OBSERVATIONS: 442D	T-ALS	26.8	32.2	20.3	2.5	.1 .1		- 1	4.6
	• 1	· ·	:	4420					•
									ŧ.
				***************************************			THE RESERVE THE PROPERTY OF TH		

STATE OF THE CASE THE CASE	GLOBAL CLIMATOLOGY BRANCH Usafetac	SY BRANCH	d l	PERCENTAGE FREGUENCY OF OCCURRENCE OF SURFACE WIND DIRECTION VERSUS WI	WIND SPEED
1.2 7.6 7.10 11-16 17-21 22-27 23-33 34-40 41-47 43-55 65 50 70 70 70 70 70 70 7	AIR KEATHFR SERVI STATION NUMBER: 7	CE/NAC 22730 ST	A TION N	FT HUACHUCA AZ	- 1
1-3 7-6 7-10 11-16 17-21 22-27 28-33 34-40 41-47 48-55 66 50 10/44 Minor 11-2		:		STORM ME GRADE CLEE	
NE 1.2	OIRECTION (DEGREFS)	-3		7-10 11-16 17-21 22-27 28-33 34-40 41-47 48-55 GE 56	TOTAL MEAN
NE		1.2	ın		1.7, 2.8
NE	NNE	6.	۴.	• 3	.2 2
Ne	N N	•	• 1	• 1	2
Se 2.8	r.	1.9		3	•3 2
SE 1.6 .4 .7 .1 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.7 2.0 2.0 2.7 2.0 2.	u	2.8	8.	8	•6 2•
SE 1.6 .4 3.5 3.	ESE	2.4	7.	7	.2 3.0
SE 2.4 .9 .1 .4 .1 .1 .1 .1 .1 .1	i v	1.6	7.		2 0.
S 2.5 1	SSE	2 • 4	6.	•	.5 3.3
1.5 1.5 4.1 2.9 3.1 3.9 4.1 2.9 4.1 2.9 4.1 2.9 4.1 2.9 4.1 2.9 4.2 4.1 2.9 3.1 3.9 4.2	s	2.5	.1	· tı·	.2 3
SY 2.7 1.5 4.1 2.9 4.1 2.9 4.8 3.1 4.8 3.1 4.8 3.1 4.8 3.1 4.8 3.1 3.9 4.2 4.8 3.1 3.9 4.2 4.8 3.1 3.9 4.2 4.8 3.1 3.9 4.2 4.8 3.1 3.9 4.2 3.9 4.2 3.9 4.2 3.9 4.2 3.9 4.2 3.9 4.2 3.9 4.2 3.9 4.2 3.9 3.7 3.9 4.2 3.9 3.7 3.9 3.0	- ASS	1 • 3			.3
15K 3.7	SW	2.7	•	•	-
## 1.5 2.5 2.9 .7 3.9 4.2 ### 1.1 .7 1.7 2.9 ### 1.1 .7 2.9 ### 1.1 .7 2.9 ### 1.1 .7 2.9 ### 1.1 .7 1.0 ### 1.1 1.0 ###	WSW	3.7	8	œ	.8
1.6 1.6 1.7 3.9 4.2		•		6.	.1 3.
48V 3.3 .7 .9 .9 3.7. 48V 3.3 .7 .9 3.7. 48 Andle 48 Andle 49 3.7. 40 Andle 40 Andle 41 Andle 42 Andle 43 Andle 44 Andle 45 Andle 46 Andle 47 Andle 48 Andle 48 Andle 48 Andle 49 Andle 40 Andle	_	16	1.6	•	· h 6 ·
44 44 47 47 47 48 49 3.7 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48 49 3.7 48	ни	1 • 1	۲.	7.	.72.
4RIA ^α LE (1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	- ANN	.3	7.	7.	9
NTALS 39.1 12.3 2.4 .1 NUMPER OF ORSERVATIONS: 748	VARIAGLE			•••••••••••••••••••••••••••••••••••••••	
STALS 39.1 12.3 2.4 .1		minni	1111111		55.1
NUMPER OF ORSERVATIONS: 748	TOTALS	39.1	12.3	2• ti	-
NUMFER OF ORSERVATIONS: 74			:	***************************************	
	NUMPER OF	ORSERVATI	0,48:	ħ <i>L</i> :	

	RVICE/HAC	C THER SERVICE/HAC		FROM HOURLY OBSERVATIONS	WIND SPEED	
TATION NUMBER	722730	1 1		FI HUACHUCA AZ	-86 T): 0900-1100	1.00
•	:			WIND SPEED IN KNOTS	•	
ODEGRETS)	1-3	9-4	7-16	11-16 17-21 22-27 28-33 34-40 41-47 48-55 GE	1	HEAN
7	3.2	2.3			5.7	3.3
NVE	2.1	1.0			3.2	3.2
2 E	2 • 3	2.2			T• #	ħ°£.
	4 • B	2.9	.2	2	6.0 L	3.3
w	8.0	7.4	1.2	2 • 1	16.7	3.9
ESE	4.8	4.8	1.9	9	11.6	h•h
SE	1.9	7.2	1.4	4 ,2	7.2	D.Ų
SSE	1.3	1.6	1.0			4.9
s	1.3		ęų.	145	2.1	3.7
# \$5	.2	• 3	•1	1	7.	£ • 5
N S	4.	.2	2.	2 • 1	1 .0	5.7
WSW	2.	ħ•	•2	2	6•	⊅ • S
3	1 • 4	1.4	r.	7	3.6	4.•.3
N. K.	1.2	2.8	1.2	2	2 • 5	5.1
3 2	1.6	1.8	6.	6	4 • 2	t• p
NNK	1.8	1.7	7.	1	3.6	3.5
VARIABLE					•	• • • • • • • • • • • • • • • • • • • •
	111111111	THITTE	111111111		1011	
101765	36.8	35.0	9.8	Ţ.		3 e 4
	•			:		
TOTAL NUMPER OF	OBSERVATIONS	rons:	297			
					ļ	

AIR WEATHER SERVICE/MAC	RVICE/MAC			TAON TOOKEN ASSESSMENT OF THE PROPERTY OF THE	
STALLON NUMBER:	722730	STATION	NAME: FT	FT HUACHUCA AZ 77-86 MONTH: AUG HOURS(LST):	0
•				HIND SPEED IN KNOTS	• • • • • •
OIRECTION (OEGREES)	1-3	4-e	7-10 1	11-16 17-21 22-27 28-33 34-40 41-47 48-55 GE 56 TOTAL	
Z	2.1	2.5	7.	Z+10	M. T
NNE	2.3	1.7	9•	4.2	4.0
	1.7	1.8	#	3.9	4.3
ENE	2.9	1.9	3	u •1	4.3
Ŋ	4 • 1	Ε÷3	3.5	.5 .2	5.1
ESE	1.9	4.7	2.1	9.0	5.4
SE	2+2	3.7	1.8	7.9	5.3
SSE	1.6	2.0	1.7	.7 5.5.	5 • 5
S	1.6	1.8	9.	4.0	4.6
SSK	£.	œ	.7	7 .1	5.4
NS.	.7	1.6	1.2	3,.6	5.8
WSW	1.0	1.6	1.8	4.5	5.9
*	2•6	4 - 1	2.1	9.1	5.3
N N	1-3	2.8	2.0	.0 .2	5 • 7
X	1.0	2.5	1.1	.1 .1	5.3
NNN	1.9	1.8	1.2	.2 .1	₽•5
VARIARLE					
CALM	mmm	minni	minn.	THE THE TAXABLE THE TAXABLE TO THE TAXABLE TO THE B.O. THE	111111
TOTALS	28.4	39.4	21.9	2.3	L•h
					• • • • • • • • •
TOTAL MIMESO	- SHOTT LUGGE	7.0110	700		

TAGE FREQUENCY OF OCCURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED FROM HOURLY OBSERVATIONS	FI HUACHUCA AZ PERIOD OF RECORD: 77-86 MONTH: AUG HOURS (LSI): 1500-1700	WIND SPEED IN KNOTS	11-16 17-21 22-27	1 .4 .1 5.7 55.7	l v	 	3. 4	5.0	, r	LI SECTION OF THE SEC	7.	. 1 u.	υ ο · Μ		9 6.6	9	2.4 .6.	.5 .1 8.3 6.	5.1 5.7			0.001	
PERCENTAGE	STATION NAME:		7-10	2.9 1.	1.1	5.	1.3	2.7 1.	1.1	1.6 1.0	1.9 1	2.1	1.6 .7	1.4 1.8	4.0 3.0	5.3 6.6	4.6 3.	3.1 3.0	2.2 1.8		1111111111	37.3 28.4	5: 728
LOGY BRANCH RVICE/HAC	722733		1-5 -4	1.2	.7	1.1	1.2	1.3	ۍ .	1.0	1.2	1.6	1.2	80	2.2	1.9	2 • 5	1.6	1.1		<i>HILLIANIA</i>	21.1 3	OBSERVATIONS
GLOBAL CLIMATOLOGY BRANCH USAFETAG ATR WEATHER SERVICE/NAC	TATION NU	•	(DEGREES)	2	NNE	L N	- L	w	ESE	SE	SSE	s	SSW	M S	KSW	3	KNW	BN	NNN	VARIAPLE		TOTALS	TOTAL NUMELP OF

USAFETAC	зваисн	Per	ERCENTAGE	E FREQUENC	Y 0F	OF SURFACE WI	OCCURRENCE OF SURFACE WIND DIRECTION VERSUS FROM HOURLY OBSERVATIONS	S WIND SPEED	ĘĐ	
AIR WEATHER SERVICE?	MAC							•	•	* * * * * * * * * * * * * * * * * * *
STATION HUMBLR: 722730	Ì	STATION NA	NAME: F	т ниасниса	1		PERIOD OF RECORD: 77-86 HONTH: AUG HOURS(LST):	77-86 RS(LST): 1	1800-2000	,
:_					•	KNOTS	WIND SPEED IN KNOTS	• • • • • • • •		
DIRECTION 1-3 (DEGREES)	3	-6 1-	10	1-16	- 2	3-33 · 34-40	41-47 48-55 6	x 101 95 3	AL MEAN	
1	3	9	m		• • • • • • • • • • • • • • • • • • • •		•	· · · · · · · · · · · · · · · · · · ·	2:2	D. H
- FNS	.7	۴.	٤.	,					1.3	4.2
NE	• 3	٠3	5						1.0	5.7
ENE	• 3	.1		.1						5.3
 ພ	9.	.7	9.					,	1.9	8
ESE	6.	1.2	.1				7		2.2	t, e,3
S.F.	9•	٠.	.3	.3	,			2	1.9 6	6.2
SSE 1	1.6	1.8	9.	• 1		,			n 2° n	4.7
S 1	1.2	1.3	6.						3.4 4	4 - 1
35.8	.7	1.0	1.0						2.8. 5	5 . 2
S 4 1 3	3.3	2.8	1.8	•1			,		8 · O	4.6
S ASH	2.5	5.8	2.8	ľ.				1	14.3	5.0
 -	5.6	8.8	6.5	9•				2	21.5 5	5.4
WNW I	2.08	3.4	4.3	9.			-	1	11,1	5.9
NE	1 • 3	2.7	1.3	۳,	• 1		-		5.8, 6	0.9
NNW I	1.6	5.	1.0						3.6 4	4.7
									• • • • • • • •	
VARIA ^a le I						,				
CAL!" (777777)	,,,,,,,,,,	1111111	111111		1.	minimi			14.0 1/1//	
TOTALS 28	8.2	32.5	22.4	7.7				10	100.001	4 • 5
TOTAL NUMFER OF 035E	OBSERVATIONS		673							

Y OF OCCURRENCE OF SURFACE WIND DIRECTION VE FROM HOURLY OBSERVATIONS	MONTH: AUG; HOURS(LST): 2100-2300	22-27 28-33	,•>	.5	2.	0,•9 7.	2.0 7.3.9	8	(ż)	.8	.t. 3.	1 8 •	8 3.	3	S	8	, h.	1.4 H			THE TRANSPORT TO THE TR	200.0 3.7		
RERCENTAGE FREQUENCY	1:	11-16	0				•2	• 5	.7	.7 .2	.5 .2	1	.7	2.5 .2	6. 0.	.7	.7				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	14.1 1.6	•	
H PERCEN		01- <i>L.</i> 9-b.	6.	5.5		.2	.7	6.	.5	2.3	1.4	1.1	2.7	9.5	9.5 5	1.8	• 5	7.			,,,,,,,,,,	33.1 14	•	:s: 44 I
OGY BRANCH VICE/HAC 722730 ST			1.1		٠.		1.1	• 5	٠.5	1.6	3.4	2.5	₽•S	7.5	5.7	2.3	•2	.7	• • • • • • • • • • • • • • • • • • • •			32.9		UBSERVATIONS
GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WFATHER SERVICE/MAC STATION NUMBER: 722730 S		IRECTIO DEGREES	z	NNE	NE	ENE	ا س	ESE	SF	SSE	 s	ASS	3.8	WS W	72	KNK	32	NRN		 		TOTALS		INIAL HUNGER OF

1-3	1-3 4-6 7-10 11-16 17-21 22-27 28-33 34-40 41-47 46-56 1074. HRAW 1.0		FT HUACHUCA AZ PERIOD OF RECORD:	D: 77-86
1.6 1.6 1.6 1.7 1.0 1.0 2.0 1.0 2.0 2.0 4.1 1.0 1.0 1.2 2.0 4.1 1.0 1.0 1.2 2.0 1.1 2.0 2.0 2.0 2.0 2.0 1.1 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	1.5 1.6 1.5 1.1 1.0 2.4 4.10 2.5 3.6	4÷6 7-10	SPEED IN KNOTS 22-27 28-33 34-40 41-47 48-55	56 TOTAL "MEAN
1.2 1.9 1.3 1.0 2 3.9 3.0 2.1 3.6	1.2 1.0 1.2 1.0 2.4 4.0 2.5 3.9 3.6	1.8 1.8 .5	.1 .0	
1.5 1.0 .2 .0 .1 .16 .18 .	1.5 1.0 1.2 3.6 3.6 3.6 4.7 3.6 3.6 4.7 3.6 3.6 4.7 3.6 3.6 4.7 3.6 3.6 4.7 3.6 4.7 3.6 4.7 3.6 4.7 3.6 4.7 3.6 4.7 3.6 4.7 3.7 3.6 4.7 3.7 3.7 3.7 3.8 3.7 3.8	6.	0.	
1.0 1.7 1.4 1.1 1.4 1.1 1.4 1.1 1.2 1.2 1.0 1.1 1.2 1.0 1.1 1.2 1.3	1.9 1.3 .3 .1 .1 .1 .1 .1 .	1.0	0.	M
3.7 3.7 1.4 .1 .1 .1 .1 .1 .1 .	3.7 3.7 1.9 .1 5.6 4.7 1.0 .1 .1	.9 1.3	• 1	3.8
1.4 2.0 2.5 1.0 1.1 4.7 4.5 5.1 4.7 4.9 4.5 5.1 1.6 1.7 1.0 1.1 3.6 4.0 4.9 1.0 1.2 5.1 3.6 4.0 4.5	1.4 2.0 .9 .1 4.5 4.7 .1 .1 .1 .1 .1 .1 .1	341 1	. 1) D•
1.6 1.7 1.0 .1 4.9 5.1 4.9 1.1 1.0 1.1 1.1	1.6 1.7 1.0 .1 41.5 5:1 41.6 4.0	.0 2.5		. 9
1.6 1.7 1.0 .1 3.6 4.9 3.6 1.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.1 3.6 4.0 1.2 3.0 1.2	1.6 1.7 1.0 .1 3.6 4.0 1.0 .1 3.6 4.0 1.0 .1 1.0 .1 3.6 4.0 3.0 3.0	2.0	• 1	S
1.0	1.6	1.7 1		#.
1.0 c8 .6 .1 4.7 4.6 4.4 4.6 4.7 2.8 3.9 1.7 7.2 3.0 1.1 7.8 5.0 1.1 7.8 5.0 1.2 2.9 2.2 .4 4.6 5.7 1.7 5.5 1.4 5.7 1.2 2.0 1.	1.9 1.6 1.0 .1	.8 1.2	•1	9.
1.9 1.6 1.0 .1 4.6 4.6 2.8 3.1 1.7 .2 3.0 4.8 3.4 .5 1.9 2.9 2.2 .4 1.2 2.0 1.2 .2 .6 1.3 1.4 .8 .0 .5 1.7 1.7 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	1.9 1.6 1.0 .1 7.8 5.0 3.9 4.8 3.4 .5 11.7 .2 1.9 2.9 2.2 .4 1.2 2.0 1.2 .2 .0 1.3 1.4 .8 .5 1.7 1.7 1711111111111111111111111111111	. 8÷ ū.	•1	3
2.8 3.1 1.7 .2 5.0 3.9 4.8 3.4 .5 7.4 5.7 1.9 2.9 2.2 .4 7.4 5.7 1.2 2.0 1.2 .2 .0 7.4 5.7 1.3 1.4 .8 .5 .0 3.5 4.7 7.8 5.6 7.4 5.7 7.1 5.5 7.1 5.5 7.2 5.0 7.4 5.7 7.4 5.7 7.6 04SERVATIONS: 4484	1.9 2.9 2.2 .4 .5 .11.7 5.5 .7 .4 .5 .12 .2 .0 .13.7 .2 .0 .0 .14.6 5.6 .14.7 .14 .8 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	.9 1.6	• 1	4
3.9 4.8 3.4 .5 5.5 7.4 5.5 7.4 5.5 7.4 5.5 7.4 5.7 7.4 5.7 7.4 5.7 7.4 5.7 7.4 5.7 7.4 5.7 7.4 5.5 7.4 7.4 5.5 7.4 7.4 5.5 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4	1.9 2.9 2.2 .4 5.5 1.2 2.0 1.2 .2 .0 4.6 5.6 4.7	.8 3.1		80
1.2 2.9 2.2 .4 4.6 5.6 1.2 2.0 1.2 2.0 4.6 5.6 1.3 1.4 .8 .5 3.5 4.7 3.5 4.7 2.4 32.0 16.7 2.3 .1 100.0 3.9	1.2 2.9 2.2 .4 7.4 5.7 1.2 2.0 1.2 .2 .0 4.6 5.6 1.3 1.4 .8 .5 .5 3.5 4.7 11111111111111111111111111111111111	•9 4•8 3•	5.	.t. 5.
1.2 2.0 1.2 .2 .6 4.6 5.6 1.3 1.4 .8 .5 .5 4.7 ///////////////////////////////////	1.2 2.0 1.2 3.6 4.6 5.6 5.6 1.3 1.4 .8 .5 .0 3.5 4.7 3.5 4.7 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	2.9 2.	ħ°	7. 5.
1.3 1.4 .8 .5 4.7 ///////////////////////////////////	1.3 1.4 .8 .5 1.5 4.7	2.0		S
29.4 32.0 16.7 2.3 .1 10000 3.9 1000.0 3.9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29.4 32.0 16.7 2.3 .1 1000 3.9	.3 1.4	0.	μ Ş•
1/////////////////////////////////////	7/////////////////////////////////////			
29.4 32.0 16.7 2.3 .1 100.0 3.9 OF ORSERVATIONS: 4484	29.4 32.0 16.7 2.3 .1 100.0 3.9 OF OBSERVATIONS: 4484			111111 5261
OF ORSERVATIONS: 4484	OF OBSERVATIONS: 4484	32.0		100.0
OBSERVATIOMS: 4424	ORSERVATIOMS: 4484	••••••••••••••••••		
		OBSERVATIONS:		

STATION LANE: FIT HUXGHUCA AZ PERTON OF HECORDS STATION LANE: FIT HUXGHUCA AZ PERTON OF HECORDS STATION LANE: FIT HUXGHUCA AZ PERTON OF HECORDS STATION LANE: FIT HUXGHUCA AZ PERTON OF HECORDS STATION LANE: FIT HUXGHUCA AZ STATION LANE	11	1.1
1.1	ND SPEED IN KHOIS 22-27 28-33 34-40 41-47 40-55 04.56 10.07777777777777777777777777777777777	11
ND SPEED IN KHOTS 22-27 28-33 34-40 41-47 40-55 17777777777777777777777777777777777	ND SPEED IN KHOIS 22-27 26-33 31-40 41-47 40-55 06.56	ND SPEED IN KNOTS 22-27 28-33 39-40 41-47 41-47 40-55 06-56 50-5
1.5 2.4 3.6 2.6 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.7 8.2 3.7 7.2 3.7 7.2 3.7 7.2 3.8 2.7 3.7 7.2 3.8 2.7 3.7 7.2 3.8 2.7 3.8 2.7 3.8 2.7 3.8 2.7 3.8 2.7 3.8 2.8 3.9 2.9 3.9 2.9 3.0 2.0 3.0	1.3 2.8 3.6 2.8 3.6 4.8 3.6 4.8 3.6 4.8 4.2 3.9 4.2 3.9 4.8 3.9 7.9 3.1 2.1 1.8 3.1 1.8 3.1 1.8 3.7 1.9 3.7 1.9 3.7 1.9 3.7 1.10 0.01	1.5 2.8 3.6 2.6 3.6 2.6 3.6 4.8 3.6 4.8 3.6 4.8 3.7 8.3 3.8 3.9 4.8 3.1 5.1 8.1 7.7 8.8 7.7 8.8 7.777777777777777777777
3.6 3.3 3.3 3.4 4.5 3.6 4.5 3.	3.6 2.3 3.6 4.6 3.6 4.6 3.6 4.6 3.6 4.8 3.6 4.8 3.8 3.9 3.8 3.9 3.8 3.9 3.1 8.1 3.1 8.	3.6 3.8 3.6 4.8 3.6 4.8 3.6 4.8 3.1 3.2 3.9 3.1 3.2 3.9 3.1 3.
3.6 2.0 3.2 3.3 3.6 4.6 3.6 4.8 3.6 4.8 3.6 4.8 3.2 3.9 3.1 2.1 3.1 2.1 3.1 2.1 3.1 2.1 3.1 2.1 3.1 2.1 3.1 2.1 3.	3.6 2.6 3.6 4.6 3.6 4.6 3.6 4.8 3.6 4.8 3.8 3.8 4.2 3.9 4.2 3.9 4.2 3.9 5.1 2.1 5.1 2.1 5.2 7.7 777777777777777777777777777777777	3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.8 3.9 3.8 3.9 3.1 8.8 3.1 8.1 3.1 8.
3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.7 7.7 7.77777777777777777777777777777	3.6 4.6 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.8 3.9 3.8 3.9 3.1 8.1 3.1 8.	3.6 4.6 3.6 4.6 3.6 4.8 3.6 4.8 3.6 4.8 3.8 3.8 3.8 3.8 3.1 8.1 3.1 8.1 3.7 7.0 3.7 8.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8
3.6 4.8 3.6 4.8 3.6 4.8 3.8 3.8 3.8 3.9 3.8 3.8 3.1 8.1 3.1 8.	3.6 4.8 3.6 4.8 3.8 3.9 3.8 3.9 3.1 8.1 3.1 8.	3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.7 3.1 2.2 3.1 2.1 3.1 2.1 3.1 2.2 3.1 3.9 3.0 3.9 3.0 3.
3.6 4.8 4.2 3.9 3.8 3.8 3.1 8.1 7.0 7.0 7.0 7.0 8.8 8.7 8.8 8.7 8.8 8.7 8.9 8.8 8.7 8.100.0	9.6	3.6 4.8 4.2 3.9 3.8 3.8 3.1 8.1 3.1
4.6 4.8 3.8 3.8 3.1 3.1 3.1 3.1 4.9 7.9 3.7 3.8 5.6 7 3.8 3.7 7.7 8.8 3.8 3.8 8 7 2.8 3.8 100.00 1.3 1.3 1.3	3.8 3.8 3.8 3.8 5.1 8.1 1.9 7.1 1.8 3.7 1.8 8.7 1.8 8.7 1.8 8.8 1.8 8.8 1.00001	3.8 3.8 3.8 6.4 8.2 3.1 8.1 8.1 3.1 8.7 7.9 7.6 8.8 7.7 7.7 7.7 7.777777777777777777777
3.8 3.8 3.8 3.1 8.1 3.1 8.1 1.9 7.9 7.9 7.9 7.9 7.8 8.8 7.7 7.8 8.8 2.8 7.7 7.7 7.7777777777	3.8 3.8 3.8 3.1 3.1 3.1 8.1 1.6 7.9 7.9 3.7 7.8 3.7 7.8 8.8 3.7 7.8 8.8 7.7 7.7777777777	3.8 3.8 3.8 3.8 3.8 3.1 5.1 3.1 8.1 3.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7
3.1 8.1 3.1 8.1 1.8 3.7 1.8 3.7 1.7 5.8 1.7 7.1 1.1 5.6.6 1.3	1.8 3.1 8.1 7.7 3.6 4.1 8.7 7.7 7.777777777777777777777777777	1.8 1.1
3.1 8.1 1.8 3.7 8. 7 8.8 7.7 3.8 7.7777 3.6.6 777777777777777777777777777	1.8 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6	1.8 3.1 1.8 3.7
1.9	1.6 2.7 1.8 8.7 1.7 7.7 1.0 0.001	1.6 3.7 8.8 8.7 8.8 8.7 8.8 8.7 8.8 8.7 8.8 8.7 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.
1.8 8.7	7.7. 1. 8. 8. 7. 8. 8. 8. 7. 7. 8. 8. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	THE 8.1 SEE T. THE B
8.8.7. 8.8.6. 8.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	8.8.7. 8.8.6. 7.7.7.7.7. 7.7.7.7.7. 7.7.7.7.7. 7.1.7.7.7.7	7. 2.2
2.8 	7. 2.8 7.7.7.77 5.88 77777777777777777777777777	8.8° T, """""""""""""""""""""""""""""""""""
TUTEL DIOLE	777777	777777 56.6 7777777777777777777777777777
77777777777777777777777777777777777777		7777777 5.6. 777777777777777777777777777
1000	100:0 3:3 .3	100.00 1.03
		. 719

-(

	GLOBAL CLINATOLOGY 9RAN	LOGY ARANGII		PENCENTAGE FRECUENCY	10	OCCURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED FROM HOURLY OBSERVATIONS	
	AIR WEATHER SF	RVICETHAC				THE PARTY OF THE P	
ا د	STATION RUNGER	AUNGER: 772755 S	STATION NAME:		דן אני יכאטפע אב	PERTOD OF RECORDS 76-85 HOUTS! 0900-1105	
					WIMD SPEED IN KNOTS		
	DIRECTION	1-3	3-t	7-10 1	21 22-21	40 41-47 40-55 OE 56 101VC VENU	
		2.7 1.32	:	2		W . 77	
	348	9 - 6	l.• â	1.			
	L.X	ម. ដ	1.7		A COMMENSATION OF THE PROPERTY	.2	
	באנ	6 • 5	t . 5	લ			
	ស	7.5	7.0	2.0	, ,	* *	
	FSE	ħ. ::	n • 5	3.0	t to	* *	
	SF	2 • 3	3.7	3.5	17 •		
	385	1 • 1	1.9	2.2			
	S	1.0	1.2	1.3	2.		
	35.2	.2	9.	t) •		No. S. C. L.	
1	32	2,	υ.	1.2	• 4	2.5 7.1	
	17 335	•	7.			2,3 6,4	
	N 0.4				To the second second second second second second second second second second second second second second second	8.4 7.5	
	-		= °		energie energie energie en energie en energie en energie en energie en energie en energie en en en en en en en	1.1 5.4	
	322	-				1.6	
	22	7.	2.0	5	東京の東京の日本の「日本は、日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日		
	N 2 2		11.11		**************************************		
	VAKIAHLE				• 1	in lefe ti in l' _i ann Ham Continue at un maiste de Nais de de Continue a Continue de Con	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	CALI	CONTRACTOR CONTRACTOR	Tititi	TITITI			
	101 45.5	1-1-37-4	36.6	16.4	1.8	1.00.0	9
			1 -				
	TOTAL JUNELR	سنا	Tons	1,37	展開的されて1967年 1968年 - 「新聞歌の (記述) マン・イボー (本語) ・ 本語です。 ・ 本書 (本語) ・ 本書 (本語) ・ 本書 (本語) ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・		
			1		MARKETHE MERCHANIS IN THE GENERAL PARKET AND THE PROPERTY OF T		
				•			
_				٠	ŧ		

No. No.		STATION HAME:		FT HUAGHUGA AZ	FROH HOURLY ONSERVA	76-68	,
1.0 2.2 1.0 1.1 1.1 1.1 1.2 1.2 1.2 1.2 1.1	•		• • • • • • • • • • • • • • • • • • • •				•
1.0 2.2 1.1	1-3			17-2	22-27 28-33 34-40 41-47 48-55	SG TOTAL HEAN	
1.6 1.6 1.6 1.6 1.7 1.1	N 1 - 9	2.2	. 1			100 m	
1.6 1.4 1.1 2.1 3.1		1.6	9.	. 1			1
		1.4	• 1				9
3.5 1,2 2.9 3.6 11.0 11.4 8.6	C3	5.6	1.0	~			1
2.0 2.7 1.9 .6 .1 1.0 2.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1		11.2	2.9	9,		2	9
2.0 2.7 1.9 .6 7.3 6.4 4.1 5.4 6.4 6.7 1.1 1.3 1.9 .7 1.9 .6 6.4 6.4 6.7 1.9 .7 1.9 .7 1.9 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4		3.5	4.7	n.		9	7
2.0 2.7 1.9 .6 .9.1 5.1 5.1 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6	_	2.9		0.			1
2.0 2.2 1.0 5.0 4.6 1.1 1.3 1.9 .7 4 80 5.0 6.6 1.2 2.0 2.0 3.0 5.0 6.0 1.0 2.0 2.0 2.0 5.0 5.0 6.0 1.1 .8 1.0 8 .0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0		2.7	1.9	9.	-	7	4
1.1 1.3 1.9 .7 8 8.4 8.1 1.0 1.2 1.0 2.4 .8 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1	, -	2.2	1.0	2.		5	1
1.0 2.0 2.3 666 1.1 3.0 1.0 2.4 3.0 5.0 5.0 6.6 1.1 3.0 1.0 2.4 3.0 5.0 5.0 5.0 6.6 1.1 3.0 1.0 2.4 3.0 3.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5	a S	1.3	1.9	.,			9
1.0 2.0 2.0 5 5.9 6.6 1.0 1.2 .8 .4 3.3 6.9 1.1 .8 1.0 2.0 8.0 3.3 6.9 1.2 1.2 .4 2.0 8.0 8.0 777777777777777777777777777777777777		1.0	•	8		2	
1.0 1.2 2.0 2.3 .6 8.4 3.5 8.9 6.6 7 7777777777777777777777777777777		1.9	2.4	8			1,1
1.0 1.2 .8 .4 2.9 8.0 1.1 .8 1.0 2.9 8.0 2.9 8.0 2.9 8.0 2.9 8.0 2.9 8.0 2.9 8.0 2.9 8.0 2.9 8.0 2.0 8.4 2.0 8.0 2.0 8.4 2.0 8.0 2.0 8.4 2.0 8.0 2.0 8.4 2.0 8.0 2.0 8.4		n.5	2,3	9.			9
1.1 .8 1.0 2.9 8.0 2.9 4.1 2 .4 2 .4 2 .4 4.1 2		1.2	8	17.		5	0.
1.3 1.2 .4 8.9 4.1		æ	זינו				0
77777777777777777777777777777777777777	-	1.2	=			*	• 1·
THITTHITHITHITHITHITHITHITHITHITHITHITHI	_		• • • • • • • • • • • • • • • • • • • •	••••••	• • • • • • • • • • • • • • • • • • • •	**************	•••••
Z6.3 32.6 27.e 6.7 .u YOUNGERVATIONS: P37							
26.3 32.6 27.8 6.7 .4		minni	numun			011	
OF UNSERVATIONS: F37		32.6			II.		3 •
OF UNSERVATIONS: P3	-	:	•			*********	:
	υE	ONS:	727				
			Manage and a series of the ser			,	
	e e designation de la company		:		MARTINATION OF THE PARTY OF THE		

S HE A LINE IS ALL DATE OF THE PARTY.	FROM HOURLY OBSERVATIONS
ATR WERTH, W. STRVICE/MAC. STATION HUPBER: 722733 STATION NAME: FT HUACHUGA	A AZ PERTOD OF RECORD: 76-85
	MONTH: SEP HOURS(LST): 1800-1700
DIRECTION 1-3 4-6 7-10 11-16 17 (DEGREES)	7-21 22-27 28-33 34-40 41-47 48-55 6E 56 TOTAL HEAR
1 1.5 1.9	3.9
HNF 1.0 1.2 .3	2.4 4.1
NE 1.0 .6	1.7 3.3
ENE 1.0 1.7 .6 .1	3.5.
E 1.5 3.6 2.2 .5	0.91, 8.7
ESE 1.3 2.2 3.6 .1	7.5
SF .8 7.8 2.1	6.0 , 9.8
SSE 1.5 2.1 1.7	8 ፡ ክ
s 1.5 1.9 .5 .4	L•# h•#
Sox 6 1.5 .1	3.0 8.5
SW 1.3 3.2 4.1 .6	0.9 2.6
USW 1.3 3.3 5.8 1.3	11.7 7.3
, 1.9 E.O 6.º 1.3	14.0 6.9
WNW 1.8 2.6 2.3 .9	7.6 6.3
NW 1.5 1.4 .8	3.1 7.8
NNN 1.0 .5 1.2	0.2 7.5
VARIARIE	
CAL:	
-	
101ALS 27.9 34.1 53.1 6.4	100.00
ICIAL HOMIEM OF CHARITOTES 119	

Ç

STATION NUMBER: 72273D STATION DIPECTION 1-3 4-6 (DEUREES) 1-6 NNF 1-6		
DIPECTION 1-3 (DEURES) 1-3 N 1-6	IIION NAME: FI	нилснися лг
OECSES) 1-5 4- (OECSES) 1-6 N 1-6	•	WIND SPEED IN KNOTS
N N 1.66	7-10	34-40
-	2.	S.U. D.1
NE	9•	, d
ENE	.5	To H to I
ក ស•	1.0 .6	2.2
ESE 1.6	1.3 .8	ε°, 0.4.
2.4	1.6 1.1	5.2 4.4
SSE 1.7	1.4 .3	3.7
3.2	1.1	. 1 - 6 3 - 4
SSW 4.8	1.1 .2	7.5 0.9
2°9	3.7 1.3	12.1 3.
NSW 5.6	7.0 1.7	2°+ 5°+1
I on	R.4 4.1	18.3
nnu 1.4	1.4 .3	3.2
S. NX	1.0	6°5 h°2
HWK - 5	д.	1.6 4.6
VARIAPLE		
CALH 777777777777777777777777777777777777		TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
TOTALS 36.7 3.	31.4 12.2	2.5 3.7
TOTAL NUMBER OF ORSERVATIOUS	15: F3C	
	Mark	

ECTION VERSUS WIND SPEED	PERIOD OF RECORD: 76-85 HONTH: SEP HOURS(LST): 2100-2300	GE SG . TOTAL		8.8 8.	.7 3.	1.0 3.0	5 3	8° የተ	4.9 3.8	8.6 2.5	4°4 2°8	15.0 3.7	16.0 3.9	15.3 4.4	Not 401	1.5 5.5	1.0 4.3	•••••••••••••••••••••••••••••••••••••••	1111111 19.4 111111111111111	100.0 3.0			
FREQUENCY OF OCCURRENCE OF SURFACE WI FROM HOURLY ORSERVATI	FI HUACHUCA AZ	11-16 17-21 22-27 28-33 34-40									. 2	.2	.2		.2	.2				1.2			
PERCENTAGE	STATION NAME:	7-10	2 • 2	.5	2.	S .	2.	2.0 .5	1.7 .2	1.7	1.0	5.7 1.0	7.6 1.0	7.9 2.5	2. 5.	.5	.5 .2		<i>mmmm</i>	32.3 5.9	• • • • • • • • • • • • • • • • • • • •	90% :	
LOGY BRANCH RVICE/HAC	1:	1-3 4-6			٠. د	1.0	.2	3.0 2	3.0	6.9	3.2	8.1 5	7 . 1	4 · 9	1.5 1	r.	2		minnin	40.9 3E	• !	OSSERVATIONS	
GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC	STATION NUMSER: 722733	UIRECTION (OEGRIFS)	2	אאמו	L L L Z	113	Esf	i s	SSE	S	SSW	N S	K CN	78	- SER	32	BNN	VARIAPLE	<u> </u>	דס דאב י ן 		TOTAL RUN'ER OF	

<u>) -</u>

	USAFETAC AIR WEATHER SERVICE/HAC					FROM HOURLY OBSERVATIONS		
STATION NURGER:	722733	STATION NANE:		FT HUACHUCA A	CA AZ	PCRIOD OF RE.	PERIOD OF RECORD: 76-85 HOURS (LST):	ALL
			•		WI NO	SPEED IN KNOTS		• • • • • • • • •
UIRECTION (DEGRETS)	1-3	9-h	7-10	11,-16	_	22-27 28-33 34-40 41-47 48-		LIND
1:-	1.6	1.1	. 2	0.		0.	6 · N	8.8
NN E	1.3	6.	.2	٠.			8	2.4 3.7
NE -	1.6	6.	٠.				. 2	3.2
ENE	2.4	1.4	11.	• 1	c.		T	H. H. J.
ដ	3.1	3.3	1.5	n ?			80	3.2 4.0
ESF	2.2	2.4	2.4	.2	o•		7	7.2
SF	2.0	2.5	2•2	٤.			7	•
SSF	1.7	1.9	1.3	2.			- /	5 .0 5 .0
S	2 • 4	1.5	۲.	.2	0.		· A	4.9 4.3
SSK	1.7	6•	ω.	c:		9	ĸ	3.6 4.6
32	3.2	2.1	1.9	5.				7.6 5.1
) 	5.6	2.0	2.0	ស្			80	8. t 5. t
 'E	2.3	3.6	2.7	5.			6	9.0
2 22 22 22 22 22 22 22 22 22 22 22 22 2	101	1.2	a)	• 3			n (i)	3.4 5.3
3 %	α: •	æ	មា	0.			2	2.2
****	1.0	۲.	3				2	0.4 0.2
						***************************************		• • • • • • • • • • • • • • • • • • • •
כאר וי		minn	mmi		ידיודודודו	<i>xxxxxxxxxxxxxxxxxxxxxxxx</i>		1.6.28-177777
TOTALS	30.9	25.32	17.9	3.2		, n.		100.0 3.9
							• • • • • • • • • • • • • • • • • • • •	
TOTAL NUMPER O	OF UNSERVATION	I ONS:	47J8					
								-
							. *	3.63
						# # 1 Part Par	The state of the s	

	TOLOGY BRANC		PERCENTAGE	E FREQUENCY	Į.	OCCURRENCE OF SURFACE MIND	WIND DIRECTION VERSUSSWIND	A EKSOSMATAO	27.5	
USAFETAC AIA AEATHFK SERVICE/NAC	SERVICE/NAC								خ	ε, ·
STATION NUMMER:	722730	STATION NAME:	j	FT НИАСНИСА	AZ		PERIOD OF RECORD: 76-85 MONTH: OCT ROURS(LST): 0600-0800	ORD: 76- HOURS (LST	88): 0600-0	. 6
			:	•	TERMS ON THE	TN KNOTS	•	• • • • • • • • •	•	
SIRECTION (DEGPTES)	1-3	g-h	7-10	11-16 17-	21 22-27	r	41-47 48-	GE 56	٦	
R	5.		•	•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•		₹10 • • • • • • • • • • • • • • • • • • •	
NNE	7.			• 1					4. 6.	1 0.0 h
NE	6•	٤.					,		1.2	2.7
ENE	1.7	n.							2.1	2.6
ω	1.5	6.	• 1				,		2.6	3.4
ti- Si	1.3	8.	• 3						5.4	3.8
SF	2.0	1.7	.7	٤.					n . 7	4.1
SSF	2.3	2.0	1.9	• 1					6.3	5.0
s	3.2	1.9							5.2	3.1
A S S	0.4	• 5							9° h	2 • 3
HS	9.1	1.1	5	• 1					10,07	2.7
ASK	9•11	1.3	• 1						0.9	2 • 8
x	0.2	1.1	. 5						3.6	3.7
RNW	8.	5							1.2	2 • 1
XX	°.		[*; •						1.2	2.7
NAK	ο. - –								8	2.0
• • • • • • • • • • • • • • • • • • • •	_				•	• • • • • • • • • • • • • • • • • • • •	•••••••••	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •
VARJATLE									X.	
כער א	. 1111111111	11111111	11111111		_	,,,,,,,,,,,,,,,,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2 • S 3-	,,,,,,
101 AL S	36.5	12.6	h • b	۲.					?	1.8
•					•		• • • • • • • • • • • • • • • • • • • •	•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •
TOTAL YUN"EP	OF OBSERVATIONS	1048:	745							
		1			Here and the second desiration of the last one to the second		betarren en sier . men epiterestitentungen			

STATION HAME: FT HALAGNUA AZ PROMISSION FT COMMISSION STATION HAME: FT HALAGNUA AZ PROMISSION FT COMMISSION STATION HAME: FT HALAGNUA AZ PROMISSION FT COMMISSION STATION FT COMMISSION	STATION NUMBE	VICE/MAC		¥	1	۲ ۵۲	OCCURRENCE OF SURFACE WIND DIRECTION FROM HOURLY OBSERVATIONS	OF SURFAC	CE WIND D	IRECTION VI	VERSUS WIND	O SFEEU	
NEECTON 1-3 4-76 7-16 11-15 17-21 27-27 28-33 34-40 41-47 48-55 66 56 10/14 MEAN 105600 18 10.0 11-15 17-21 27-27 28-33 34-40 41-47 48-55 66 56 10/14 MEAN 11-15 13-27 28-33 34-40 41-47 48-55 66 56 10/14 MEAN 11-15 13-27 28-33 34-40 41-47 48-55 66 56 13-7 23-6		722730	STATION			UCA AZ				OD OF RECON	RD: 76 HOURS (LS	T): 0900-	1100
NE 2-1 -8 -11 -8 -12 -8 -8 -8 -8 -8 -8 -8 -	BUSTA 2818	, , , , , , , , , , , , , , , , , , ,			41-11	UNIW FIND	SPEED	_ 1	•	47 4855	GE 56	TOTAL	MEAN
Number of Forestand	(DESREES)	C.J	9	07-1	31	77-77						H	NIND
NE	2	2.1	8				:	•				2.9	2.7
NE 4.3 1.4 8.4 3.2 2.6 3.1 3.2	RNS	2.3	1.1									3.4	2 • '8
NE 5-8 2-1 19 11 15 11 15 11 15 11 15 15 11 11	w Z	4•3	1.4									5.5	2.6
5.Ε 4.1 6.0 1.6 .1 15.8 3.9 3.9 5.Ε 4.2 2.6 .9 10.0 5.7 4.6 5.Ε 1.1 2.0 .8 .1 1.2 2.0 .8 .4 8.2 5.6 5.Ε 1.1 .5 1.4 .2 2.2 .4 8.2 5.6 5.Ε 1.1 .5 1.5 .4 2.2 .4 8.2 5.6 5.Ε 1.1 .4 .1 .1 1.1 .4 .1 1.1 .1 .1 1.1 .2 .5 .6 .6 .8 .4 2.2 .4 8.3 8.5 1.1 .1 .1 .4 .1 .1 1.1 .1 .4 1.2 .5 1.6 .4 1.1 .1 .1 .4 .1 .1 1.1 .1 .4 1.1 .1 .4 1.6 .4 1.1 .2 .5 .5 .4 .4 .1 .1 .1 1.1 .1 .1 .4 1.2 .5 1.6 .4 1.1 .1 .2 .5 .5 .4 .4 .1 .1 .1 1.1 .1 .1 .4 1.2 .5 .4 8.5 .4 1.1 .1 .2 .5 .5 .4 .4 .1 .1 .1 .1 1.1 .1 .1 .1 1.6 .4 .1 1.6 .4 1.1 .1 .2 .5 .5 .4 .4 .1 .1 .1 .1 1.1 .1 .1 .1 1.00.0 .3.9 1.1 .2 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	SNE	5.8	2.1	2.		-					Ì	8.4	3.2
SE	ш	8.1	6.0	1.6	• 1							ဟ	3.9.
SE 1.4 2.0 .8 .1 .1 .2 .4 .4	ESE	8 • n	6.3	2.5								13.7	9•h
SE 1.4 2.0 .8 .1 .2 .4 .2 .5 .4 .2 .5 .4 .2 .5 .4 .2 .5 .4 .2 .5 .4 .2 .5 .5 .4 .2 .5 .4 .2 .5 .5 .5 .5 .5 .5 .5		2	4.2	2.6	٥.							10.0	5.7
SH 1.1 .5 1.4 .2 2.5 8.2 SH .1 .5 1.5 .4 SH .2 .5 .6 1.1 .1 SH .5 .7 1.3 .6 .8 .4 SH .5 .6 .8 .4 .1 SH .1 .1 .4 .1 .1 SH .1 .2 .5 .6 1.1 .1 SH .1 .1 .4 .1 .1 SH .1 .1 .4 .1 SH .1 .1 .4 .1 SH .1 .1 .4 .1 SH .1 .1 .4 .1 SH .5 .5 .6 .4 SH .5 .6 .7 .7 SH .5 .6 .7 .7 SH .5 .6 .7 .7 SH .5 .6 .7 .7 SH .5 .6 .7 .7 SH .5 .6 .7 .7 SH .5 .7 .7 SH .5 .7 .7 SH .5 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 .7 SH .7 .7 SH .7 .7 SH .7	SSE	1 1.4	2.0	ω.	10.7							t • 3	8 4
SM .5 .7 .5 .4 .1 .1 .1 .1 .1 .1 .1	S	1.1	1	•	• 2							3.2	5.6
SA	SSW	-1	ن .	1.5	3				***************************************			2.5	•
15	SW	٠ <u>٠</u>	٠,	1.3	9•				ù			3.2	7.7
1.5	4,5,H	7.	ທ ໍ	.	1.1	.1						2.0	8.3
NA 1.1 1.1 .4 .1 2.6 4.5 NA 1.2 .5 .9 .2 .6 4.5 NA 1.2 .5 .6 4.5 NA 1.2 .5 .5 .6 4.5 NAMBER OF SERVATIONS: P57	*	. 5	9•	ω.	3							2.2	6.7
Number of Ouscrvations: F57 1.1	HNH	9•	6.	2.									L. h
1.2 .5 1.6 2.6 2.6	スプ	1 • 1	1.1	ъ.	.1				***************************************			2.6	• 1
NE TAPLE NE TOTALS 36.9 28.9 14.C 4.1 .1 NUMBER OF ORSERVATIOUS: F5.7	NNN	1.2	5									1.6	2.6
	:	•						•		•		•	•
NUMBER OF OUSERVATIOUS: F57	VARTAPLE												
36.9 28.9 14.6 4.1 .1 NUMBER OF OWSTROWS: P57	CALP	1111111111	11111111	11111111	11111111	!~	11111111	111111111	11111111	,,,,,,,,,,,,,	minn	16.0	111111
NUMBER OF ORSTRVATIONS: P57	101 ALS	36.9	28.9	14.0	4.1	.1						100.0	3.9
NUMBER OF ORSCRVATIONS:	•			•		• • /• • /• • •				• • • • • •			
		í		754									
												,	
							,						

USAFETAC ATR SECTAC	RVICEZHAC				FROM HOURLY OBSERVALL		
STAILON NUMBER:	: 722739 \$	STATION PAME	ļ.,	HUACHUCA	A2 A2	PERIOD OF RECORD: 76-85	1200-1400
					•••••••		
: = -	£-1,			11-16 17-	WIND SPEED IN KNO 21 22-27 28-55	_ ,	TOTAL MEAN
	2.3	1.3	. 1	•	• • • • • • • • • • • • • • • • • • • •		3.7 3.1
n N N	1.2	1.4	5.		•		3.0 4.2
U 2	1.5	2.2	•2				4.1 3.9
m S m	2.6	2.9	ħ•	.2			6.1 4.2
ш	4.3	6.1	1.8			-	12.2 4.4
ESE	2.2	3.9	1.9	ង•			8.3 5.2
S)	2 • 7	3.7	2.8	η•			9.6 5.4
SSE	1.1	2.8	æ.	. 2.			4.9 5.2
S	1.5	1.4	6.	ភ			4.4 5.6
#SS 8	9.	1.4	2.8	٠.			5.5 79
X S	7.	1.5	3.2	1.3		` `	6.7 7.8
W 2 M	9		3.2	1.4	ន •		8.3 8.4
3	1.3	1.6	2.2	1.1	• 1		6.3 7.4
3 2 2	2.1	9.	1.4	5.			3.6 6.2
Az		1.6	8.			,	3.2 5.3
7 42	1.2	1.4	5				2.9 4.5
VASTALE							•
CALP	THE THE TAXABLE PARTY OF THE PA	11111111	mini	minni	THE THEORY OF THE PROPERTY OF		111
TOTALS	25.8	36.6	23.3	6.5	9*		100.0
•	-						• • • • • • • • • • • •
C 2 171111	310111111		0 00				

- 1 1	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	HEAN LIND	1:0	3.5	3.7	4.3	5.1	4.8	5.1	4.2	5.4	9•6	7.0	8.0	6.2	5.9.	5.7	5•0	• • • • • • • •	ę.		5.2			
			5	5.6	.	S		, v	2			.6	6.	, 9	•1	Š	.2	9.	•		8.6	0.			
SPEE	ા ′ના	A TO		7	,2	7	80	r.	9	5	S	3	1	8	13	5	9		• • • • •		ac	100.0	,,		
ONIA SOS	2 (1	56		,	<i>,</i>						<u>'</u>														
ION VER	F RECORD: OCT HOUR	48-55				-						-							• • • • •					ļ,	
IRECT	0 ;	l: 1											3						•		111111				
E WIND E	PEI	4-40 41						ĺ																	
SURFACE Y OBSERVA		3 3			,	2								ť					•						
CCURRENCE OF FROM HOURLY		ED IN KNO				٠. ا						, 				ı			•						
0		S P E												-					• • • • • •						
ENCY OF	JCA AZ	NIW 17-71			٠,							-			•2	•			•		111111	1.			
FREQUENCY	г нифсниса	11-16	•			-	.2	•2	1.		7	7	1.2	1.6	6.		-5		•			5 • 4			
ERCENTAGE	NAME: FT	-10	5	•2	ħ•	9.	1.7	5	1.2	٥.	1.7	2.1	2.6	3.5	ħ•ħ	2.0	1.5	6.				24.7	• • • • • • • • • • • • • • • • • • • •	802	
PE	STATION W	4-E	2.0	.7	9.	1.5	3.4	1.1	2.5	1.9	1.2	1.9	2.2	2.7	4.5	2.4	3.4	1.7	•			33.8			
RENCH			.1	9•	1 • ц	25	2.7	9.	2.2	-	2.2	9•	9•	.7		0.	-	1.0	•			26.8	•	OPSERVATIONS	
OLOGY B	R: 722733	-1	1	1 1		2		1		2					3				_		<u> </u>	92		OF OSSE	
GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SFRVICE/MAC	STATION NUMBER:	DIRECTION	N	NNE	: 3H	ENF	LJ	ESE	SE	SE	s	SW	SK	K S K	-2	×	N	NNW	•	RIA! LE	ر_ د	TOTAL ?		NUMPLA	
GLOBAL USAFET AIR WE	STATIO	DIRECT	• • • • • • • • • • • • • • • • • • • •	Z		ũ		W		S		S		34		3	_	Z	•	^^	CAL	10		TOTAL	

							163
					O AURUNAUA.		13.4.2
	GLOBAL CLIMATOLOGY BRANCH USAFETAC	LOGY BRANCH		PLRCENTAGE	FREQUENCY OF SCHOOLY OBSERVATIONS		
3	AIR WEATH'R SE	RVICE/MAC			:		
	STATION NUMBER:	722733	STATION NAME:	1	FT HUACHUCA AZ 76-85 HONTH: OCT HOURS(LSI): 4800-2000	:	
	• • • • • • • • • •	• • • • • • • • •			OHONE ME STILL		
		1-3	7 25	7-10 11	28-33	WEAN	فوتفنت تر د د
	(DEGREES)					l'_	
	~ ~	9	.5	2			
	NN	9•	• 5		1.1.	2	
	38.		2.		.2.	3	
	ENE	9.	2.		· •	2	المائية
	Ich	8•.	9•	9•	2.0	7	
	ESE	9•	9.		1.6	Z.	
	SE	1.3	1.4	1.3	д °.	4 .6.1	
	SSE	2.8	2.8	6.	9.9	3	
	S	2.4	2.3	9•	3°1	.8 3.7	
	X SS	6* ħ	1.3	5.	9.9.	3.5	
	MS	8.2	₽•9	6.	15.67	n	
	nsa	5.5	6.1	1.1	,2	0.4 6.	
	3	 6.7	6.7	1.9	.2	•5 4•1;	
	UNK	136	1.1	٤.	3.	4.17	
	**	1 1.7	٤.	. 2	. 2 .	.2 2.7	î
	3 2 2	89	ស្		A STATE OF THE STA	3.3° 3.3°	
					•••••••••••••••••••••••••••••••••••••••		
	VARIAPLE				16.6	111111 9	
	CALM	mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm	11111111	mm		- 1	
	FOTALS	6.04	32.0	د . ع	nr		
	•			•			
	TOTAL NUMBER	OF OBSERVATION	10% S:	6.5B			ţ,
							ľ

ALNO STEEL	76-85 LST): 2100-2300		6 TOTAL MEAN	0°2° Z.	1.0	.z. '5.ú	.5 (4.•0	1.0 4.8	1.07 Her	5.3	6.4 h.6.	6.7 3.8	6.7 4.2	16.7 3.7	1.3.8 4.7	13.3 4.2	1.5 3.7	1.2 4.0	,	• • • • • • • • • • • • • • • • • • • •		777 h•nz /	100.0			•
VERSUS	L O	•	48-55			,				\$				•						• • • • • • • • • • • • • • • • • • • •	,					
OF OCCURRENCE OF SURFACE WIND DIRECTION FROM HOURLY OBSERVATIONS		IND SPEED IN KNOTS	22-27 28-33 34-40	•••••••	, , ,												•		1				.2			
PERCENTAGE FPEQUENCY (FT HUACHUCA AZ		11-16 17-21	•	,				•2	. • 5	•2	•2		•2	8.	• 2				•			2.2	•••••		
ERCENTAGE	- 1		7-10 1	•	•2		.2		2	1.5	1.7	• 2	1.0	٠.	1.5	1.7		• 2		•		minni	h*6		40.6	
,	STATION NAME:		9-4			.2		7.	5.	2.0	3.9	2.5	1.5	6.7	7.6	5.4	1.0	ស		•		umm	32.5		IONS:	
LOGY ERANC	. 722739		1-3	.2	7.		• 2	.2	٠.	1.7	3•#	3.7	3.9	9.1	4 • 2	6.5	• 5	ស•				mmm.	35.2		OF OBSERVATIONS	
GLOBAL CLIMATOLOGY ERANCH GSAFETAC AIR GEATHER SERVICE/MAC	STATION NUKBER:		UIRECTION (-	NNC ;	ພ	ENF	E 3	ESE	SE	SSF	s	SSW	NS	NSK I	~	ANA	NK) ANN	- •	1 373	CALM	TOT AL \$		TOTAL NUM'ER O	

													7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			15.58 		giar in	محر				;		- L			~
			MEAN	X 2	3.5	• •	306		• 1	• •	• 1	o ·	• 1	•	•	• •	•		8.4	0.4		Tititi	3.9			·		
SPEED	5 ALL		TOTAL			•	40.7	7					•	•	•)	•]	8 3	5.9	3.0	1.9	•	18.5	0.001				4	
MIND	10: 76-8:		GE 56			ŀ	Ì										,				• • • • • • • • • • • • • • • • • • • •	THITTINITE THE					ļ	
DIRECTION VERSUS	ERIOD OF RECORD		48-55																•									
1 (1)	PERIOD	HONON	41-47																									
SURFACE WIND			015 3 34-40		- 1																			1	•			
CURRENCE OF FROM HOURLY			12						-			2		0.								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		٥.	•			
OF OC	A2		WIND SPEE 17-21 22-27								0.				9.	.1	.1		0.			- 1	:	۴.				
PERCENTAGE FREQUENCY	FT HUACHUCA		-			0.		.1	1.1	2.	7.		5.	• 3	1.	6.	.	•1	• 1			1		3.7			***************************************	
SCENTAGE	HANE: FI				1	2	1.	.3	1.1	1.0	15.7	1.5	6.	1.4	1.7	1.7	2°C	٦.	. 9	.2			11111111	14.9		4753		
	N NOTION N		7 7-11	0	6.	.7	6.	1.4	3.3	2.5	2.7	2.4	1.6	1.1	2.6	3.0	м С	1.1	1.3	89			,,,,,,,,,,	29.3		TIONS:		
GY BRANCH	1 1	126132		?	1.3	1.3	1.6	2.5	3.4	2.1	2.1	2 • 1	2.5	2.0	4 • 2	h+2	2.8	0.1	G• ;	6.				33.2		F ORSERVATION		
CL IMATOLO	NISAFETAC AIR WEATHER SERVICE/MAC	,	:_				NE I	u u			SF		<i>-</i>	NSS	- AS	l MSH		222		322	_	VAZIABLE	CALR 17	101 ALS		NUMPER OF		
GLOBAL (USAFETA AIR WEA	STATION		DIRE (DEG	2	RNE	Z	ENE	(LÍ	753 ESC	s	SSE	S	38		13		1		2		VA	CA	10		TOTAL		
												,																

121 22-27 20-33 31-40 41-47 48-55 GC 56 107AL BEND SILED TH MOTS 121 22-27 20-33 31-40 41-47 48-55 GC 56 107AL BEND SILED TH MOTS 122 23-27 20-33 31-40 41-47 48-55 GC 56 107AL BEND SILED THEM SILED THE SILD THE SILED THE SILED THE SILED THE SILED THE SIL	1.2 2.2 2.2 2.0 3 34-40 41-47 48-55 02 56 107AL WIND 1.2 2.2 2.2 2.2 2.3 34-40 41-47 48-55 02 56 107AL WIND 1.3 2.2 2.3 34-40 41-47 48-55 02 5.4 4.8 2.3 2.6 2.4 4.8 2.5 2.6 3.5 5.7 4.3 2.6 2.4 4.8 2.7 4.9 3.6 5.1 4.8 2.8 5.1 4.9 3.6 5.1 4.8 2.9 4.6 5.1 4.9 3.6 5.1 4.8 2.1 1 5.4 4.8	-21 - 22 - 27 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 28 - 21 - 21
8.1	8.1 22-27 28-33 34-40 41-47 48-55 66 56 101AL HAND 41-47 48-55 66 56 56 56 56 56 56 56 56 56 56 56 5	11
0010 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1	110 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00114
118 218 118 20 201 20 2	3.1	1.8
11.8 2.8 3.9 4.6 3.9 4.6 3.9 4.6 3.0 8.1 4.0 3.0 8.1 4.0 1.7 4.0 1.7 4.0 1.7 4.0 1.7 4.0 1.7 4.0	8.8 9.1	3.5 9.4 9.8 9.8 9.4 9.9 9.6 9.4 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5
8.4 8.4 8.3 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4	3.5	8.8 8.9 8.9 8.9 8.9 8.9 8.9 8.1 8.1 8.3 8.1 8.8 8.2 8.4 8.8 1.1 8.9 8.1 8.8 1.1 6.9 1.1 6.9
200 200 200 200 200 200 200 200 200 200	3. 5. 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8	3. 4. 4. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
33 .2 868 368 368 .3 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	8.7 4.8 5.5 5.7 4.3 6.8 6.8 7.5 8.8 8.8 8.8 8.8 8.8 8.8 8	8.6 4.6 5. 5. 8.8 5. 8.1 4.0 6.1 4.0 7.1 4.0 7.1 4.0 7.1 5.0 7.1 6.0 7.1 6.0
8.7 4.3 8.7 4.3 8.8 3.8 8.8 8.8 8.9 8.9 8.9 8.9	13	5. 8.8 5. 8.8 5. 8.8 6.1 4.8 7.1 4.9 8.6 3.8 8.8 3.8 8.8 3.9 1.1 6.9 1.1 6.8
55. 8.8 55. 8.8 55. 8.8 55. 8.8 55. 8.8 12.4 9.8 1.7 4.8 1.7 4.8 1.1 5.9	55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8 55.8 3.8	5. 5.8 3.8 5. 6.1 4.08 5. 7.1 4.08 6. 1.1 4.08 6. 1.1 5.09 7.777777777777777777777777777777777
3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8	55. 8.8 5. 2. 2. 6.3 4.8 8.8 3.8 8.9 3.8 8.9 3.9 8.9 3.9 1.7 4.0 8.9 4.3	5. 5. 5. 5. 5. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
8.8 8.8 8.8 8.8 8.8 8.8 1.1	13 .2 .2 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8	3. 2. 3.8 12.4 3.8 4.9 3.8 1.7 4.8 1.7 4.8 1.1 6.9 1.1 6.9
12.6 3.8 8.9 8.8 8.8 8.9 1.7 8.8 8.9 1.1 5.9 8.9	12.4 3.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8	11.7 4.8 3.8 1.1 8.2 3.9 1.7 4.8 1.7 4.8 1.7 4.8 1.7 4.8 1.1 8.9 1.1 8.9 1.1 1.1 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7
	8.8 8.8 1.7 4.68 1.1 5.0 4.1 5.0 4.1 5.0 4.1 5.0 4.1 5.0 4.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5	8.8 1.7 4.8 1.1 6.9 8.8 1.1 6.9 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1
808 C1 C1 C0 C1	808 117 809 101 808	9.8 1.1 1.1 6.9 1.1 1.1 6.9 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1
	1.7 4.6 9.9 6.9	9.4 1.1 9.9 3. 3. 4.3
	4.3 R.V. W.S.	1.1 6.9 .1.1
	Koh Go	THE THE THEORY OF THE TANDENT THE TENT OF
		THE THE TREE STATE OF THE PROPERTY ASSESSMENT ASSESSMEN

Table Tabl	USAFETAC	OLY BRANG		PLRCENTAGE, FREQUER	. FREQUER	CY OF	OCCURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED FROM HOURLY OBSERVATIONS
NAME	AIK M'A IH" K SER	VICE/NAC					
NAE	STATION MUNNER:	722730	STATION		нолспое	<	HONTE: NOV HOURS (LST): UPCO HOUTS
NAE	-	• • • • • • • •	•••••	•	• • • • • •	WIND SPEED	
NAE 1.5 .0 .1	ULRECTION (DFGPEES)	1-3	9-11			7-21 22-27	34-40 41-47 48-55
NNE 1.5 .0 .0 .0 .0 .0 .0 .0 .0	2	9.2	9	-		• • • • •	
FME 3:1 1:5 :1 1:8 :1 1:8 :1 <t< td=""><td>W XX</td><td>1.5</td><td>c.</td><td></td><td></td><td></td><td>3.4 3.0</td></t<>	W XX	1.5	c.				3.4 3.0
E 3.5 2.0 6 118 E 5.7 5.0 1.0 1.1 1.1 11.0 SE 2.4 3.1 3.3 .4 1.1 1.1 1.1 1.1 1.1 1.1 1.1 2.1 3.1 <	25	3.1	• !	1.			. 0
13.6 5.7 5.0 1.9 11.	ראנ	3.5	2.0	9.			.2
11.00.00 1.0		5.7	6.0	1.9			3.5
SSE 2.4 3.1 3.3 .4 .1	£SE	и• В	ó•ħ	3.6	9•		6.
SSE 1.0 1.1 1.4 .1 1.4 .1 1.7 .1 1.4 .1	SE	7.4	3.1	3.3	7		3 ~:
SSK .4 .6 1.0 .5 .1 2.6 SK .4 .6 1.0 .5 .1 3.3 SK .3 .4 1.6 .9 .1 3.3 MSK .1 .6 .1 3.9 3.9 HNH .9 .1 .4 3.9 .1 .3 .1 .3 .1 .3 .4 .6 .9 .1 .6 .9 .1 .6 .8 .8 .8 .8 .6 .9 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .6 .4 .6 .4 .6 .9 .1 .2 .8 .8 .8 .8 .8 .8 .8 .6 .8 .	SSE	1.0	.1	1.4	-		9.
SK .4 .6 1.0 .5 .1 .1 3.3.3.3 WSK .1 .6 1.8 1.3 .1 3.4 3.8 WNW .9 1.3 1.4 .4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.	S	6.	r.		m	, 1	7.
NS W .1 .4 1.6 .1 3.1 3.6 .1 3.6 .1 3.1 3.6 .1 3.1 3.9 3.9 3.1 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 4.6 <td>SSK</td> <td>3</td> <td>9.</td> <td>1.0</td> <td>5.</td> <td>. 1</td> <td>*</td>	SSK	3	9.	1.0	5.	. 1	*
NSK 11	3.4	-	3.	1.6	6.	. 1	, y
HANN .9 1.3 1.4 4 5.5 .1 3.4 3.4 3.6 .1 3.4 3.9 3.9 3.9 3.9 3.4 3.8 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4	KS K	.1	• •	1.8	1.3		.8
ым .9 .6 .9 .1 .3 .1 .3 .1 .4 .4 .9 .1 .4 .6 .9 .1 .2.8 .1 .6 .9 .1 .6 .9 .1 .6 .6 .9 .1 .6 .6 .6 .1 .6 .6 .6 .1 .6 .6 .6 .1 .6 .6 .6 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	3	10-41		1.8	9.	• 1	3 6
11	ANN	6.	•	•	5		9
мы .з .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4 .4	AE	ó	y.		7	東京教育 (日本)の一、「東京教学・これの・1・1・1・1・1・1・1・1・1・1・1・1・1・1・1・1・1・1・1	8
VARIABLE	ANN	• 3	1	~			3
TOLAL 28.6 24.4 19.6 5.2 .4	VARIARLE					••••••	
TOTAL 28.6 24.4 19.6 5.2 .4 .1		numin.	minni	minin	nnnn	ההההחורה ההחדרה	I
	TOTAL	28.6	n • n ?	19.6	5.5		
			:	1 •		• • • • • • • • • • • • • • • • • • • •	

	ED TN KNOTS TANKOTS TANKNOTS TANK				7 H H H C	3. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
		-1	:			:
				1.3	6	0
			1	2.3	7.4	
1.0 1.4 2.3 .1 .39						
1.0 1.4 2.3 .1 .3 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0		.1	1.0	2.9	1.3	6.
1.0 1.4 2.3 .1 .3 .9 .0 .1 .3		=	2 • 5	5.4	•	9.1
3.6 2.4 5.4 2.5 .4 .1 .1 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3 .1 .3		***************************************	1,6	± °	ម	0 .
3.6 2.4 5.4 1.6 3.6 2.4 5.4 2.5 44 3.9 1.3 2.9 1.0 .1 3.0 .0 1.3 .1 .3		2.	1.1			• 5
3,6 2,9 1,1 44 3,6 2,4 2,5 4 4,9 1,3 2,9 1,0 41 3,0 3,0 1,3 6		S. •	9	2.0	5	
1.6 2.4 2.5 1.1 .4 .4 .9 .5 .4 .4 .5 .4 .5.5 .4 .6 .4 .4 .5 .4 .6 .4 .4 .5 .5 .4 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .4 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5			¢	2.1	8.	h •
4 .8 2.1 .8 .5 .5 .4 2.9 1.1 .4 3.6 2.4 2.5 ,4 3.6 2.4 2.5 ,4 3.6 2.4 2.5 ,4 3.6 2.9 1.0 .1 3.7 3.9 3.3 2.9 1.0 .1	I		3	2.1	6 8 -	9.
1,4 1,0 1,3 ,1 5			1. 4.	2.1	1.0	
2.1 3.4 2.0 .1 1.4 1.9 1.3 .1 .4 .8 2.1 .8 .5 .5 .4 2.9 1.1 .4 .9 .5 3.4 1.6 .9 .5 3.4 2.5 .4 .9 1.3 2.9 1.0 .1 1.0 1.4 2.3 .1 .3			1 1 2	1.3 2.1 2.1	1 0 0 0	1.4
3.0 3.1 2.3 .6 2.1 3.4 2.0 .1 1.4 1.0 1.3 .1 .6 .9 .9 .4 .6 .9 .9 .4 .7 .4 .8 2.1 .8 .5 .9 .5 3.4 1.6 .9 .5 3.4 1.6 .9 .5 3.4 1.6 .9 .5 3.4 3.6 .1 .9 1.3 2.9 1.0 .1 1.0 1.4 2.3 .1 .3 .9 .0 1.3 2.9 1.0 .1	Ì		, t	2.3 1.3 2.9	1, W 4, W 4, W 4, W 4, W 4, W 4, W 4, W	3.0 2.1 1.4 .6 .4
3.7 5.2 2.0 .1 3.0 3.1 2.3 .6 2.1 3.4 2.0 .1 1.4 1.0 1.3 .1 .6 .9 .9 .4 .6 .5 .4 2.9 1.1 .4 .9 .5 3.4 1.6 .9 .5 3.4 2.5 .4 .9 1.3 2.9 1.0 .1 .0 .0 1.3 .1 .3			1 0 0 1	2.5 2.3 2.0 1.3 1.3	2 . 1 . 8 . 1	3.7 3.0 2.1 1.4 .6
3.7 5.2 2.0 .1 3.0 3.1 2.3 .6 2.1 3.4 2.0 .1 1.4 1.0 1.3 .1 .6 .9 .9 .4 .6 .9 .9 .4 .7 5.2 2.1 .6 .8 2.1 .9 .4 .9 .9 .4 .9 .5 3.4 1.6 .9 .5 3.4 1.6 .9 .5 3.4 2.5 .4 .9 .5 3.4 3.4 .9 .5 3.4 3.6 .9 .7 3.4 3.6 .9 .7 3.4 3.6 .9 .7 3.4 3.6 .9 .7 3.4 3.6 .9 .7 3.4 3.6 .9 .7 3.4 3.6 .9 .7 3.4 3.6 .9 .9 1.3 .3			9 7 7	2.5 2.3 2.3 1.3 2.0 2.0	1.8 1.0 4.4 8.3	3.7 3.0 3.0 1.4 6
3.7 1.8 1.3 .1 3.7 5.2 2.0 .1 3.0 3.1 2.3 .6 2.1 3.4 2.0 .1 1.4 1.9 1.3 .1 2.6 .9 .9 .4 2. 6 .9 .9 .4 3.6 2.9 1.1 .4 3.6 2.9 1.1 .4 3.6 2.9 1.0 .1 3.6 2.9 1.0 .1 3.6 2.9 1.0 .1 3.6 2.9 1.3 .1 3.7 5.2 2.9 1.0 .1 3.8 3.4 1.6 3.9 .5 3.4 1.6 3.0 1.3 2.9 1.0 .1 3.0 1.3 2.9 1.0 .1			1 9 1 h	2. 2. 2. 3. 3. 3. 4. 3.	1.8 1.1 1.8 1.1 1.8 8.1 1.8 8.1 1.8 8.1 1.0 0.0 1.1 1.0 0.0 1.1 1.0 0.0 1.1 1.0 0.0 1.1 1.0 1.0	3.7 3.7 3.0 3.0 1.4 6.
1.8 .6 .3 .1 2.0 1.3 .3 .1 3.7 5.2 2.0 .1 3.7 5.2 2.0 .1 2.1 3.4 2.0 .1 1.4 1.0 1.3 .1 1.6 2.4 2.9 1.1 .4 2.9 1.3 2.9 1.0 .1 2.1 3.4 2.5 1.1 .4 2.9 1.3 2.9 1.0 .1 2.0 1.3 2.9 1.0 .1 2.0 1.3 2.9 1.0 .1 2.0 1.3 2.9 1.0 .1	K-10 (-0)		1 9 1 1	2. 5. 1 2. 2. 5. 1 2. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	3.0 3.7 3.7 3.0 3.0 4.
1.6 1.1	ONIA STATE OF SO SO SOUTH THE DESCRIPTION OF THE STATE OF THE SOUTH OF		:	2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	1 1 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1.8 2.0 3.7 3.7 3.0 3.0 4.
1.9 1.1 1.2 1.2 2.2 2.0 1.1 1.1 1.2 1.2 2.2 2.0 1.1 2.3 1 2.0 1.3 3 1 2.1 3.4 2.0 1 2.1 3.4 2.9 1.1 4 3.5 2.4 2.5 1.0 4 3.6 2.1 2.5 1 3.6 2.1 2.3 1 3.7 5.2 2.0 1.0 1 3.8 2.1 3.9 2.5 1 3.9 1.3 2.9 1.0 1 3.0 1.4 2.3 3 3.0 1.3 2.9 1.0 1 3.0 1.4 2.3 3	IN KNOTS			2.0 2.0 2.3 2.0 2.3 2.0 2.0 2.3 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	1 1 2 2 2 2 2 3 4 4 - £	1-3 1.8 3.7 3.7 3.0 3.0 4.4
1-3 4-6 7-10 11-10 17-21 22-27 24-14 1.9 1.1 .1 .1 .1 2.0 1.3 .3 .1 3.7 5.2 2.0 .1 3.7 5.2 2.0 .1 1.4 .8 2.1 .8 .5 4 .8 2.1 .8 .5 5 .4 2.9 1.1 .4 5 .5 3.4 1.6 7 .9 .5 3.4 2.5 .4 2.9 1.1 .4 3.0 2.9 1.0 .1 3.0 1.3 2.9 1.0 .1 3.0 0.9 1.3 2.9 1.0 .1 3.0 0.9 1.3 2.9 1.0 .1 3.0 0.9 1.3 2.9 1.0 .1	The state of the s	1 1. 1. 1 1 1	: ; :	2. 3. 5. 7. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	1-3 1-8 1-9 1-9 1-3 1-3 1-4
1.8	PERIOU OF RECORD! 76-RS HOURS (LST): 1200-1400		11-16 11-16 1 · 1	I I M M M C M C M O T O	51A1IOH 4-f 1.3 1.8 3.4 3.4 9.9	1-3 1-8 1.8 1.8 3.7 3.7 3.7 3.0 3.0 4
725733 STATEON MANET FT NUAGNUGA AZ MONTH, NOW HOURS (LST) 1200-1900 1-3 4-c	PERIOU OF RECORD! 76-65 HONTH: NOV HOURS (LST): 1200-1400	A A2	11-10 11-10 11-10 11-10	I I I M M M C M C M O T O	51AlIOH 4-{ 1.3 1.3 1.3 3.4 3.4 3.4	733 1.9 1.9 3.7 3.7 3.0 3.0 6

STATION NUMBER: 72273	
722733 STATION HAME: FT HUACHUCA AZ 1-3	
1.5	7100 0F RECORD: 76-65 40NTH: NOV HOURS (LST): 1500-1700
DIPECTION 1-3 4-6 7-10 11-16 17-21	
FINE 1.5 .9 .7 NE 1.5 1.2 .1 NE 1.5 1.6 .4 EFSE 2.6 1.6 .3 SSE 3.0 2.2 .7 .9 .1 SSE 3.0 2.2 .7 .9 .1 SSE 3.0 2.2 .7 .9 .1 NSW .4 1.5 2.8 .4 NSW .4 1.5 2.8 .4 NSW .8 2.2 4.6 5.6 3.0 NW .8 2.2 4.6 5.6 3.0 NW .8 2.2 2.6 3.1 .5 NW .8 2.2 3.1 .5 NW .8 2.2 3.1 .5 NW .8 2.5 2.4 .6 5.6 3.0 NW .8 2.5 2.4 .6 5.6 3.0 NW .8 2.5 2.4 .6 5.6 3.0 NW .8 2.5 2.4 .6 5.6 3.0 NW .8 2.5 2.4 .6 5.6 3.0 NW .8 2.5 2.4 .6 5.6 3.0	41-47 48-55 GE SA TOTAL MEAN
FSE 2.6 1.6 .1 E 3.4 3.1 .9 .1 E 3.4 3.1 .9 .1 ESE 2.3 1.7 .7 .4 SE 3.0 2.2 .7 .4 SSE 1.9 1.9 .4 SSE 1.9 1.9 .4 SSE 3.0 2.2 .7 .9 SSW .4 .0 1.6 .5 SSW .4 .0 1.6 .5 WAN .4 .0 1.5 2.8 .4 WAN .9 .7 3.1 3.4 1.1 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 2.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 3.0 WAN .9 2.2 4.6 5.6 2.0 WAN .9 2.2 4.6 5.6 2.0 WAN .9 2.2 4.6 5.6 2.0 WAN .9 2.2 4.6 5.6 2.0 WAN .9 2.2 4.6 5.6 2.0 WAN .9 2.2 1.7 0.9 0.1	N.3. '4.8
ENE 2.6 1.6 .3 ESE 3.4 3.1 .9 .1 ESE 3.6 2.2 .7 .4 SSE 1.9 1.9 .4 SSE 1.9 1.9 .4 SSW .4 .0 1.6 .5 SSW .4 .0 1.6 .5 WNW .8 E.3 3.1 .5 NNW .8 E.3 3.1 .5 NNW .8 E.4 .9 .1 NNW .8 E.5 3.1 .5 NNW .8 E.6 E.6 3.0 NNW .8 E.7 .9 .1	2.0 3.5
E 3.4 3.1 .9 .1 ESE 2.3 1.7 .7 .4 SE 3.0 2.2 .7 .4 SSE 1.9 .4 .9 .4 SSW .4 .0 1.9 .4 SSW .4 .0 1.6 .5 SW .4 .0 1.6 .5 WAW .7 3.1 3.4 1.1 WAW .8 2.2 4.6 5.6 3.0 WW .8 2.6 2.4 .9 WW .8 2.6 2.4 .9	Rid S'R
ESE 3.4 3.1 .9 .1 SE 3.0 2.2 .7 .4 SSE 3.0 2.2 .7 .9 SSW .4 .0 1.6 .5 SSW .4 .0 1.6 .5 WNW .9 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0 WNW .8 2.2 4.6 5.6 3.0	す・の す・オ
SSE 3.0 2.2 .7 .4 SSE 1.9 1.9 .4 SSW .4 .0 1.6 .5 SSW .4 .0 1.6 .5 WSW .4 1.5 2.8 .4 WSW .7 3.1 3.4 1.1 WNW .8 2.6 5.6 3.0 WWW 1.2 1.7 .9 .1	7.5 4.2
SSE 3.0 2.2 .7 SSE 1.9 1.9 .4 SSW .4 .0 1.6 .9 KSW .4 1.5 2.8 .4 MNW .7 3.1 3.4 1.1 NE 2.2 4.6 5.6 3.0 NE .8 2.3 3.1 .5 NE NE .8 2.6 2.4 .9 VARTABLE	B. I. W.
SSE 1.9 1.9 .4 SSW .4 .9 .7 .9 .3 SSW .4 .9 1.6 .5 KSW .4 1.5 2.8 .4 KSW .7 3.1 3.4 1.1 WNW .8 2.2 4.6 5.6 3.0 NN .8 2.6 2.4 .9 NN .8 2.6 2.4 .9 VARTABLE	D. 4 8.8
SSW 4 .0 1.6 .5 SSW 4 .0 1.6 .5 KSW .u 1.5 2.8 .u KSW .7 3.1 3.0 WNW .9 2.3 3.1 .5 WWW 1.2 1.7 .9 .1	4.2 4.1
SSW 4 .0 1.6 .5 SW .u 1.5 2.8 .u KSW .7 3.1 3.u 1.1 KNW .8 2.3 3.1 .5 NW .8 2.4 .9 NW .8 2.6 2.u .9 VARTABLE	2.6 4.2
KSW .7 3.1 3.4 1.1 KSW .7 3.1 3.4 1.1 WNW .8 2.6 5.4 .9 NW .8 2.6 2.4 .9 VARTABLE	9.0 0.0
MNW	5.1 7.5
NNW 8 2.3 3.1 .5 NNW 1.2 2.6 2.4 .9 NNW 1.2 1.7 .9 .1	8.5
NN	15.5 7.7
NE 8 2.6 2.4 .9 .1	6.7 6.9
NBW 1.2 1.7 .9 .1	0.7 7.0
VARTARL	5.8 0.4
CALE CALE	11. 8:01
TOTALS 24.9 51.6 25.0 7.4 .4	100.0
TOTAL NUMBER OF OBSERVATIONS: 744	

STATION NUMBER: 172730 STATION FRANCE: PF NUASINGA AC	GLUBAL CLIMATO	SLOGY BRANCH		RCENTAGE	PLRCENTAGE FREQUENCY OF OCCURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED	RECTION VERSUS WIND SPEED
1.2 24.6 7-10 11-10 17-21 25.27 7-21 1400-4300 1.2 1	AIR DEATHER SE	RVICEZMAC				
NE 1.3 1.4 1.5	STATION NUMBER	722739	TATION P	FT	HUACHUCA AZ	U UF RECORDI 76-65 H: Nov Hours (LST): 1800-2000
N	•			:	SECRET CHILD	
NE	DIPECTION (DEGREES)	1-3			17-21 22-21	5 =
1.0 3.0	2		•	•	•••••••	
NE	NNE	6.	2.	*		0.
E	. Z	2.	ç		*	7
1.0 1.0	383		۴.	2•);	
SE .3 .3 .3 .3 .40	tu		1.0	٦.		3
SE 1.0 8 1.0	383	• 3	'n			7
SE 2.2 1.5 .3 .9 .9.6 .9.9 .9.9 .9.9 .9.0 .9.0 .9.0 .	35		80	1.0		0.
S 4.7 1.0 5.3 7.7 8.1 3.0 8.1	SSE	2.2	1.5	۴.		
SK 5.6 1.7 2 7.9 8.1 3.6 SK 9.3 5.4 4.5 2.2 18.3 3.4 SK 7.9 4.9 3.2 5.5 4.0 3.6 NK 1.7 2.0 1.2 3 3.5 3.6 NK 1.7 3 7 2 2.0 3.5 3.6 NK 1.7 3 7 2 3.6 3.6 3.6 NK 1.7 2 3 2 2.2 3.5 3.6 NK 1.7 3 3 4.0 3.5 3.6 3.6 NK 1.7 2 3 4.0 3.5 3.0 3.6 NA 1.7 2 2 2.0 2 3.0 3.2 NA 1.7 2 3 4 3.7 4.0 3.1 NA 1.7 2 3 4.0 3.	S	2 · h	1.9	មា ។	ri •	S. J.
S. 9.3 5.4 6.5 18.0			1.7		۲.	۲.
1.9 1.9 4.9 .7 .5 .8 .8 .8 .8 .8 .8 .8		6	5 - 4	S 2	2.	5.3 X.
	usu	7.9	6.4	۲,	ហុ	<i>*</i>
NW 1.7 .3 .7 .2 \$1.0 NW 1.7 .3 .7 .2 \$1.0 NW .2 .7 .2 \$1.0 .4 .7 .2 .2 \$1.0 .4 .7 .2 .2 .2 .4 .2 .2 .2 .2 .4 .2 .2 .2 .2 .4 .2 .2 .2 .2 .4 .2 .2 .2 .2	-1	6.1	8.9	3.2	ស•	
NW 1.7 .2 2.2 5.1 INW .2 .2 1.0	a N A	2 - 0	1.2	.3		5
110 1777 28:7 8:6 2:5 100:0 5:3 100	МЖ	1.7	۳,	۲.	7.	.2
A TAFLE	RNN	.5				
ALS 42.7 28.7 8.6 2.5 11. 42.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 8.6 2.5 11. 42.7 28.7 28.7 28.7 28.7 28.7 28.7 28.7 2					•	••••••••••••
NTALS	11 247 KK A	111111111111111111111111111111111111111		11111111		17.5
NUMMER OF ONSERVATIONS: 593	,	7.61	4.36	γa		1.00.0
NUMMER OF DISERVATIONS: 593	יים אריי	1.2.	7 . 0 7	0		
NUMMER OF ONSERVATIONS:	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • •
	N UM R.E. 3		10%:	503	THE PROPERTY OF THE PROPERTY O	e. Actientes constitution of the first constitution of the constit

USAFETA CLAMA USAFETA BAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC		CENTAGE	PERCENTAGE FREQUENCY OF OCC	OCCURRENCE OF SURFACE MINU DIRECTION FROM HOURLY OBSERVATIONS	VATIONS		3 6 2		
STATION NUMPLR:	2: 722730 S	TATION	NAME: FT	FT HUAGHUCA AZ			HONTHI NOV HOURS (LST): 21:00-23:00	2100-230	
	2-10		1:	11-16 17-21 22-27	IN KNOTS		01 98 30 05-8h	TOTAL	HEAN
UIPECIION (DEGREES)	6					•••••••		6	1.0
NNE								1:1	1.8
3 N.	1:1							, 9,	3.0
EN FI	٤٠	.3						1.4	2.6
u	1:1	r.			,				8.0
RSE		٤.						j, ė	8 . 1
ST	2.0	5.6	1.1	.3	•			200	6,4
388	2.3	2,3	1.7	-				0.4	3.8
တ	3.7	3.4	6.	-				6.9	
A S S	4.9	6.	9.	9.				12.4	2.9
3.0	9.5	2.3	9•					14.9	3.9
NSM	7.9	5.7	1.1	r.				٥	4.8
78	3.7	6.6	2.3	.3				2.6	7.1
NNA		1.1	0.	£.			,	7.7	2.4
32	r:	1.1							
NEW								:	• • • • • • • • • • • • • • • • • • • •
3 - 6 4				•••••••••••••••••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	-		
אוארן און אין אין אין אין אין אין אין אין אין אי			11111111		THE THE THE THE THE THE THE THE THE THE	TITITITI TO TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE T	minnin	1	יווווי
101 th	38.2	27.11	9.5	1.4				100.0	3.1
,]:				• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•			
200	L L	T10%:	3 11 5		AND THE RESERVE AND THE PROPERTY OF THE PROPER				
ומושר ממנים	5					***************************************	Constitution of the Consti		

1	PERIOD OF RECORD: 76-68 ALL HOURS (LST): ALL THEAN THEAN TOTAL HEA
TOTATION TARRET THUACHUCA AZ THURBLR: 722737 STATION TARRET THUACHUCA AZ THUB SPEED IN KNOT THUB SPEED IN T	URS (LST): ALL GE 56 TOTAL HEAN L. MIND 2.3 '3.3 1.8 .3.2 2.7 3.6 7.2 4.2
1-3 4-6 7-10 11-16 17-21 22-27 28-53 1.5 .6 .1 1.1	CE 56 TOTAL HEAN 2.3 13.3 2.7 3.6 3.7 3.6 7.2 4.2
1-3 4-6 7-16 11-16 17-21 22=27 28-33 1.5	1.6 .3.2 2.7 3.5 3.7 3.6 3.7 3.6 5.1 5.9 5.1
2.1 2.3 1.2 .4 2.1 2.2 1.7 .2 2.2 2.2 1.1 .1 .1 2.4 .9 1.1 .6 .2 .0 2.8 3.8 3.3 1.3 .1 .9 1.1 1.6 .4 .6 .9 .9 .0 .9 1.1 1.2 .3 .1 .9 1.1 1.2 .3 .1 .9 1.1 1.2 .3 .1	1.8 3.2 2.7 3.5 3.7 3.6 7.2 4.2
1.6	
1.6	
2.1 1.1 .1 3.1 3.1 1.1 .1 2.2 2.2 1.7 .2 1.8 1.5 1.0 .1 2.4 .9 1.1 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.8 3.3 1.3 .1 .9 1.1 1.2 .3 .1 .8 1.1 1.2 .3 .1	
3.1 3.1 1.1 .1 2.1 2.3 1.2 .4 2.2 2.2 1.7 .2 1.9 1.5 1.0 .1 2.2 2.2 1.1 .7 .2 .1 2.4 .9 1.1 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.9 3.3 1.3 .1 .9 1.1 1.2 .3 .1 .9 1.1 1.2 .3 .1 .5 .6 .5 .0	
2.2 2.2 1.7 .2 1.9 1.5 1.0 .1 2.2 1.1 .7 .2 .1 2.2 1.1 .7 .2 .1 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.9 3.3 1.3 .1 .9 1.4 1.6 .4 .6 .9 1.4 1.6 .5 .9	٠. د
2.2 2.2 1.7 .2 1.9 1.5 1.0 .1 2.2 1.1 .7 .2 .1 2.4 .9 1.1 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.8 3.3 1.3 .1 .9 1.4 1.6 .4 .6 .9 1.4 1.6 .4 .6 .9 1.1 1.2 .3 .1	
1.9 1.5 1.0 .1 2.2 1.1 .7 .2 .1 2.4 .9 1.1 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.9 3.3 1.3 .1 .9 1.4 1.6 .4 .6 .9 1.1 1.2 .3 .1 .5 .6 .5 .0	6.2 5.1
2.2 1.1 .7 .2 .1 2.4 .9 1.1 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.9 3.3 1.3 .1 .9 1.4 1.6 .4 .G .9 1.1 1.2 .3 .1 .8 1.1 1.2 .3 .1	
2.4 .9 1.1 .6 .2 .0 4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.8 3.3 1.3 .1 .9 1.4 1.6 .4 .G .8 1.1 1.2 .3 .1 .5 .6 .5 .0	o° z n° z
4.1 1.6 1.7 .6 .2 .0 2.7 2.3 2.0 .9 .0 2.8 3.8 3.3 1.3 .1 .9 1.4 1.6 .4 .G .9 1.1 1.2 .3 .1 .5 .6 .5 .0	5.3 6.1
2.7 2.3 2.0 .9 .0 2.8 3.9 3.3 1.3 .1 .9 1.4 1.6 .4 .G .8 1.1 1.2 .3 .1	8.2 5.2
2.8 3.9 3.3 1.3 .1 .9 .0 .0 .0 .0 .0 .0 .1.1 1.2 .3 .1 .1 .5 .0 .0 .5 .0	7.9 5.9
.9 1.4 1.6 .4 .G .8 1.1 1.2 .3 .1 .5 .6 .5 .0	11.3 6.4
.8 1.1 1.2 .3 .1 .5 .6 .5 .0	9.9
,5 ,6 ,5 ,0	ກ • 9 ກ • ກ
	1.6 5.2
VER LABILE.	11/1/// 5.61 ///////
FOTALS 31.7 24.9 19.1 5.1 .7 .1	100.0 4.2
TOTAL WLYFER OF ORSERVATIONS: 3927	
	aran i maran da da da da da da da da da da da da da

SERVICE/HAG 1.27 72237 STATION NAME: F I HUACHUCA AZ MINO SPEED IN KNOTS MINO SPEED IN KNO	1.1 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	1.7 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	10110N NAME: FI HUACHUCA AZ WIND SPEED IN KNOTS W	CCURRENCE OF SURFACE WIND DIRECTION VERSUS WIND SPEED FROM HOURLY OBSERVATIONS
722737 STATION NAME: FI HAACHCA AZ 1-3	722737 STATION NAME: FT HUACHCA AZ 1-3	72727 STAILON NAME: FI HAARHUGA AZ 1-3	722737 STATION NAME: FI HUACHUCA AZ 1-3	OF RECORD: 76-85
E	F 1-3 1-5 1-10 11-10 17-21 22-27 28-15 41-47 48-55 45-56 1944 MF MF MF MF MF MF MF	F 1-3 1-5 1-10 11-10 17-21 22-21 28-35 41-47 46-55 45-56 18-10 17-21 22-21 28-35 24-36 41-47 46-55 45-56 27-21	E	TH: DEC HOURSILSTY: U600-0800
Objection 1-3	OFFGETON 1-3	OLGERTON 1-3 1-0 1-10 11-10 11-21 22-11 20-23 21-11	N	48-55 GE 56 TOTAL MEAN
NN	N.	NA 18 18 18 18 18 18 18 1	NE	I
N	N N N N N N N N N N	NA N N N N N N N N N	NN	7.
NE	NE	NAE	NNE	.7 1.8
ENE .9 .7 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8 .8	ENE 1-1 -4 -2 2 2.8 ENE 1-1 -4 -2 2 2.9 ENE 1-1 1 -4 -2 2 2.9 ENE 1-1 1 -4 -2 2 2 2.9 ENE 1-2 1-1 1 -6 -2 -2 2 ENE 1-2 1-3 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-1 1-1 -6 -2 -2 2 ENE 1-2 1-2 1-3 1-4 1-1 -2 1-4 1-4 1-4 1-4 1-4 1-4 1-4 1-4 1-4 1-4	ENE .9 .9 .9 .9 .9 .9 .9 .9 .9 .9 .9 .9 .1 .4 .2 .2 .2 .2 .2 .2 .9 .7 .9 .7 .9 .7 .9 .7 .4 .5 .2 .2 .2 .2 .9 .4 .9 .8 .9 .2 .2 .2 .2 .2 .4 .9 .4 .8 .8 .9 .2 .2 .4 .9 .4 .8 .8 .9 .2 .2 .2 .2 .4 .8 .8 .4 .8 .4 .8 .8 .9 .4 .8 .8 .9 .4 .8 .8 .9 .4 .8 .7 .4 .8 .8 .9 .4 .8 .7 .4 .8 .7 .7 .4 .8 .7 .7 .4 .7 .2 .2	ESE 1.1 .4 .2 ESE 1.3 .4 .6 ESE 1.3 .9 .7 SSE 2.4 1.7 .2 .2 SSE 2.4 1.7 .2 SSE 2.4 1.7 .2 SSE 2.4 1.7 .2 SSE 2.4 1.7 .2 SSE 3.5 .6 .4 NU .5 .7 .4 NU .5 .7 .4 NU .5 .7 .4 CALH	, 2 4.0
ESE 1.1 .4 .2 ESE 1.3 .9 .7 SSE 2.4 1.7 .2 .2 SSH 7.0 .7 .2 .2 SSH 7.0 .7 .6 .4 NSW 3.9 .6 .4 NW .5 .7 .9 .7 NW .6 .7 .9 .7 NW .6 .7 .9 .7 NW .6 .7 .9 NW .6 .7 .9 NW .6 .7 .9 NW .6 .7 .9 NW .6 .7 .9 NW .6 .7 .9 NW .6 .7 .9 NW .6 .7 .9 NW .7 .9 .7 .9 NW .6 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .7 .9 NW .7 .9 .9 NW .7 .	ENE 99 111 94 2.2 ESE 113 94 2.2 2.9 SSE 1.3 94 7 9.2 2.9 SSE 2.4 3.7 2.2 2.9 9.2 SSE 2.4 3.7 2.2 2.9 4.2 SSH 7.0 7.7 2.2 2.2 4.6 MSN 3.5 1.6 1.1 2.2 2.2 1.4:8 NN .6 .7 .4 6.4 4.6 NN .6 .7 .4 1.7 NN .6 .7 .4 .2 NN .6 .7 .4 .2 NN .6 .7 .4 .2 .2 NN .6 .7 .4 .2 .2 NN .6 .7 .4 .6 .7 .7 NN .6 .7 .4 .7 <	ENE .9 .9 .2 2.2 ESE 1.3 .4 .2 .2 2.9 SSE 1.3 .9 .7 .2 2.9 SSH 1.1 .2 .2 .2 2.9 SSH 7.0 .7 .4 .6 .2 .2 .2 .8 NN .3 .3 .4 .1 .2 .2 .2 .4 .8 NN .3 .4 .7 .4 .6 .4 .6 .4 .8 NN .5 .7 .4 .2 .2 .2 .2 .2 NN .6 .7 .4 .6 .4 .6 .4 .6 .4 .6 .4 .2 .2 .2 .2 .2 .2 .2 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .2 .2 <t< td=""><td>ESE 1.1 .4 .2 ESE 1.3 .4 .6 SE 1.3 .9 .7 SSE 2.4 1.7 .2 SSW 7.0 .7 .2 SSW 7.0 .7 .6 .2 .2 SSW 3.9 .6 .4 .6 .2 .2 NW .5 .7 .4 NWW .2 CALM ////////////////////////////////////</td><td></td></t<>	ESE 1.1 .4 .2 ESE 1.3 .4 .6 SE 1.3 .9 .7 SSE 2.4 1.7 .2 SSW 7.0 .7 .2 SSW 7.0 .7 .6 .2 .2 SSW 3.9 .6 .4 .6 .2 .2 NW .5 .7 .4 NWW .2 CALM ////////////////////////////////////	
ESE 1.1 .4 .2 ESE 1.3 .4 .6 SSE 2.4 1.7 .2 .2 SSW 7.0 .7 .2 .2 SSW 3.9 .7 .2 .2 SSW 7.0 .7 .6 .4 WAN .6 .2 .2 WAN .6 .7 .4 WAN .6 .7 .4 WAN .6 .7 .4 WAN .2 .7 .	E.E. 1.1	ESE 1.1 .4 .2 2.2 2.2 2.9	ESE 1.3 .4 .2 SE 1.3 .4 .6 SE 1.3 .9 .7 SSE 2.4 1.7 .2 SSW 7.0 .7 .2 SSW 7.0 .7 .2 SSW 3.9 .6 .u NW .6 .7 .4 NW .6 .7 .4 NW .2 .7 CALM 17/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	
SSE 2.4 1.7 .2 .2 .2 SSE 2.4 1.7 .2 .2 SSW 1.2.1 1.1 .2 .2 .2 SSW 3.9 .6 .4 .2 .2 NAW .5 .7 .4 NAW .2 .7 GALM INTITITITITITITITITITITITITITITITITITIT	ESE 1.3 .4 .6 .2 2.9 .7 4.2 2.9 .7 4.2 .2 .2 .2 .2 .4 .5 .7 .4 .5 .2 .2 .2 .4 .9 .7 .4 .8 .2 .2 .2 .4 .4 .8 .4 .4 .8 .4 .4 .4 .4 .8 .4 .4 .4 .2 .2 .2 .2 .2 .4 .4 .8 .4 .8 .4 .8 .4 .8 .4 .8 .4 .2 <	ESE 1.3 .4 .6 .2 .4 .2 .7 .4 .2 .2 .4 .2 .2 .2 .4 .2 .4 .3 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .4 .3 .4 .3 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .4 .3 .4 .3 .4 .2 .	SSE 1.3 .4 .6 SSE 2.4 1.7 .2 SSH 2.4 1.7 .2 SSH 7.0 .7 .2 SSH 7.0 .7 .2 SSH 12.1 1.1 .6 .2 SSH 3.9 .6 .4 NSH 3.9 .6 .4 NNH .5 .7 .4 NARIAPLE .2 .7 CALH ////////////////////////////////////	
SSE 2.4 1.7 .2 .2 .2 SSH 1.1 .2 .2 .2 SSH 7.0 .7 .2 .2 SSH 12.1 1.1 .6 .2 .2 HSW .5 .7 .4 NWW .2 .7 .4 CALH HITHITHITHITHITHITHITHITHITHITHITHITHITH	SSE 2.4 1.7 .2 2.9 .7 4.2 SSH 2.4 1.7 .2 .2 6.2 SSH 7.0 .7 .2 .2 7.9 SSH 7.0 .7 .4 14.8 HSW 3.9 .6 .4 4.8 HSW .5 .7 .4 6.4 HSW .2 .2 .2 NA .5 .7 .4 1.7 HSW .2 .2 .2 .2 NA .2 .4 .2 .2 NA .2 .4 .2 .2 NA .2 .2 .2 .2 NA .2	SSE 1.3 .9 .7 .2 .2 4.2 SSH 2.4 1.7 .2 .2 .2 6.2 SSH 7.0 .7 .2 .2 7.9 SSH 7.0 .7 .4 .2 .7 .4 MSSH 3.9 .6 .4 .4.8 .8 .7 .4 .8 MNH .5 .7 .4 .2 .2 .2 .2 .2 .2 .2 .6 .4 .8 .6 .4 .8 .6 .4 .8 .6 .4 .8 .6 .4 .8 .6 .4 .8 .7 .4 .8 .7 .4 .2	SSE 2.4 1.7 .2 .2 SSF 2.4 1.1 .2 .2 SSW 7.0 .7 .2 .2 SSW 7.0 .7 .6 .2 .2 HNW .6 .2 .2 NNW .6 .7 .4 NNW .2 .7 NNW .2 .7	2
SSE 2-4 1.7 .2 .2 .2 SSW 7.0 .7 .2 .2 .2 SSW 7.0 .7 .6 .2 .2 .2 HNW .5 .7 .4 NAW .2 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .4 .7 .4 NAW .	SSE 2-4 1.7 .2 .2 6.2 SSW 7.0 .7 .2 .2 7.9 SSW 7.0 .7 .2 .2 7.9 SSW 15.1 1.1 .6 .2 .2 8.4 HSW 3.9 .6 .u 6.4 6.4 NN .5 .7 .u 8.2 .2 NNW .2 .7 .u .2 .2 NAR TAPLE .7 .u .q .a TOTALS .u .q .a .a	SSE 2.4 1.7 .2 2 6.2 S.W 7.0 .7 .2 .2 7.9 S.W 12.1 1.1 .2 .2 .2 .2 7.9 WASW 3.3 1.8 1.1 .2 .2 .4 6.4 WAW .5 .7 .4 .2 .2 WAY IAPLE .7 .4 .2 .2 TOTALS .4 .2 .2 .2	SSE 2.4 1.7 .2 .2 SSW 7.0 .7 .2 .2 SK 12.1 1.1 .6 .2 .2 WSW 3.9 .6 .4 .2 .2 WNW .5 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4 NNW .2 .7 .4	٨
SSW 7.0 .7 .2 .2 .2 .2 .2 S.W. 3.9 .6 .4 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .4 .4 .2 .2 .2 .2 .2 .4 .4 .2 .2 .2 .2 .4 .4 .2 .4 .4 .2 .4 .4 .2 .4 .4 .2 .4 .4 .2 .4 .4 .2 .4 .4 .4 .2 .4 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .4 .5 .4 .5 .4 .5 .4 .4 .5 .4 .5 .4 .4 .5 .4 .5 .4 .5 .4 .4 .5 .	SSM 7.0 .7 .2 .2 .7 7.9 SSM 7.0 .7 .2 .2 .7 7.9 SSM 12.1 1.1 .6 .2 .2 .7 4.8 MSM 3.3 1.8 1.1 .2 4.8 6.4 6.4 NM .5 .7 .4 .2 .2 .2 .2 NNM .2 .7 .4 .7 .2 .2 .2 .2 .2 .2 .2 .2 .2 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .4 .6 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4 .7 .4	SSH 7.0 .7 .2 .2 .7 .7 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7	SSW 7.0 .7 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	.2 3.
SSW 7.0 .7 .6 .2 .2 .2 .2 .5 .5 .4 .5 .5 .7 .4 .2 .2 .5 .5 .7 .4 .2 .2 .5 .5 .7 .4 .4 .2 .5 .5 .7 .4 .4 .5 .7 .7 .4 .5 .7 .7 .4 .5 .7 .7 .4 .5 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	SSH 7.0 7 7.0	SSW 7.0 .7 .8 .2 .2 .2 .14.2 SK 12.1 1.1 .6 .2 .2 .2 .4.8 HSW 3.9 .6 .4 .4 .6 .4 NW .2 .7 .4 .6 .7 NW .2 .2 .7 .4 .2 NW .2 .7 .4 .2 NW .2 .2 .7 NW .2 .2 .7 NW .2 .2 .7 NW .2 .4 .7 TOTALS 40.1 9.9 4.2 .4 .7	SSW 7:0 .7 .2 .2 .2 .2 .2 .44 .2 .44 .2 .44 .2 .44 .2 .44 .2 .44 .2 .44 .5 .7 .4 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .7 .4 .5 .4 .5 .7 .4 .4 .5 .5 .7 .4 .5 .4 .5 .7 .4 .5 .4 .5 .5 .7 .4 .5 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .7 .4 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	2.
SK 12.1 1.1 .6 .2 .2 KAN 3.9 .6 .4 KAN .5 .7 .4 KAN .2 KARIAPLE CALP ///////////////////////////////////	SKW 12-1 1-1 -6 -2 -2 -2 -4 4-8 4-8 4-8 4-8 4-8 4-8 4-8 4-8 4-8	SSH 7.0	Sh 12-1 1-1 -6 -2 -2 NSW 3-9 -6 -4 NNW -6 -7 -4 NNW -2 NNW -2 OALH CALH Sh 1-1 -6 -2 -2 N -4 N -2 N -4 N -2 OALH CALH N -2 OALH N -2	7.9 2.7
Sh 12.1 1.1 .6 .4 NA 3.3 1.8 1.1 .2 NA .5 .7 .4 .2 NA .2 .2 .2 VAR 14PLE .2 .2 .2 CALM ////////////////////////////////////	SK 12-1 1-1 -6 -4 -8 -7 -4 -6-4 -4 -8 -4 -8 -4 -8 -4 -8 -4 -8 -4 -8 -4 -8 -4 -8 -8 -4 -8 -9	Sh 12.1 1.1 .6 .4 .4.8 MSW 3.9 .6 .4 6.4 NW .5 .7 .4 .2 NNW .2 .2 .2 NAW .2 .2 .2 CALH .7/17/17/17/17/17/17/17/17/17/17/17/17/17	Sh 12.1 1.1 .6 .4 MSW 3.3 1.8 1.1 .2 MNW .5 .7 .4 NNW .2 .7 .4 VARIABLE .2 .7 .4	14:2 2:9
NAW .5 .7 .4 .2 NAW .2 NAW .2 NAW .2 CAL H .77777777777777777777777777777777777	NSW 3.9 .6 .4 .2 6.4 .4 .2 1.1 .2 1.7 .4 .2 1.7 .4 .2 1.7 .4 .2 .2 1.7 .4 .2 .2 1.7 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	NNW .5 .7 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	NAW .2 .7 .4 .2 NAW .2 NAW .2 NAW .2 CALM .2 CALM .2	2.8°±
NNW .2 .7 .4 .2	NNW .2 .7 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	NNW .5 .7 .4 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	NNW .2 .7 .4 .2	1.p p. 9
NNW .2 .7 .4 NNW .2 NNW .2 CALH	NN	NNW .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	NNW .2 .7 .4 NNW .2 VARIABLE	
NNW .2 VARIAPLE CALM ////////////////////////////////////	NNW .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .4 .4 .8 .7 .77777777777777777777777777	NNW .2 VARIAPLE VARIAPLE CALM TOTALS 40.1 9.9 4.2 .4 .4 .2	NNW .2 VARIAPLE CAL P	0.4 5.
NNW .2 VARIAPLE CALH CALH 11111111111111111111111111111111111	NNW .2 VARIAPLE CALM ////////////////////////////////////	NNW .2 VARIAPLE CALM ////////////////////////////////////	NNW	2. 1.0
VAR ТАРСЕ ///////////////////////////////////	VARIAPLE САLM ////////////////////////////////////	VARIAPLE	VAR JAPLE CALM ///////////////////////////////////	
VARIAPLE	VARIAPLE CALM ////////////////////////////////////	VARIAPLE CALM 1011/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	VAR IAPLE	
1.11.11.11.11.11.11.11.11.11.11.11.11.1	11111111111111111111111111111111111111	CALM ////////////////////////////////////		
2. 1. 0. 0.1	40.1 9.9 4.2 .4 .4 .2	TOTALS 40.1 9.9 4.2 .4 .4 .2		1
4001		•••••••••••••••••••••••••••••••••••••••	40.1 9.9 4.2 .4	

.0 110d WINDS .0 3.0 .0 3.2 .0 3.2 .0 3.2 .0 3.2 .0 3.2 .0 3.2 .0 3.2 .0 3.2 .0 3.2 .0 5.2 .7 7.6 .0 8.3 .0 5.5 .0	Thirds take: FT Hunchuca A2 Perrop of Records 16-18 1900-1	Period of Record of Reco	USAFETAC	OGY BRANC	d	ERCENTAGE	E FREQUENC	Y 0F	OCCURRENCE OF SURFACE FROM HOURLY OBSERVI	SURFACE WIND DIRECTION VERSUS OBSERVATIONS	SUS WIND SPEED	
T. S. T. T. T. T. T. T.	T22737 STATION HAME: FT HUACHUCA A2 PERIODO OF RECORDS F6-95	T20737 STATION INMET FT HUACHUCA AZ PERIOD STECONIONSLETTI 0500-1100/ 1-3	AIR WEATHTR SER	EVICE/MAC						•		
NYECTION 1-3 4-6 7-10 11-16 17-21 28-27 28-13 54-00 41-47 48-55 18 56 19 K. RANK 105652513 34-00 41-47 48-55 18 56 19 K. RANK 105652513 34-00 34-0	NITE 1-3 4-6 7-10 11-16 17-21 28-33 34-40 41-47 48-55 19E 56 10/14 10/14 11-15 17-21 28-27 28-33 34-40 41-47 48-55 19E 56 10/14 11-15 17-21 28-27 28-33 34-40 41-47 48-55 19E 56 10/14 11-15 17-21 28-27 28-33 34-40 41-47 48-55 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4 41-5 18-4	No. No. No	STATION NUMBER	1	1			i		OF RECOR Dec	76-85 URS (LST):	وكية
NNE 2.6	No. 1-3 4-6 7-10 11-16 17-21 22-27 28-33 34-40 41-47 48-55 48 50 1044 18-55 48 50 50 50 50 50 50 50 5	No.						ON LA	IN KNOTS	: ;		•
NAME 2.6	NATE 2.6 .6 .5 .7 .2 NATE 2.6 .6 .6 .9 NATE 2.6 .6 .9 SEE 2.6 2.5 .7 .4 SEE 2.6 2.5 .7 .4 SEE 2.6 2.5 .7 .1 SEE 2.6 2.5 .7 .1 SEE 2.6 2.5 .7 .1 SEE 2.6 2.5 .7 .1 SEE 2.6 2.5 .7 .1 SEE 2.6 2.5 .7 .1 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.6 2.7 .4 SEE 2.7 .4 S	N	UIRECTION (OEGREUS)	1-3	9-h	-10	-16	7-21	28-33	41-47	S6 TOTAL H	.
NME 2.6 .	NY	NAME 2.6 .6		2.6	7.	.2	•	• • • • • • • • • • •	•	• • • • • • • • • • • • • • •	9.00	2.8
ENE 2:0 1:0 3:0 3:0 3:0 3:0 3:0 3:0 3:0 3:0 3:0 3:0 3:0 3:2 5:0 3:0 <td> NE 2.0 1.0 3.0 </td> <td>RANGE 2.0 1.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0<!--</td--><td>NNE</td><td>2.6</td><td>9•</td><td></td><td></td><td></td><td></td><td>-</td><td>r</td><td>2.4</td></td>	NE 2.0 1.0 3.0	RANGE 2.0 1.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 3.0 4.0 </td <td>NNE</td> <td>2.6</td> <td>9•</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>r</td> <td>2.4</td>	NNE	2.6	9•					-	r	2.4
ENE 4.9 2.7 .4 8.0 5.2 6 7.1 5.7 1.2 14.1 3.7 7 2.9 4.6 2.5 .2 .1 10.2 5.0 5 2.6 2.5 .7 .1 .4 .5 .0 .4 .5 5 2.0 .1 .4 .4 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0 .4 .5 .0	SE 7.1 5.7 1.2 10.2	SE 2.0 4.6 2.5 .2 .3 .4 .4	- N	2•0	1.0				ę,		3.0	3.0
FSE 7.1 5.7 11.2 3.7 13.2 5.0 FSE 2.9 4.6 2.5 .7 .1 .1 .6 .4 .5 .6 .4 .5 .6 .4 .5 .6 .4 .7 .7 .1 .4 .7 .7 .1 .4 .7 .7 .1 .4 .7 .7 .1 .7	SE 2.9 4.6 2.5 .2 .3 .10.2 .10.2 .20.2 .3 .3 .4 .2 .2 .3 .4 .2 .3 .4 .2 .3 .4 .3 .3 .4 .3 .3 .3	SE 2:6 4:6 2:5 .2 .3 .4 .3 .4 .3 .4 .3 .4 .3 .4 .3 .4 .3 .4 .3 .4 .3 .4 .3 .3	ENE	4.9	2.7	5 •					0.8	•
SSE 2.6 2.5 .2 .3 .4 .6 .4 .4 .3 .4 .4 .4 .4 .4 .4 .4 .4 .4 .5 .2 .1 .4 .5 .2 .4 .4 .5 .4 .4 .5 .4 .4 .5 .6 .5 .2 .1 .7 .5 .4 .5 .4 .5 .6 .5 .5 .5 .6 .6 .5 .2 .1 .7 .5 .4 .5 .6 .5 .5 .6 .6 .5 .5 .6 .6 .5 .6 .6 .7 .7 .5 .6 .6 .7 .7 .6 .6 .7 .7 .6 .7 .7 .6 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	SE 2.6 2.5 .7 .1 .4 .5 .8 .8 .8 .8 .8 .8 .8	SE 2.6 2.5 7 1 1 1 1 1 1 1 1 1	·J		• 1	• 1					14.1	
SSE 2.6 2.5 7.7 1 1 1.7	SE 2.6 2.5 7 1 1 1 1 1 1 1 1 1	SE	rsc I	5.9	4.6		• 5		•		10.2	5.0
SSE 1.4 1.0 .6 .4 .5 .1 .4 .5 .1 .4 .5 .1 .4 .5 .1 .4 .5 .8 .1 .7 .6 .7 .5 .1 .4 .5 .1 .7 .6 .7 .4 .5 .1 .7 .5 .8 .5 .8 .5 .8 .2 .4 .5 .8 .5 .8 .5 .8 .7 .5 .6 .7 .5 .6 .5 .8 .5 .8 .7 .5 .6 .7 .5 .6 .7 .5 .6 .7 .5 .6 .7 .5 .6 .7 .5 .7 .6 .7 .6 .7	S	SE 1.4 1.0 .6 .4 .4 .5 .2 .1 .4 .5 .8 .1 .4 .5 .8 .1 .4 .5 .2 .1 .4 .5 .5 .2 .1 .4 .5 .5 .2 .1 .4 .5 .5 .2 .1 .4 .5 .5 .2 .1 .4 .5 .5 .2 .1 .4 .5 .5 .2 .4 .5 .5 .5 .4 .5 .5 .5 .4 .5 .5 .5 .4 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	SE	5•5	2.5	7.	.1					¥ • 3
S	NSW	S	SSE	л•1.	1.0	9.	5.		-		3.4	N.
MSW .6 .5 .2 .1 7.6 MSW .4 .9 .4 .9 8.3 MSW .4 .2 1.4 .5 8.2 8.2 MNW .6 1.7 .9 4.5 7.5 MNW .9 1.0 5.5 8.5 MNW .9 1.0 2.7 5.0 MNW .9 1.0 2.7 5.0 MNW .9 .9 1.0 2.7 5.0 MARIAGLE CALM (A)777777777777777777777777777777777777	NSW .4 .9 .4 .9 .4 .4 .9 .5 .2 .1	S S S S S S S S S S	s	٠.		• 1	.		7	,	-	. 2
SW 4 4 4 5 4 5 8.2 WSW 4 1.2 1.4 .5 4 5 8.2 WW .6 1.2 1.7 .9 4 .5 7.5 WW .9 .9 1.0 4 .5 7.7 .5 WARIAGLE CALM 7/17/17/17/17/17/17/17/17/17/17/17/17/17	NSW .4 .4 2.0 NSW .6 1.2 1.7 .9 .4 2.7 NNW .9 .9 1.0 .4 .5 NNW .9 .9 1.0 .2 .7 NNW .9 .9 1.0 .2 .2 .7 ARIARIE .0 .1 .2 .2 .7 .2 .7 ALM .7 .2 .1 .2 .2 .7 .2 .7 ALM .7 .2 .1 .2 .2 .2 .2 .7 ALM .7 <td>SY .q <th< td=""><td>х</td><td>•2</td><td>9•</td><td></td><td></td><td>• 1</td><td>7)</td><td></td><td></td><td>7.6</td></th<></td>	SY .q d=""><td>х</td><td>•2</td><td>9•</td><td></td><td></td><td>• 1</td><td>7)</td><td></td><td></td><td>7.6</td></th<>	х	•2	9•			• 1	7)			7.6
ИЗИ .4 .5 .6 1.2 1.7 .9 4.5 7.5 НИИ .6 1.7 .2 .4 3.0 5.5 NU .9 1.0 .2 .4 3.0 5.5 NH .9 1.0 .2 .2 .7 2.7 .7 VARIAGLE CALM (7/7/7/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	из и . 4 . 5 . 9 . 4 . 5 и и . 6 1.2 1.7 . 9 и . 5 ии и . 9 . 9 1.00 . 2 . 7 ии и . 9 . 9 1.00 . 2 . 7 ии и . 9 . 9 1.00 . 2 . 7 АН ТАБЕЕ . 7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/	MSK .4 .2 1.4 .5 8.2 8.2 8.2 8.2 8.2 8.2 8.2 7.5 8.2 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.7	SW	7 •	6•			5			2.0	8.3
и в в в в в в в в в в в в в в в в в в в	и . 6 1.2 1.7 .2 .4 3.0 ии и .9 .9 1.0 2.7 ии и .9 .9 1.0 2.7 ии и .2 .1 .2 2.7 ли и .0 .9 .1 .2 .7 ли и .9 .9 .1 .2 .7 ли и .0 .9 .0 .0 .7 ли и .0 .0 .0 .0 .7 ли и .0 .0 .0 .0 .0 .7 ли и .0 .0 .0 .0 .0 .0 .7 .7 ли и .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	ни ватем .6 1.2 1.7 .9	NSK		.2	• •	S.			-	• 1	•
RNW .6 1.7 .2 .4 5.5 NW .9 .9 1.0 2.7 5.0 HHW 2.4 .1 .2 2.7 2.7 2.7 2.7 VARIAGLE CALM 77777777777777777777777777777777777	им .6 1.7 .2 .4	NAM .6 1.7 .2 .4 .2 .7 5.0 NHH 2.4 .1 .2 .2 .7	<u>-</u> -	9•	1.2	1.7	6.			~	•	•
NUM 2.4 .1 .2 2.7 2.7 2.7 2.7 2.7 VARIAGLE <	ини 2.4 .1 .2 2 2.7 АНТАБLE 7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/	NUM SER OF 03 SCRVATIONS: 2 · 7 5 · 0 NUM SER OF 03 SCRVATIONS: 2 · 0 3 · 1 2 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 7 3 · 3 <td>RNN</td> <td>• 6</td> <td>1.7</td> <td>.2</td> <td>7.</td> <td></td> <td></td> <td>,</td> <td>• !</td> <td>5 • 5</td>	RNN	• 6	1.7	.2	7.			,	• !	5 • 5
NHM 2.4 .1 .2 2.7	ARIASLE 2.4 .1 .2 2.7	ARIASLE 2.4 .1 .2 2.7 2.7 2.7 2.7	AR	6•	6•	•					2.7	5.0
VARIAGLE CALK 777777777777777777777777777777777777	ARIASLE 77777777777777777777777777777777777	ARIASLE 7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7/7	I KNN	h•2	.1				***	-	.2.7	2 • 7
32.3 25.2 11.4 3.1 .5 .100.0	ARIANE 77777777777777777777777777777777777	ARIANES 32.3 25.2 11.4 3.1 .5 1777777777777777777777777777777777	• 1								••••••	• • • • • • • • • • • • • • • • • • • •
.s 32.3 25.2 11.4 3.1 .5	01ALS 32.3 25.2 11.4 3.1 .5	01 ALS 32.3 25.2 11.4 3.1 .5 100 3.3									4.5	
32.3 25.2 11.4 3.1 .5 .00.0	01 ALS 32.3 25.2 11.4 3.1 .5	01ALS 32.3 25.2 11.4 3.1 .5 100.0 3.3 3.3			,,,,,,,,,	11111111	,,,,,,,,		1811111111111111		c•/2	
		NUMBER OF DASCRVATIONS: 501	T01 ALS	32.3	25.2	11.4	3.1	• 5			100,0	3.3
	NUMBER OF DESCRIVATIONS:		NURBER	- OBSERVA	TIONS:	ž 0.1					1	,

1								-			Ĩ
1	O TANT 10 TANK 1	HOUSE ABOUCH		PERCENTAGE	FREGUENC	Y OF OCCURRENCE OF SURFACE WIND DIRECTION	CE WIND	DIRECTION VERSUS WIND	ND SPEED		Ť
	GLOBAL CLIMATOLOGY ONCH ON THE SERVICE/HAC	RVICE/HAC				במסיים שיים של ב	1			٠	
1/4	STOTION NINGER:	: 722733 S	STATION NAME:	•	F.T HUACHUCA	AZ	PER	PERIOD OF RECORD: 76-85 HONTH: DEC HOURS(LST):	1		
. :								•	• • • • • • • • • • •		
l			9-16	7-10	وا	41% SPEED IN KNOTS -21 22-27 28-33	34-40 41	41-47 48-55 GE 56	TOTAL	HEAN	ا بخت ا ا
l,	OIRECIICN (OEGRETS)		,					• • • • • • • • • • • • • • • • • • • •	2.9	2.4	
١		2.5	3						3.6	7.63	
١.	NNE	2•4	.3						2 2	. 0*8	-ن ن ا
ــ سا.	NE NE	2.8	1.5						6.9	3.5	
L	FSS	3.6	2.9	3					15.1	r •	
۱	ш	6.5	7.3	1.4					11.1	80° 37	-
1	ESE	3.5	5.4	2.1					7.4	5 • 4	
l	38	2.0	3.3	2.1					2,5	١.	
)	358	1+3	1.6	9•					2 2	•	
.J	S	1.0	٤.	8	7				- 2		
J. ,	MSS	•5	6.	1.1	5	• 1			• •		
1 .	жs		1.8	1.8	6.	• 3			·1 •	9.6	
Ju am	A S A	5	6.	2.1	1.9				1 1	. S. S.	
,	æ	1.0	2.0	4.1	2.8	• 1			8	•	
	MNR	1.6	1.3	2.3	9.					7.3	
	37	5.	1.3	2.1	٩				1.6	2 º h	
	אמנו	6.	• 5	•1			1				
····, *		-		•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •					
•	VARIABLE		11111111	1111111	1111111	THE THE TAXABLE PARTY OF THE PA	minn	,,,,,,,,,,,,,,,,,,,,,,,		mm	
- '\	101415	30.9	31.3	21.0	7.9	.6 .1			100.0	5 • 1	
								• • • • • • • • • • • • • • • • • • • •			
	OTAL NUME	0F	TIONS:	662							
,											
4.										1123	
	٠					والمراجعة والمساورة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة					

USAFETAC	ULUGI BKANCH		PERCENTAGE	SE FREUDENCY	0 0	CCURRENCE OF SURFACE WIND DIRECTION FROM HOURLY OBSERVATIONS	TION VERSUS WIND SPEED
AIR WEATHER S	ERVICE/MAC						
STATION NUMBER:	R: 722733	STATION	NAME:	FI HUACHUCA	CA AZ	PERIOD OF HONTH: D	RECORD: 76-85 EC HOURS (LST):
	¥=====================================	0 1 - L	:		ON I (1	SPEED IN KNOTS	
(DEGREFS)		2		0	7 17-1	14-It 04-15 55-07 17-	48-55 GE 56 TOTAL MEAN
2	2.0	ज. - ज.	7				3.1 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
BRN	1.3	۴.	7.				2.0 3.6
W Z	2.5	9.					3.2 2.8
ENE	1.6	ó.	.3				3.6
IJ	4.8	3.9	1.3				.1 3.
ESE	3.8	3.2	٤,			•	80 ° M ° M
SE	2.8	1.9	1.3				
SSE	1.3	1.3	7.			•	t • S · h • E
S	٤.	.,	3	3			1.9. 6.9.
SSW	-1	.7	.7	•1			1.7 6.9
MS	1.2	2.5	1.7	•1	.1	• 1	,5.8 , 6.4Z
MSK	6.	2.6	3.1	1.5			8.2 7.7
x	1.5	3.5	5.2	2.6			12.8 7.9
MNK	1.2	1.5	2.5	1.0			6 • 1 7 • 1
NN	6•	2.9	2.5	• 3			6.6 6.2
NNN	•3	.7	7.	• 1			1.9 6.0
				•••••••••••••	• • • • • • • • • • • • • • • • • • • •		
VAKJABLE							
÷ ;							111111 2:13
TOTALS	26.4	27.7	21.9	ħ•9	•3	• 1	100.0 4.6
• • • • • •	•	:					
TOTAL NUMBER O	OF OBSERVATIONS	IONS:	646				

AIR WEATHER SERVICE/MAC	/HAC	PERC	PERCENTAGE F	FREQUENCY OF OCCURR	OCCURRENCE OF SURFACE W FROM HOURLY OBSERVAT	SURFACE WIND DIRECTION VERSUS W OBSERVATIONS	WIND SPEED	
STATION NUMBER: 722733	735 ST	STATION NAME:	FT	НИАСНИСА АZ		PERIOD OF RECORD: 76-85 MONTH: DEC HOURS(LST):	76-85 LST): 1800-2000	000
					D IN KNOTS		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •
OIRECTION 1 1-3 (DEGREES)	9-# £.	6 7-10		11-16 17-21 22-27	2	41-47 48-55 GE 56	6 TOTAL	MEAN WIND
:-	.2	• • • • • • • •	•	•	•	• • • • • • • • • • • •	.2 2.0	2.0
NNE I	.7							,5 • 0,
— Ш								-
FNE								
. B	.2	٠5						3.7
ESC	6.	1.2					2.1	2.9
38	3.3	2.4	.7				ħ•9	3.4
SSE	3.6	2.6	٠,				6.9	3.6
\$	5.9	1.2	.2	• 2			7.6	2.9
358	6•9	2.1		.2			9 • 2	2 • 8
SW	11.4	5.2	5	• 2			17.3	3.3
*S#	6•9	2.4	1.4	, 2,			10.9	3.5
	5.7	4.7	2.8	۲.			14.0	4.9
nna	2 • 1	1.2	5•			,	3.8	4.2
, AN	•	.7	۲.				1.9	5.6
NN W	.7	• 5					1.2	3.0
					•	• • • • • • • • • • • • • • • • • • • •		•
17 CF								
CALM /////			1111111		<u> </u>		11.1	111111
TOTALS 4	49.1	24.6	7.6	1.7			100.0	3.0
			:				• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
TOTAL NUMPER OF OBS	ORSERVATIONS	15: 422	2					

ATIONS.	PERIOD OF RECORD: 16-80,62-85 HONTH: DEC HOURSILST): 2100-2300	***************************************	41—47 48—85		0°8 h.	A DESTRUCTION OF THE PROPERTY PROPERTY IN THE PROPERTY OF THE	A seed of the seed	_	į	į	(6 1 4 0 0 0	THE PART OF CHARMACHE AND A STATE AND EMPERORMENT CHARMACHE THANK ON A MANAGEMENT I AND AND AND AND AND AND AND AND AND AND		16.3	TO BE AND THE PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN	9.9 C. C. C. C. C. C. C. C. C. C. C. C. C.	R. G. H. D.	THE TREE OF THE STATE AND ADDRESS OF THE STATE OF THE STA	0 8	NOT: 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	INTERNATION TO THE TOTAL TO THE TANK THE TOTAL TOTAL TOTAL TO THE TOTAL	10000	
PERCENTAGE FREQUENCY OF OCCURRENCE OF SURFACE FROM HOURLY OBSERVI	: FI HUACHUCA AZ	WIND SPEED IN KNOTS	11-16 17-21 22-27 2				M CHAN PROMISE COMMANDE OF COMMANDATION OF COMMANDATION STREET COMMANDATION OF	NEW PROCESSOR (STATEMENT) (STATEMENT CONTRACTOR OF THE STATEMENT ACA TO THE PARTY AND AND AND AND AND AND AND AND AND AND	6 4	2.1	N MARINE . THE PROPERTY TO A SECURITIES A SECURITIES AND THE RESEARCH AND THE SECURITIES	A 1 Am and the control to the contro	, t . 2 . 1 .	b to the second	1. S	h, 6,				•	n		
£ .	722739 STATION NAME:	•	1-3 4-6 /-10		η•		ħ•	2.6 1.3	10	3.9 1.7	3.9 3.9 2	9.0 2.1	5.2 1.7	10.3 3.4	5.6 1.7	3.9 6.0 1		6 ·	h•			47.5 23.6 6	OF UTSERVATIONS: 33
USAFETAC AIR WEATHER SERVICE/HAC	STATION NUMBER: 722739	:-	DIRECTION ((DEURTES) (NNF	 L.7:	ы 7. Ы	uj	CSF	SF	35E	v	X SS	N S	7,5%	3	322	2	NNN	VARIARLE		TOTALS	 OTAL NUMPER OF

	100k0) 76-85 110URS (LST) 1 ALL	55 65 56 TOTAL ME		0,5	, 2.8	101	K o 6	750	6.8	707	0 ነት	N° 7	8.8	6.1 6.3	H. 6	8.4	r.r	1.6		1411111-8-18	100.00
FROM HOURING ODSERVATIONS	HONTIL DEC	24 28 -33 - 33 - 33 - 33 - 33 - 33 - 33 -						•				0	ŭ•		endindent, identified predict, editeducidented projet a xx. in debugs dust tel it is a	S MANY MANY SERVE PRESENTATION (MANY MANY SERVE MANAGEMENT). THE STATE OF THE PRESENTATION OF THE STATE OF TH	And Miller Man は、 直動し 単一分子 自動車 中央 4 元 ・ ことが まましょう とし	の 通過機能を ない しょう 一番 新聞 動物 自動物 自動物 自動物 自動物 自動的 としまず、 東京	***************************************	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	MACHEN and a separate minut a view of the minute of the management of the separate of the sepa
	FT HUACHUCA AZ						-	To the state of th	0*	.1	3 ,0	, 3	2° h'		1.6	5.		1 7 7			. h h. h
		7-10 1.1			ن	2,	6.	1.2	7.5	.7	٠,	5.	1.0	1.7	3.0	1.2	1.3	6		יוונונונווי	13.4
	STATION	9-11	=	b.)	۲.	1.5	4.0	3.1	2 • 2	1.7	8.	1.0	2.1	2.1	2.7	1.3	1.2	**		iiiTiiiT	20.5
RVICEZHAC	: 722738	1-3	1.7	1.6	1.6	h.5	n ' h	5 • 6	S • S	1.9	5 • 2	2.5	a. a	2.5	2 • 1	1.2	٠.	6.		THITTHING THE THE THE THE THE THE THE THE THE THE	35.1
AIR HEATHER SERVICE THAC	STATION NUMBER:	VIRECTION /	•	NNE	NE	เหย	ы	FSE	SE	SSF	'n	SS W	SX	# 2 #	7	ANA	2.22	3NE	4 13 14 6 4 1	כאר	101 AL s

STATION GRANGE 237273 STATION GRANGE 12 12 12 12 12 12 13 14 14 15 14 14 14 14 14							1000		
No. No.	DIRECTION 1-3 (Droners) 1-3	ATION H	AME: FT	нилснист	1 A 2		, , , , , , , , , , , , , , , , , , , ,		,
NIT			:	:	. N	SPEED IN	KNOTS		
N	9-1			1	1	7 2 - 3	F	-110 41-47 118-55 OF DE	HEAN
NE	_	1.1	=		0	c	• • • • • •		0.4
NE		8	.2	0.				8.8	
Ne		6.	ເາ	٥	o.	U.	-	2,5	
SE 1.6 1.9 2.0 1.1 1.0		1.3	n,	0.	0•	0•		J. 6	3.8
SE 1.8 2.2 1.2 2.2 0 0 0.1 8.1 8.4 8.4 8.4 8.1		5.9	1.1		٥			0,7	7.7
SE 1.6 1.9 1.4 .3 .0 .0 .0 .1 .1 .1 .0 .1 .1		2.2	1.2	2.	0			408	0.8
S 1.6 1.9 1.5 .9 .2 .0 .0 .0 4.7 6.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5		1.9	1 . 4	r.	٥			1 • 0	3.00
SH 1:5 1:0 1:7 .7 .2 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0		• •	6.	2.	۰	c.		4.1	Se un
SN 2.7 2.1 1.9 1.1 .2 .0 .0 .0 .0 8.0 6.4 SN 2.7 2.1 1.9 1.1 .2 .0 .0 .0 .0 .0 6.4 SN 2.3 2.1 2.9 2.7 1.4 .1 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0			1.0	4.	7	0.		20° 27	
SK 2.7 2.1 1.9 1.1 1.2 .0 .0 .0 .0 .0 .0 .0		1.0	1.2	. 7	č	ے	0		6.9
SEK 2:1 2:9 2:7 1:4 1:1 1:0		2.1	1.9	1.1	ಜ	•	0	•	4.6
NA		5.9	2.7	1.4	1,	0.			6.9
NK		4.1	1.3	2.0	2	0	0,	13.0	7 . 22
		1.9	1.9	.7	. 1	o,		0 00 m	6.7
	-	1.4			o	c	*	TO THE PARTY OF TH	4.9
IR LAYLE 17.7777777777777777777777777777777777		1.0	7		0.	· ************************************	****	9-6	5.1
NEALS 27.4 28.2 20.7 7.9 .9 .1 .0 .6 .8 .8 10070777777777777777777777777777777777	3 1 V V 1 R V 1			•••••	:				=
17 ALS 27.4 28.2 20.7 7.9 .9 .1 .0 .6 .6	- - -	mmi	mmm	יו ודודודו וי		יחחחיי	TITTELLE		111111
NUMPER OF OUSERVATIONS: USTIT	27.4	28.2	20.7	7.9	6	1		AND AND THE PARTY AND AND AND AND AND AND AND AND AND AND	6 h
NUMPER OF OUSERVATIONS: USTIT	-	:						•••••••••••••••••••••••••••••••••••••••	-
	NUMIER OF	i	1	i :		×		AND AND AND AND AND AND AND AND AND AND	

USAFETAC AIK WEATHER SERVICE/NAC	RVICE/NAC				
STATION NUMBER:	: 722730	TATION	1		PERIOD OF RECORDI 76-86 HONTH: ALL HOURS (LST): ALL
• • • • • • • • • • • • • • • • • • • •			CEILINGS	2	3.
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		CL IL INGS	ZDD FEET OR HORE WITH VISIBILITES 1/2 TO 2-1/2	#XLES
DIRECT (DEGRE	1-3	ŋ- ħ	7-10	10 41-41	48-35 GK S6 TOTAL HEAN
	2.7	2.1			6.3
	3.8	2.1	e.	2.	7.0 3.6
ш 77	1.7	1.1			20.7
באנ	1.7	1.0	a •		R.U. O. H.
Π	2.7	3.4	. 2		
ESE	1.5	4 • 4	9•	• 2	6.8 8.0
SE	2 • 5	6•4	2.3	π°	10.1 B.W
SSF	6.	2.1	3.8	9.	7.4 7.1
s	1.7	9•	9•	9.	3.6 5.7
NSS		7	2.		0.7 6.
48	2.	9•	9.	тада. 1984. Тада Мефана рабова да файвара да пова привершения фарт — фактара, у фартара, установа под да файвар Тада	1.5 6.0
HSK		æ•	1.7	1,5	
`t	9.	2,3	2.7	2 · 5	0.0 6.5
222	2.1	æ	1.9	THE RESIDUE OF THE SECTION OF THE SE	e e
n n	1.3	2.1	9.	ħ*	8° 20 9° 3'
NN X	1.1	1,3	Kriffe i ver de l'annual de l'	2	2.9 Hey
VARIAPLE					
CALM	mmm	1111111	THE STATE OF	CHARACTER CONTRACTOR 	1111111 18:63 1111111
TOTALS	24.5	31.2	16.7	7. U	100.0
		• • • • • • •			
TOTAL NUMBER OF	F OTSERVATIONS	: 3401	nln		
The second secon		1			

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

with the time of the section of the

CEILING VERSUS VISIBILITY

ART 3

This summany is a hivariate percentage frequency distribution by classes of ceiling from zero to equal to or grecter than 20,000 feet and as a separate class "no ceiling," versus visibility in 16 classes from zero to equal to or greater than 10 miles. Data are derived from hourly observations, and the tables are presented by month and available 3-hour groups.

referring to totals in the extreme right hand column. Also, visibility may be determined independently of occurrence for any given limit of ceiling or visibility separately, or in combination of ceiling and Ceiling may be determined independently by which the station was meeting or exceeding any given set of minima may be determined from the figure at Due to the cumulative nature of this presentation, it is possible to determine the percentage frequency by reference to the horizontal row of totals at the bottom of the page. The percentage frequency for the intersection of the appropriate ceiling column and visibility row. visibility. The totals progress to the right and downward.

For most Airway's stations, visibilities of greater than 7 miles were not reported for part of the period Beginning in January 1968, METAR stations report visibilities to 6 miles and then greater than 6 miles. Thus, for METAR stations, the catagory equal to or greater than 10 miles is not printed in the tables, Therefore, the 10 mi visibility category should be used with great caution. of record.

For overseas civilian stations reporting "CAVOK", all cellings greater than 5,000 feet are suppressed into the 5,000 foot ceiling class.

2				2	-	3100	00000							
HER SERV	ł					, ,					2			
TATION NUMBER: 72	722733 STATION	ION RAME		нилснисл	7 Y				PERIOD HONTH:	OF REC JAN	Z S	ST11	6 00 - 08 Q	
	• • • • • • • • • • • • • • • • • • • •			•	BISIA	ILITY I	1 A T U	TE HILE		:	• • • • •	•	:	
IN 1 GL EET 1 10	زی	19 T	6E 3	0E 2 1/2	25	6E 1 1/2	3. 1.4	0E 1	5E 3/4	5E 5/8	7 25	57.16		
• • • • • • • • • • • • • • • • • • • •	••••••	•	•	:	:		•••••	• • • • • •	:	•	• • • • • •			
NO CEIL 68.4 6	8.5 68.7	68.7	68.8	68.8	68.8	8.89	68.89	68.89	68.0	8.09	9.99	66.6	0.80	68.8
E 200001 73.6	7 73	1	3 3	74.0	74.0	74.0	= =	1	3 =	74.0	74.0	74.0	74.0	24.0
7 0.4.7 10001 10	74.2 74.3	7.7	74.5	74.5	74.5	74.5	74.9	74.5	74.5	74.5	74.9	74.9	74.5	74.5
E 1200rl 75.8	0.	76		76.3	76.3	76.3		9	76.3	76.3	76.3	76.3	76.3	76.3
E 100001 78.4	78.	1,	78.	78.8	78.8	78.8	78.8	78.8	78.8	78.8	79.1	8.04 40.1	79:1	76.1
GE SUUDI BIOG R	1.2 81.3	81.3	81.5	21.8	81.5	91.6	UI.5	81.5	81.9	81.5	81.9	31:5	81.9	
F 6010 81.9	1 82.	- -	82.	h • 28	B 2 . 4	92°t	~	92.4	h • 2 8	4.28	H 2 . 4	82:4	82:4	
5000 83.1 B	3.6 83.	83.			84.0	13.5	3 5	3.5	84.2	85.5	88.5	85.5	85.8	85.0
8 0.18 10.04 30 8 0.18 10.04 30	7.6 87.9	88 6	988 1	1 0 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	88.5	88.5	88.5	63.7	88.7	6.0.1	91.1	91.3	63.1	91.3
3c3r 92.1 9	3.1 93.	9 11.0	• 1 •	• •	5 4 6	:[-		-	9.11.6	9.11.6	9.46	94.6	74:6	-
55301 92.7	. 46 6	9 0	1	3	95.1	95.1	95.1	95.2	95.4	9.96	95.4	98.96	95.96	45.4
GE 1800 93.7 9	95-1 95-8	96.4	9.96	96.6	96.7	1.96	96.7	96.9	97.2	97.2	97.2	97.2	97.2	7.16 87.8
1500 94.0	96 4	97.	• ŧ •		97.5	- #-	97.5	2.46	97.13	61.6	61.6	61.6	47.9	61.6
\$ 10001 3a 5	.96 0.9	07.	60.0	23 2	60 6	20 4	1	ाळ ज	15. C	20 00	98.7	98.7		98.7
3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	96 0.9	07.9	98.1	98.1	98.2	98.2	28.2	7.06 9.80	7.86	Land	98.7	98:7	98.7	7.66
8.49 1768 3	6.4 97.	9 6	3 65		2 00	=) (20	·ic		48:1	1:66		N:66
5001 94.8	.4 97.	20.0	1 -	20 5		50	0.0	= 4	1	6	99	1::	1.00.0	100.00
6 3.46 June 39	96.6 97.5	5.36	98.9	99.0	1.66	5.66	5.66	2.66	100:0	100.0	100:0	1.00.0	1 00 0	100.001
1301 94.9	6 97.	90	•∤•	0	• ! •		· ic	2		5	200	1	ומטים	8
6.46 lu	6.6		98.8	7.66	99.1	5.66	99.3	9.64	100.0	0000	100	1,00.0	100.0	100.0
•											# # # # # # # # # # # # # # # # # # #			
TOTAL NUMILE OF OR	OFSERVATIONS	. F.7	_											**************************************

The control of branch Precuring A Precuring A		11 0900-1100	••••••••	16 1/4' O		64.9	1.0 74.0 74.0	24.0	12:1	3.6 80.6 80.6 1.3 81.3 81.4	4.48	1.50	7.00 87.0 7.3 87.5	. De 9. es	93.8 93.	4.8 94.8 93.2 6.8 96.8 97.2	1 97.1	96	8.6 98.6 99.0	1 99 1	.3 99:3	9.5 99.5 49.4 9.6 99.6 100.0	9.6 99.6 10U.	,6 99.6 IBU.	99.6 99.6 100.0
The Service of the control of the	1171	- a	•	6E 1/2 5	• • • • • •	6 ° h	30	C ec	5.7	on	 ^- ₹		7.0	100	3:3	60		8	8.6	6	6 3 6	5,5	9.50	9:5	5.86
THE A SERVICE/INC	STOTA C	5	•	0E 5/8	•	÷	2	3 3		10~	アココ	ະນ	87.0	89.9	93.5	: 5	6.	-	200		io	00	, , ,	10	566
CHAPTOLOGY BRANCH PEACLATION TALEST TALEST TOTAL TOTAL TALEST	A CROC	RIOU		374 374	• • • • •	64.9	73.6	74.8	7.8.7	6-	77 =		87.3	89.1	93.5	1		1 .	80	් . ලා ර		00	6 6	10	99.3
The Service field Peacen for the country The Service field	TIONS		TE MIL	1 0 1	••••	=	m =	ء خا		10~	PO J	tro .		5 0	m	7.0	5	-	1 & a	ko c	8	2 8	(a) (c)	دعت	98.9
SERVICE / HACK PERCENTAGE	SERV		N STAT	GE 1 1/4	•••••	3	-	: :		5-	J =	5	1::	۽ يا	-	3.5	5		æ æ	20 6	6	88	100	100	9.86
NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 722733 STATION NAME: FT HUACHUCA AZ NURBER: 72273 STATION NAME: FT HUACHUCA AZ NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: NURBER: 72273 STATION NAME: PROPERTY NAME NURBER: NURB	3		11.17	GE 1 1/2	•	=	m #	3 3	2	81.3	83.7	85.1		0	-	3 3	5		\$ 2	5 6	(m)	0 20	3 5	20	98.6
CE CE CE CE CE CE CE CE	FROM	ΛZ	V 15	l N	:	6.49	73.6	74.0	75.7	80.6	83.7	85.1	87.0	89.1	93.5	7.46	11.96	97.3	1	t •	• i •	88	6	8	98
CE		JACHUCA	1:	137		-	73.6	74.0	75.7	80.6	83.7	85.1	1			94.6	2.96	97.1	7.79 H.70	9.1.6	97.6			• •	98
		<u>.</u>				6.49	73.6	74.0	75.7	80.6	83.7	85.1	86.9	88.9	93.4	94.5	1.96	6.96	1	·i •	• ! •			. i +	97.
	ŗ P	ИАМЕ		سا		13	73.6	0.17	75.7	90.0	83.7	85.1	3.0	200	N	M D	100	יום	104	10.	o ~	- I	- r	-11-	97.2
NUMBER: 72	I D	1 1				-	73.6	ים יו	75.7	16-	- m	2	6	e c		m r	S L	n un			• •			• •	96
NURS NURS NURS NURS NURS NURS NURS NURS	OGY BRA	VICE/HA 722733				١.	73.6	74.0	75.7	80.6	93.5	95.0	् । उ) (co c	· [0]	1 • •	.ļ.	• •	ا الما	i i	n in	lis is	i in u	5	
	CL I HA	THE R NURB		19 -		1 64.	1	ì	- 1			ماد	88	67	06	5001 91	26 1000	2001 93	1300	1	_ [93	6 3		93.

. VISIBILITY	IF RECORD: 77-86	JAN HOURS	5/8 1/2 5/16 1/4		59.9 59.9 59.9 59.9		73.3 73.3	6.47 6.47	79.2 79.2 79.2 79.2	82.6 82.6	82.6 82.6	83.6 83.6	85.9 85.9 85.9 85.9 87.1 87.1 87.1 87.1	89.2 89.2	93.9 93.9	h•56 h•56 h	5 97.6 97.6	98.0 98.0 98.0 98.0 98.0	2 98.2 98.2	99.2 99.2 99.2 99.2	99.3	1.66 1.66	1.66 1.66	1.66 1.66	6°66	1.66 1.66	99.66 1.99 1.99.69
CEILING VERSUS TIONS	PERIOD	HONTE	1 1	• • • • • • • • • • • • • • • • • • • •	89.9 59.9	70.7 70.7 71.2			79.2 79.2		9		85.9 85.9 87.1 87.1	800				98.0 98.0		99.1 99.1	2.	70	5	9	9.66 9.66		9.66 9.66
CCURRENCE OF		NH X	1E 1	•	6.65 6.0	1.7 70.7	+ w		7.08 7.7	9	9 9	30	85,9 85,9 87.1 87.1	89.	93.			98.0 98.0		99.1	12.	ورد	٥	96 98	9.66 9.6	66 9	9.66 9.
JENCY OF G	1 AZ	VISIBILI	GE 6		59.9	70.7 70.			79.2 79	82.6	82.6	83.6	85.9	89.2	93.9	95.4	9.1.6	9 / 6	98.2	99.1 99	2.66	9.66	9.66	9.66	66 9.66 56 9.56	9.66	66 9.66
PERCENTAGE FREQU	FT HUACHUCA	•	GE GE 3 2 1/2		6.63 6.63	70.7 70.7			29.2 79.2				85.9 85.9 87.1 87.1			5.3		97.2 97.6 97.6 98.0	_	98.6 98.9	ļ.,	- 80	8	ı	5.66 8.86 5.89		2.66 8.86
PERCE	STAILON NAME:		5.5 4	•	59.3	75.7	71.4	6.47	79.2	82.6	82.6	9 ? • 6	85.9 87.1	688	93.7	95.0	96.8	96.8	97.2	98.0	7.86	98.3	96.3	98.5	9 8 • 3 5 • 8 9	96.5	98.3
Y BRANCH	1CE/MAC 722733 STAI	•	30 39	•	59.7 59.5	70.5 70.7			79.1 79.2	828	5 82	-	85.8 85.9 87.0 87.1		1		-	96.7 96.8 96.7 97.1	۵	97.6 98.E	86 8.	8 98	.8 98	.8 98.	57.88 98.29	8 98	5.46 8.76
GLOBAL CLIMATOLOGY BRANCH USAFETAC	IR WEATHER SERVI TATICN NUNBER: 7	CEILINS	IN 1 GE FEET 1 10		NO CEIL 59.7	73.5	16030 71.3 14000 73.2	12000 74.7	100001 79.1	82.5	7001 82.5	600F 83.4	GE 54001 85.8 GF 45001 87.0	4000 83.8	1	5:001 64.9	20001 96.6	15001 96.6	36	6F 1000 97.4	8Jr 97.5	650 97.5	97.5	3.1.6	3.79 97.5 2071 97.5	\$7.5	nl 97.5

			4.5	0	:		75.0		80	80.9	m a	-	87.2	20	ı]sı	١,	96.7		7.	97.9		8	98.7	1.66	174.1) 1	100.0	
		800-20	:	174	•	4 · 69	75.0 75.0	4 5	8	80.9	9	3	87.2	90.3	95.4	I,	96.7	::		97.9	98.0	98.5	98.7	• •	-1	• [8.66	
		ST):		776	• • • • • •	h•69	75.0 75.0		20	80.9	٠ م	;	87.2		• •	I.	96.7		1:	97.9	ı •	• •	800	99.5		;	1.66	
ITY		HOURS (⊿ 	•	h•69	75•0 75•0	∽ 2	lω	80.9	m =	-	87.2	90.3	3	- },	96.7		-	97.9	œ .	0 80	98.7			٠ د	2.66	
VISIBIL	1	JANE		5/8	:	h•69	75.0	5.	8	80.9	m a	;	87.2	0,0	'n	-	96.2	7.	-	97.9	å .	φ α	800	99.3	8	6	99.5	
VERSUS		ONTH		3/4	•	h•69	75.0		æ	80.9	m :	3 3	~ ·	90.3	S S		96.2		1	97.9	8	2 8	φ.	90.3	3	6	99.5	
CEILING TIONS			E MILE	GE 1		4.69	75.0	5.	8	80.9	m.	: :	-	90.3	عاد	- (96.2	1: :		97.9	8	ω ω		66.3	•	•	99.5	
NCE OF COBSERVA			N STATUT	GE 1 1/4	•	h•69	75.0	25	8	10~	m.	84.9	1.	90.3	ماد		96.2			97.9	80	8 8	80 0	99.3	3	o.	S	
OCCURRE!			Ι λ			h*69	75.0	10	8	10-	m.	• •	87.2	90.3	92.9		96.2	1-	- -	100	20	98.2	600	99.3	6	• 6	5.66	:
NOF HOF		AZ	VISIB	GE 2		4.69	ភូម	75.2	. 60	10 -	16	84.0	87.2	90.3	92.9		96.2	•	• 1 •	12	8			99.3	•	•	66.5	
FREQUENCY	1 1	ниасниса		GE 17		4.69	75.0	75.2	78.1	80.9	83.9	84.9	87.2	\$0.06	95.9		96.2	97.2	: :	1 •	• 1•	98.4	i •	2.65	6	6	66	
PERCENTAGE		F1 HU		6 <u>5</u> 3	3	4.69	lin it	75.2	- 00	6.	3	84.0	:	90.3	2/5)	96.2	97.2	-11-	1.	00	98.2	lro ·	98.8	0	0	99.3	
PER		N NAME:		39 †		h•69	N O	75.2	- ໙	(C) -	4 100	94.0	· -	96.3	71	,	96.1	96.9	-11-	1-1	: :	97.5	-	98.2	30	20	4.36	
3		STATION		SE S		h.69	in to	75.2	- 6	c.	m	84.0	87.2	90.3	92.8			6.96	• •		-	97.5	-	98.4	က်	8	3.4	
SY BRANCH	SERVICE/HAC	722730		9 11 0		4.69		75.2	• •	6.	: :	84.0		95.3	√3 [u	n .	ي فا	7.96	: -	-· r	: :	97.0		7.70	. ~	ļ.:		
CLIMATOLOGY	ER SERV	NUMBER:		3E 10		4.69	ាហ ប	75.2	~ œ	C -	۱۱۲ ⊢	C . 20	87.	92.3	92.	, U	96	h-96	96	، فوا	وا:	196.4	` ^	56.5	· o		96	
GLUBAL CLIMA USAFETAC	WEA	TATION W	1:.,	1111		NO CEIL 1	2000	160001	220	1000	80.7	E 7530	- 1	109L 3	- 1			190C	150C	cor		1004 3	S (CS	6E 43F	200	10	E 01	

HUACHUCA AZ HUACHUCA AZ VISIBILITY IN STATUTE MILES C 2 1/2	,
The number of the color of th	
Third Ge	CORD: 77-81,83-86 HOURS(LST): 2100
CELL 11.0 CE	• • • • • • • • • • • • • • • • • • • •
CELL 71.9	GE 8 1/2
CELL 71.9	
STATE The Table The Tabl	9 71.9 71
1600 7.2 76.7 7	76.7
DECC 10.1. 17.6 17.6 17.6 17.7 17.7 17.6	76.7 76.7 76.7
Decic 80-1	77:6 77:6 77:6
GUOT 63.5	1 80.1
	5 83.5 83.5
\$\frac{10}{15} = 37.2 \$37.2<	1 84.1 84.1 2 85.2 85.2 85.2
Sun 91.5 9	2 87.2 87.2 87.2
SCOT 91.5	ተ 88 4 88 4
SEGI 95.5	9 60 9 60 9 60
250f 95.5 95.5 95.5 95.5 95.5 95.5 95.5 95.	3 '94.3 94.3 94.3
18UC	5 95.5 0 96.0
1701 96.6 96.6 96.9 97.2	6 96 6 96 6 96 6
1000 96.6 96.6 96.9 97.2	2 97.2 97.2 97.2
800 96.6 96.6 96.9 95.2 97.2 97.2 97.2 97.2 97.2 97.2 97.2 97	2 97.2 97.2 97.2
6UC 96.6 96.6 96.9 97.2 97.2 97.2 97.2 97.2 97.2 97.2 97	2 97.2 97
500 96.6 96.6 96.9 97.2 97.2 97.2 97.4 97.4 97.4 97.4 97.4 97.4 97.4 97.4	2 97.2 97.2 97.2
3-01 96.6 96.9 97.2 97.4 97.4 98.6 98.6 98.6 98.6 98.6 98.6 98.6 98.6	4 97 4 97 4 97 4 97 4 98 0
10f 96.6 96.9 97.2 97.4 97.4 98.6 98.6 98.6 98.6 98.6 98.6 98.6 98.6	986 986 9
01 96.5 96.9 97.2 97.4 97.4 98.6 98.6 98.6 98.6 98.6 98.6 98.6 98.6	6 98.6 98.6 98.6
	86 986 9
ERVATIONS: 352	

BILITY IN S 6E 6 1 1/2 1 1 1 1/2 1 1 7 3 4 7 7 3 7 3 4 7 3	T HUACHUCA AZ			BRANCH
BILITY IN STATUTE MILE GE GE GE 1 1/2 1 1/4 1 65.3 65.3 65.3 73.4 73.4 73.4 73.8 73.8	ниасниса			
BILITY IN STATUTE HILE 1 1/2 1 1/4 1 1 1/2 1 1/4 1 65.3 65.3 65.3 73.4 73.4 73.4 73.8 73.8 73.8		N MAME: FT	STATION 11/	1
65.3 65.3 65.3 65.3 73.4 73.4 73.4 73.8 73.8				:
65.3 65.3 65.3 65.3 73.4 73.4 73.4 73.4 73.8 73.8 73.8 73.8	3 2 1/2	6E GE	GE G	S S
5.3 65.3 65.3 6 3.4 73.4 73.4 7 3.8 73.8 73.8 7	•••••••			
3.4 73.4 73.4 73.8 73.8 7	.3 65.3 65.3	65.3 65.3	က	m
	.4 73.4 73.4 .5 73.8 73.8	73.4 73.4	7	l
3.9 73.9 73.9 7 5.1 75.1 75.1 7	73.9 73%	3.0	3.	
6.3 76.3 76.3 7	76.3 76.	6.2		
0 80.0 80 8 80.8 80	.0 80.0 80.0 .8 80.8 80.8	80.0 80.0 80.8 80.8	ιο αι	
2.9 82.9 82.9 8	62.9 82.	2.9 8	9 82	
4.2 84.2 84.2 8	84.2 84.	8 2.4	0	
86.1 86.1 86.1 86.1 86.8 86.8 86.9 86.9	•0 86•1 86•1 •8 86•8 86•8	85.9 86.0 86.7 86.8	9 85	
89°1 89°1 89 90°8 00°8 90	. 89.0 90.8	8 . S	a o	
h6 h•h6 £•h6	94.3 94.	u.u	6	
95.3 95.3 95.3 95.3 96.8 96.8 96.9 96.9	.2 95.2 95.3 .6 96.7 96.8	94.9 95.2	96 D	
97.1 97.1 97.1 97 97.5 97.5 97.6 97	97.0 97.			2 9
97.8 97.8 97.8 97	97.7 97.			
98.4 98.3 98.4 98. 98.4 98.4 98.5 98.	98.	7.5 9	76	
98.4 98.4 98.5 98.6 98.6	98.	91.6 98.	1- 1-	
98.8 98.8 98.99.	98.5 98.	5 6.1	16	
99.1 99.1 99.2 99.3	1.4 98.6 98.8 1.6 98.7 99.0	97.9 98.	00	
99.2 99.2 99.3	.66 78.99	6.0 98	7.7 06	٠. ۱
99.2 99.2 99.3	66 8.85 9	86 0.5	6	
99.2 99.2 99.3 99.5	1.6 98.8 99.1	98.0 98.		7

		• [9 ·	• • • • • • • • • • • • • • • • • • • •	19.61	83.9 84.0	3 3	9	88.6 88.9	89•1 89•3		90.2 90.4	92.3 92.8	lr3	9.6 • 3 9 6 • 7	9	-	98.7	99.2	99.2	99.5	100.0	100.0	100.0		
	0600-0800	•	GE 1/4	•	79.6	83.9	84.7	86.3	88.6	89.1	89.3	90.2			96.3	96.7	1.16	98.4	99.2	99.2	99.5	100.0	00	100.0		
~ \	ST):		GE 57:16	•.	79.3	83.6	# # # # # # # # # # # # # # # # # # #	86.0	88.3	88.8 88.9	88.9	89.9 90.1	92.0	8.46	95.9	96.4	97.4	98,4	98.9	6.86	99.2	7.66 99.7	1.66	1.66		
	RECORD: 77-8	• • • • • •	GE 1/2		79.3	83.7	94.44	86.0	100 00	88.88	lαo	89.9 90.1	92.0	8.46	95.9	96.4	4.76	98.4	98.9	œ	99.2	7.66	7.66	7.66		
	OF F		6E 5/8	:	79.3	m m	7 7 7 8	6	80 80	88.8	8	89.9	92.0	8.46	95.9.	9 -		8 8	98.9	80	99.2	7.66	1.66	1.99		
	PERIOD MONTH:	S	GE 3/4		79.3	83.6	4.48	86.0	8 8	88.8	80	89.9	92.0	8.46	95.9	96.4	97.4	80 80	98.7	8	99.0	99.5	99.5	99.5		
TIONS		TE MILE	l		79.3	m m	94.4	- 0	1	88.8		89.9	92.0	3	95.9	96.4	4.79	98.2	98.7	olα	99.0	99.5	99.5	99.5		
OBSERVA		IN STATU	GE 174	:	79.3	W W	34 · 48	5	8 8	88.8	8	10 0	92.0	1 3	95.9	6		100 00	98.7) (X	120	99.5		99.5		
HOURLY OB		ILITY	6¢ 1 1/2		79.3	m m	3 to 3 to 3 to 3 to 3 to 3 to 3 to 3 to	6	88.3	88.8	88.9	18.0	92.0	11-	6.36	101	- -	8 8	98.7	ω	99.0	99.5	10	9.66		
FROM	AZ	VISIB	١٨		79.3	83.6	# # # # # # # # # # # # # # # # # # #	86.0	88 .3	88 8	88.9	89.9	92.0	• l •	95.9	100	-		98.7	• •	99.0	99.5	• { •	99.5		
FRO	ниасниса		GE 2 1/2		79.3	83.6	3 0	86.0	88.3	30 e 8	88.9	89.9	92.0	8.46	95.9	96.4	4.76	98.2	78.7	98.7	99.0	99.5	99.5	99.5		
T CH CE II J C	F		6ë 3	•	79.3	83.6	37 0	86.0	88.3	8 0	88.9	89.9	92.6	94.8	95.9	96.4	97.4	98.5	98.7	98.7	99.0	99.5	99.5	99.5	1	
	N KAME:		20.00		79.2	M ~	84.2	רטן ד	80 80 1.3	86.6	88.8	89.7	91.9	9.46	95.6	96.3	97.2		98.5	010	93.9	0.66	7.56	66.3	٤	
E .	STATION		SE		79.2	80 c 5 k	84.2	85.8	88.1	333.6	88.8	89.7	91.9	9.46	95.2	96.3	• •	97.7	97.9	97.9	loc or	2.36	0100	98.2	12.	
VICE/HA	722730		30	•	79.2	83.4	84.2	35.8	88.1	988	88.8	7.68	91.9	9.46	95.6	95.9	6.96	4.79	97.6	97.6	7.79	97.7	7.79	7.74	OUSERV	
blusal Climalolubi Branch Usafetac Air Weather Service/Hac	NUMBER:		65		0.67 l		0.48	ı	1	2 0 0 0		ļ	0 91.7	ļ	==	100	16	1	1 96.1	1	0.0	96.3	0	دا 96.3		
SAFETAC IN WEAT	STATION NUMBER:	CETLINS	LIN		NO CEIL		196361 39		W 16	6E 8530	, w		1000 4000	1	25.0	LE 180	120		60 830			65 300		GE (TOTAL NE	

Third blook String Percentina by Precenting Percenting Perce				•	<u> </u>	•		1			**************************************							<u> </u>			<u> </u>					Ţ
THE CLIM MARE TREADURED TO THE CONTROLLED TRANSPORTED TO THE CONTROLLED TO THE CONTR		`	0	•	w w	• • • • •	9	M W	3 3	l:C	א פסן	10 0	פוכ		W W	l Co	5.	1º '	-	99.0	2.66	9.66	6.66	6.66	100.0	100.0
THE PERCENTIAL PRECENT OF THE COLUMN OF THE		ν.	9 00-110		6E 174	:	76.0	83.7 83.9	84.1	85.6	88.1 89.0	0.06	90.6				1		• •	99.0 99.1	99.2	9.66	6.66	6.66	6	0
Teaching the Pricing of the property of the pricing of the prici				•	GE . . 5/16		76.0	83.7	84.1	85.6	88 • 1 89 • 0	0.06	9.06		5 m	2			• •	99.0	99.2	9.66	6.66	6.66	6.66	6
TATION HAME: FT HUACHUCA AZ FROM HOUGHLY OBSERVATIONS PRODUCTOR STAILON HAME: FT HUACHUCA AZ FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OF THE PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUCTOR FROM HOUGHLY OBSERVATIONS PRODUC			~ #	• • • • • • • •	E		76.0	83.7	84.1	85.6	88.1 89.0	0.06	90.6		m m	2			• I •	99.0	99.2	9.66	6.66	6.66	6.66	6
TATION NAME: FI HUACHUCA AZ FROM HOURING DESCRIATIONS: CHARGE STATES AND THE STA	- 1		OF RECO Feb	•	GE 578		76.0	IM M	13° 3	יווני	88.1 89.0	0.06	9.06	91.3	93.3	95.5	5.		: -	0.66	2.66	99.6	6.66	6.66	6.66	6
STATION HAME: FI HUACHUCA AZ STATION HAME: FI HUACHUCA AZ VISIBILITY IN STATUTE H VISIBILITY IN STATUTE H VISIBILITY IN STATUTE H VISIBILITY IN STATUTE H VISIBILITY IN STATUTE H VISIBILITY ST			ERIOD Month:	\$ • 50 • • S	GE 3/4		9	IM M	ोज ज	ហេ	88.1 89.0	0.06	9006		m m	100	15.			66	6 6		60	0	. 0	0.00
STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT HUACHUCA AZ STATION IAME: FT IAME: FT IAME: FT IAME:	TION			E MIL	6E 1		1 .	83.7	84.1	85.6			•! •		m m	2	15.	1.				•l •	6.66	6.66	6.86	0.00
STATION, HAME: FI HUACHUCA AZ STATION, HAME: FI HUACHUCA AZ VISIB GE 66 67 62 62 62 62 62 62 62 62 62 62 62 62 62	SERV			STAT	15 ÷	:	76.0	83.9	84.1	85.6	88•1 89•0	0.06	9006	144	m m	Š			• •	00	0.0				• •	0
STATION, NAME: FI HUACHUCA AZ GE	HOURLY			ILITY	6E 1 1/2		9	83.7	84.1	85.6	8 6	6		1	m m	S	15.	1.		6.6	6		10-0	ilo d	אוס	l
5TATION NAME: FI HUACHUCA 5TATION NAME: FI HUACHUCA 5 4 3 2 1/2 5 1/2 5 1/2 5 1/2 6 6 6 6 7 1 1 97.1 95.4 95.6 95.6 95.8 96.6 97.1 97.1 97.1 96.9 97.4 97.4 97.4 97.1 97.6 97.6 99.6 99.6 98.7 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6 98.8 99.5 99.6 99.6	FROM	ı	AZ	VIS	2		9	MM	3 3	S	88.1 89.0	0.06	906	1::	2	S S	100 1~	11- 1	-11-	100	10 0	אוס	7.00	7.66	7.66	
STATION HAME: FI 6L 6L 6L 6L 83.5 83.7 76.0 76.0 83.5 83.7 76.0 76.0 83.5 83.7 84.1 84.2 84.1 84.1 84.2 84.1 84.1 84.2 84.1 84.1 84.2 84.5 85.6 90.3 90.6 90.6 90.3 90.6 90.6 90.4 95.6 97.1 97.4 97.4 97.4 97.4 97.4 97.4 97.4 97.4 98.7 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6 98.8 99.5 99.6	7,7		ACHUCA	:	3 7					.1 .	88.1	0.06	9006				95.8	97.1	97.6			• •	9.66	9.66	9.60	
STATION IIA 6E 6E 6E 6E 6E 6E 83.5 83.6 83.5 83.6 83.5 83.6 84.2 89.8 90.3 90.3 90.8 90.3 90.9 90.5 9 91.2 90.5 9 91.2 90.6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		FT				76.0	83.7	84.1	85.6	88.1	3.06	9.06	1::	m m	S.	95.8	97.1	97.6	98.8	99.1	33.66	00	(O)	> 0	6
5 1 • •	F			:			1.0	83.7	84.1	85.6	86.1	0.16	9.06	1-1-	1 M	iliu -	95.8	97.1	91.6	93.8	99.1	99.3	00.5	99.5	99.5	0
AFIL CLIMATOLOGY CHANGE KWEATHER SERVICE/MACTOR NUMBER: 722730 ILING	5	l	STATIO				75.7	מו מיו	IM 3	· ius			• •	6 -	200	i in	10.0	و فا	-	a) a	8	ω ω ω	60 6	6	0 00	3 40
AFETA CLIMATOL ATTON NUKBER: ILING IN HEATHER SERV ILING IN HEER: IN HE	0 1 0 K A K	ICE/MAC	722730				75.7	m m	m a	10	87.8	89.8	96.3	G ↔	IV M	ŝ	95.3	96.5	97.0	97.9	98.2	98.4	98.6	98.6	98.6	98.4
AFETA CAP	i i i i i i i i i i	IFR SERV	UKBER:		6E 1.0		ın	1	1	1	87.	89.	90.	90.	92.	95.	95.	9.6	96	97.	97.	97.	9 9	8	86	7.80
յտիս իս Ioni ը o lo իրորկութի իրորդութի լարիարիայի իստիրարիս իստիրարի ին ականական ին	AFETAC	K WEATH	STATION N	1:	IN	:	NO CEIL	3	1	1		1		1		1	1	1	1		1					<u> </u>
	- 4	1																		. ~,						

		00		, 0		72:5	0.40		100	87.7	6.19	0.10	90:3	93.5	1:96	97.79			9,66	* •	- D	20	100:0	22	1.00.0
		1200-14		1, 1 1, 4		25.5	r:	3.88	9:50	87:78	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1111	90.3	62.6	1:96	97.6	9776		9.96	4.66	1.00.1	130.0	1.001	1,00:0	1.00.0
	i fac	1.57)			••••	72.5	9.10) 4 . C	122	7:10	99.84	1111	100	F4 P7		11.6	8.46	1:66	9.66	4.66		100.00	0.001	0.001	1.00.1
.117	, k	HOURS		1/2		72:3	04.0	85.2		17:10	80.8		90.3	الما الكلا			8 46		99.60	7.96	100:0		0.001		1.00.0
VISIBILITY	1	FCB		57.8 57.8	•••••	72.5	94.0	85.2	-	87:7	8.8.0 8.8.0	0.8.0	2.06	03.50	6	97.4	97.8	1:66	30	0.60	e il e Nissa		90.00		0.06
VERSUS	1818	HONTH		3/E	• • • • •	72.5	84.6	05.2	8.2.8	B7-1			879.7 90.3	25.20	6		97.8		90.00	9.66	• i •	6.	0000		9,00
FILING	6		E HILES	ר ני	• • • • • •	72.5	34.5		<u>و</u>	87.7	20.0		90.7	92.1	1.94		97.6			2.46		1	00.00	• •	0.00
CE OF C			• 1	55 174		72:3		2.50	1	87.7	00 B	5	100.3	93.5	2	97.4	97.0	•	00	2.00	-2-	60	60.00 0.00		0.00
CCURREN			ו ז די ז א		[:	72.5	04.3	34.58		87:1			89.7	is m	حنا		- 0. F. C.	200	50	2 00		15.5	, o o		0.00
CY OF O			V15161	GL 2 1	•	72.5	04.3	85.2	uz.a	87.1	UN.S	0.00	89.7	i e Ses pri	100		1.5°	c tes							7.60
FREQUENCY 0	V VOIDIO VIII	- 1	• 1	0E 1/2	:	12.5	84.6	34.0	85.6	87.7	200		19.7	02.5	76.0			ခဲ့ ခဲ့	1.00		40:00	1 .	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- '-	1.90
PERCENTAGE	VIII 13		· i	3 3 3	:	72.5	84.6	54.6	8.59	!	200	, (20)	29.7	ku m		97.3	25.50	9.82	00	1.66	~~	7.	نو وندهٔ و	? > ?	100
PERC	- WA 15		- 1	ر د ع		72.5	84.6	84.0	85.8	87.7	38.5	9 8 8	89.7	92.3	3	07.3	97.3	0.00	12- 0	9.7.1	~ ~	د دا	1	> (>	1 00
=	KO 11 V 13	0	:	3 3 3,	:	72.5	84.3	84.0	8.38	87.7	28.5	88.9	49.7			1:	2.26			2006			1 66	• •	17.00
Y SRANCH	SEKVICE/HAC	06133		ა კე		72.5	84.3	84.6	9.50	87.1	18.5	86.8		5.26	1.5		97.3	2 20	60	0.66		29.0	20.66	0.66	2
CL INA TOLOGY C			:	טנ זט	 :	72.5	84.8 84.6	64.6	າະທ	1: :	89.5	0 00	97.7	72.1	110	100	97.3	20 (20 - } -	e .	98.7	-	66	93.7	•] • ^\\\	7 6 2
14	VE A		: .	- L	:	CEIL	000	160001	202	10000	8070	10003	5000 45001	4000	Scool	0.5	1807	S C C		20.6	::D	7.5	200	プラ	-
GLOBAL C USAFETAC	VE A	NILT I W I	ING	IN	:	NO CEIL	000	1600	1200	L L	65 8000	. نا ،	30 30 30 30 30 30	İ	i	25.0		100	103	o]co (c	60	7. S	3 3 2 1	3 7	•

	00	0 0 0	9199	B	7.5	1110	7.7 2.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	200	1.1.0	1	9,4	9.96	a. 			44.3 49.3	-	6.66	100.0 100.0	0.001	100.0	100.0		
	500-17	<u>*</u>	68.7	900.9	# T	9119			2 13		2 Z	46.7	47.4	-		49.2	00	•	30.00		100	A . 6 &		
	2111	91/2 11/10	68.7	10-	200	8116	-2	9.80		91.9	~ = :		7.6			80.66 99.8	9.66	4.00	99.99			6.66	*** *********************************	
>	HOURS (L				82.58	- 1		9 9 9 9			• • • =		4 . L 6		(-	5.66	00	1.00	99.66	99.9	90.9	6.66		
2 !	OF RECORD	97.8	-	9.0	(0 00) (0 00) (0 00)	3	خ و	7 9 7	;		es =	3		97.0		99.2		9.7	99.90	- - - - - -	6.6	4.66	1 1 19 30 4 1	
VERSU	HON	12.	• (8)		2 m	- 1	6. 7.	2000	> -	91.0	re =	9	97.4			99.3	(C)		99.0			6.64		
C11 120 1013 1013	C STILL	- 10	60.7	3-	22.2	:		20.0	2,40	00.	2 = 0 2 = 0 2 = 0	96.7	97.4 97.8	0 % C	98.1	99.2		• •		7.00		1.40	į į	
GC OF G	7 1 A T E	1,1 10,1	- 3	ja-	200	-	3.	ກ ວ ເວ	> I-	91.0	∾ =	,•		67.00	, = (=)	99.2	;o- o	ĘO.	0			99.7		
UCCURRENCE HOURLY OUSE	• 2 • > • >	, [13]		6000	25.2	04.0	3.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	; J.	91.0	ci =	خ		97.0	· •	99.2	· ·		99.7		• •	1.66	•	
55	7	ر 10	6A:7	- o	82.2 83.2	-	3.	08 3 88 6		91.9		•	100	• • •	٠. د:د	99.00	:O C		9.66		• ' •	9.66	•	
	ווחעכווווכע ע	5/1 1/2	89	5-	83.3	• =	3.	98.3 98.6	89.3	91.0	9.20	96.7	1.	97.6	•့် • ၁.ဆ	00	h . 66	'0	00	9.66	• ! • • ,=>	9.66		
ENTAGE	_		68.7	ċ.	2 c 2 c 2 c 2 c	.	5 ~	88.3 8.6		91.0		5		97.6	2 20	60	1 00		20	9.66		9.66	1	
PXRC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 15	68.7	- ن	88.2 83.3	3	2 ~	8 U.S 8 L.C	э	91.0		5	- r	97.5	o -o	3 =	99.3		33	29.3		69.3	719	
=	STAIL	30	68.7	j.	83. x	=	5.	88.5 88.6		91.0 91.9	(v =	9		52.20	מים	6. 4	90.3		00	2.66		90.3	FONCIL	
GLOLY BRANC EXVICETHAL	. 7287180	و د ت	:	ю.	42.2 83.3	=	86.1	86.3 88.6	89.3	91.0	 	5	3.	97.2		200	78.7	3 23	æ =	98.7	• i •	7.80	BSERV	
IAT S	NUN 1ER:	5£ 10	08.7	٠.	82.3	=	9 ~	88.3 83.6	5	91.9	ر در	6	\$	\$ C. B	~ ~	۲.	6.77	-1-	12.	57.0		97.9	3 OF	
USAFETAG USAFETAG ATR WEATH	<u> </u>	IN I	1 713	2	167071	50 J	100001	800C 7000	٥		10 th	37.7	200	1800	120	17.7	GE RUP	2.3	1n -	370	כוכ	ر.	OTAL HUMPE	

-

care han

		:	ور د	:	1.4.1	7. 7 E	5.70 5.70	0.68	84:7 90:0	A. 19	91.4	92.4 92.6	7. 46 0. 86	0.94	97.4 97.6	3. 4.6	9.86	99.4 99.8	8.79 8.79	2000	100.0 100.0	0.001		0.00	
	02-0	- 1	3/1 2/1		74.7	7.7 7.7 7.7 7.7			90.06	90.9	2:12	92.3	0 0 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	45.4	97.4	9.7.9	48.6	99.8	99.7	40.6	90.00	60 60 00 00 00 00 00 00	96.8	99.66	
	77-86 JURS (L.ST.) 1. 1		0E 5/16	:	1.07.6	3 T		-	90.0	90.0	2.16	92.3		ò	97.3	97.4	9.80	99.5	~	(O)	97.8 99.6	-		20	BARSBAR BAR
	12 ≥		1/2	• • • • • • • • • • • • • • • • • • • •	74.7	4.40	0 . 78 8		84.7 90.0	90.9	41.5	92.3	3 3	ino Ori	97.3			99.5	• •	•	99.8 99.8			8.66	
	OF REGO		8/9 30	••••	1.001	94.4		1 -	99.7	5 -		92.3	3 3	63.64	97.3	97.9	9.86	99.8	6.0		99.8	56		9.6	The comme of the Carlo
	CRIOD HONTH	•	3/4	•	7.4.7	84.4	-	1 -	90.0	ė -		92.3	3 3	200	97.3		-	99.8	00	5	99.8 99.8		rî e	20	
11085		TE HILE	0£ 1		74.7	84.4			90.06	6-		92.3	3 3		97.3	::		3,46		•	3 - 66	6		6	
USCRVA	1 1	N STATU	17.E	•	74.7	2000	9 th 9 th	5	89.7	5-		92.5	J 2	5	97.3		2	99.5	6	5	2000	60	6	6	
ווסחשר א		 	UE 1/2		74.7	34.4	4 . 98	89.0	89.7	5-		92.5	= =	30	97.3	~ ~	10	99.5		ŧ •	99.5	00		.66	
FROM	ΛZ	VISIB		•	74.7	84.7	94.9	89.0	89.7	90.9	91.2	92.6	94°2	6.36	97.3	97.4	98.6	99.3			99.3		• •	66	
	: < i	• • • • •	2/1 Z 2/1 Z	:	74.7	94.7	6.18	89.0	6.0	90.9		92.3	94°5	65.6	97.3		20	99.3	99.3	6	99.3	99.3	99.3	9.3	
	FT HU	• • • • • •	6E 3	•	74.7	84.7	84.9	89.0	89.7	90.9	91.2	92.3	94.2	95.9	97.3	97.4	98.8	100	99.3	to	99.3		•i •	5	
	STATION HAME:	• • • • •	3 J	•	7.4.7	94.4	6.48	89.0	89.7	90.9	91.2	92.5	94.2	65.6	97.3	-	120	0.5	99.3	0	99.3	3		99.3	
	STA110	• • • • • •	નું ર	•	74.7	84.4 84.7	84.9	89.0	00	90.9		200	94.5	5	97.3	97.4		66	5.66	0.	5.66	0 0		99.3	
SERVICE/NAC	722730	• • • • • •	39 9	•	74.0	34 - 2	84.7	8.88	39.5	90.7	91.1	92.1	94.0	h • 5 6	96.6	96.6	4.76	၂က ဆ	98.1	က	98.1	98.1	93.1	98.1	
C THER SERVICE	NUKBER:		10 10	•	74.6	54.5	5 t - 7 8	88.8	89.5	90.7	91.1	1 %	93.8	2	Jr 15	95.7		8.9	96.99	5	6.96	9	5	6.94	
USAFETAC ATR WEATHER	TATION N	ILING	112 EET	• • • • • •	CEIL	200001	į	,	100001	1	}	1	3 ~	"	25	-	12	150	i	9	9.00 th	,, ,			
714	57/	C.E.	FE	•	NO	ני פ	13 E	: E	2 S	S C	35	5 G	Li Li O	2	F: F	14 14 C		20.00	10 D	30	5. C.	با با ت د	20	GE	

AIR WEATHER SERVICE/MAC	I CE / MAC														
STATION NUMBER: 7	722730	STATIOL	KAHE:	FT HU	ниасниса	AZ				RIOU	OF REC	RD: 77 HOURS	86 LST):	ALL	
CEILING					• • • • • • •	BISIA	ורגוג	• Z	TE MIL	:	:				
լ և,	GE 6	GE 5	95 4	GE 3	GE 2 1/2	GE 2	GE 1 1/2	GE 1 1/4	6E 1	GE 3/4	56 578	0E 1/2	S/16	₩	30
• • • • • • • • • • • • • • • • • • • •	:					•	:	• • • • • •	• • • • • •	• • • • • •	•	:	•	•	:
NO CEIL 74.7	74.7	3.47	7 4.8	74.8	74.6	74.8	74.8	74.8	74.8	74.8	74.8	74.8	8.47	6.47	75.0
E 200501 8	100	m s	83.8	83.8	83.8	۳ م	m a	m =	m =	m =	m ±	m =	83.0	83.9 84.1	84.0 84.2
65 160001 84.3	84.3	2 2 2 2	20.00	84.4	34.4	84.4	94.4	84.4 85.1	85.1	38.4°4	# # # # # # # # # # # # # # # # # # #	84 • 4	÷ %	84.5	85.2
120001 8	2/2	9	86.3	86.3	86.3		5	6	٥	Ġ	٥	5	5	B6c4	86.5
E 10000; 87	7.6	87.8	97.9	87.9	r- a	F- a	- a	٠	1: 4	F &	- =	- 8	- 0	87.9 88.6	38 0.3 0.4
GE 8900 89.2	89.2	3000	89.3	89.3	89.3	89.3	89.3	89.3	89.3	89.0	89.3	89.3 89.6	89.5	89.6	4.08 8.08
E 60001 69	9.6	89.6	89.7	89.7	10			6		6	5		•	(4.68
06 1000 30 06 1000 30	9.6	0 -	93.7	90.8	96.8	0-	5-	6-	6-	6-	0 -	6-	13:	90.8	91.0 91.4
6E 4000 92.5	92.6	92.6	92.7	92.7	92.7	92.7	92.7	92.7	92.7	92.7	92.7	92.7	92.7	92.6	92.9
2 300 F	5.3	5	95.6	95.6	95.6	S	က်	3	S.	r.	S.	·	95.6	95.7	•
E 25001 95.		3.	150	96.7	100 ~	3.	3.	15.	9.	6.	5.	5.	96.7	96.8 97.4	96.9 97.6
6F 15301 96.7	96.7	97.6	97.1	97.6	97.2	97.3	97.4	97.4	97.4	97.4	97.4 98.0	97.4	97.4 98.0	97.4	97.6 98.2
E 12001 97.	1	1	lω	98.1	iΩ	φ •	8	80	8	œ	8•	8	98.3	59.5	•
E 10001 9	20 x	- α α	ાજી સ	co cc	3.86	E 6	60	20	60	99.0	99.0	99.0	99.0	99.1	99.2
6E 8U5 97.4	98.2	7.86	0.60	99.0	0.66	99.1	99.2	99.2	99.3	99.2	99.3		2000	6	9.
5 1003 3	20	≻¦∞	10	10	2.66	6		0	6	0		•	99.5		 -
E 5001 97.	2 6	00 00	99.1	99.3		60	60	6.6		00	6 5	6	6.5	99.4	99.99
6F 300 97.5	95.3	3.86	2.66	4.66	4°66	h. 66	9.66	9.66	9.66	7.66	99.7	99.8 99.8	99.8	99.8	160.0 100.0
1361 97.	2	30	2.56	99.4	i .	6	5	5	i •	, C	6	•	•	9 • 6 6	700.0
6f rl 97.5	98.3	98.8	39.5	4.66	4.66	4.65	9.66	99.66	9.66	7.06	49.7	8.66	99.8	99.6	100.0

The color of the	15
CL GE GE CL GE GE GE GE GE GE GE G	7-86 5(LST): 0600-0800
OE OE OE OE OE OE OE OE	•••••••
CELL 74.5 74.7 74.7 74.7 75.0 75.0 75.0 75.0 75.1 75.1 75.1 75.1 75.0 75.0 75.0 75.1 75.1 75.1 75.1 75.1 75.0 75.0 75.0 75.1 75.1 75.1 75.1 75.0 75.0 75.0 75.1 75.1 75.1 75.1 75.0 75.0 75.0 75.1 75.1 75.1 75.1 75.0 75.0 75.0 75.1 75.1 75.1 75.1 75.0 75.0 75.0 75.1	GE GE G 5/16 1/4
Second S	
SECON SOLS SOls SOls Sols	75.1 75.1 75
	81.0 81.0 61.0
12 12 12 13 14 15 15 15 15 15 15 15	81.6
10000 84.6 84.9 85.0 85.0 85.0 85.1 87.4 87.4 87.4 87.4 87.4 87.4 87.4 87.6	83.2
10000 86.7 37.0 37.1 87.1 87.4 87.4 87.4 87.4 87.4 87.6	
STORT STOR	87.6 &7.6 B7 88.0 88.0 B8
Trigrig 89.8 90.1 91.2 91.2 91.2 91.5 91.5 91.5 91.1	90.2 90.2 9
SFURING 91.6 91.9 91.9 92.2 92.2 92.2 92.2 92.2 92.4 92.5 92.5 92.5 92.5 92.5 92.5 93.5 94.5	9 1.10 1.19
SECTION 91.6 91.9 91.9 92.2	0 4.00 4.0
HEBEL 92.9 93.4 93.5 93.5 93.6 93.9 93.9 93.9 94.1 94.1 94.1 94.1 94.1 94.1 94.2 94.5	92.5 92.5 92
3500 95.4 95.9 94.1 94.1 94.2 96.3 96.3 96.3 96.5 96.5 96.5 96.5 96.5 96.5 30.0 95.4 95.4 95.5 95.5 96.5 96.5 96.5 96.5 30.0 97.0 97.0 97.0 97.2 97.2 97.2 97.2 97.2 97.2 97.2 97.2	4.1 94.1 9 4.6 94.6 9
95.6 96.2 96.2 96.5 96.7 97.0 97.0 97.0 97.0 97.2 97.2 97.2 97.2 97.9 97.9 97.9 97.9	6 .5 . 96 .5 . 9
1500 96.3 96.9 97.2 97.5 97.5 97.9	97
1500 96.9 97.7 98.2 98.4 98.9 98.9 98.9 99.0	98.0 98.0
12001 96.9 97.7 98.4 98.4 99.0 99.4 99.4 99.4 99.4 99.4 99.7 99.7 99.7	6 0.66 0.66
10001 96.9 97.7 98.4 96.4 99.0 99.4 99.4 99.4 99.4 99.6 99.7 99.7 99.7 99.7 99.7 99.7 99.7	4 4.44 4.44
500 96.9 97.0 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.6 99.7	• 66 • 66
500 96.9 97.7 98.4 99.0 99.4 99.4 99.4 99.4 99.4 99.4 99	99.7 99.7 9
5JOI 96.9 77.7 98.4 98.0 99.0 99.4 99.4 99.4 99.4 99.6 99.7 99.7 99.7 99.0 4JCI 96.9 97.7 98.7 99.7 99.0 4JCI 96.9 97.7 98.7 99.7 99.0 4JCI 96.9 97.7 98.4 99.4 99.4 99.4 99.4 99.4 99.4 99.7 99.7	6 1.66 1.66
405 96.9 91.1 98.4 98.4 97.0 77.4 77.4 17.4 10.7 10.7 10.7	66
300 300 400 400 400 68.4 68.4 68.4 68.4 68.4 68.4 68.4 68.4	99.9 100.0
2001 96.9 97.7 98.4 98.4 99.0 99.4 99.4 99.4 99.6 90.7 90.7 99.7 99.7 1001 96.9 97.7 98.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4	99.9 100.0
36 7.79 9.99 4 9.69 4.99 4.99 4.99 4.99 4.99 4	9.9 100.0
	••••••••••••••••••••••••
TOTAL NUMPER OF OBSERVATIONS: 707	

	96		, O	• • • • • • •	10.91	83.6	84.5	88.1	90.06	92.2	1.26	94.2 94.5	95.3	47.4	98.86	8.86	h·AA	7.00	1.66	8.66	100.0	100.0	ימפים	00.00		
٠.	00011000		174 174		76.0	83.5	84.4	88.0	89.9	92.1	42.5	1.46	95.6	8.76	98.5	2.86	2.66	99.5	5.66	44:4	4.66	P 66	6.66	6.6		
	1		GE 5/16		76.0	83.6	84.4 85.0	88.0	89.9	92.1	6.26	1-46	95.6	8.76	98.5	98.7	69.5	99.5	99.5	1.66	6.66	6.66	6.66			
LITY	1		GE 1/2	• • • • • •	.0.91	83.5	84.4	88.0	89.9	92.1	5.26	1.46	95.2	97.8	98.5	98.7	89.3	99.5	39.5	1.66	6.66	6.66	6.66	6.66		
VISIBILITY	OF RECORDS		GC 5/8	• • • • • •	76.0	83.5	85.0	88.0	89.9	91.5	5.26	1-16	95.5	97.8	98.5	100 CM	b	h-66	6	• •	6.0	1.66		1.66		
VERSUS	ERIOD		GE 3/4	•••••	76.0	83.5	85.0	88.0	89.9	91.5	5.26	94.1	l		98.5	2°66 2°66		h. 66	6.	• •	JO 0	7.66	· (0.	7.06		
TONS	G	E MILES	GE 1	•••••	76.0	mm	84.4 85.0	100	89.9		1 -	ľ	01.0		96.5	6	b	4.65	h • 66	3.66	7.66	69.7	49:1	7.66		
GSERVAT			9 -		76.0	mm	85.0	8	89.9		I •	7.3	95.5	,	98.5	•• • •	6	99.3	ļ,	7 -	S u) II	5	99.5		
OCCURRENCE HOURLY OGS		LITY IN	6€ 1/2	•	76.0	83.5	84.4	88.0	89.9	_					98.5	7.86	2.66	99.3	m .		2.6	5.66	7.5	5.66		
P 5	AZ	VISIBI	6E 2		76.0	83.5	84.4 85.0	88.0	89.9		•	- 3	95.2 95.6	ω	98.5 98.7	98.7 99.1	2.66	99.3	ان د ا	7 -	h. 66	h 66	4.66	4.66		
FREQUENCY			6E 1/2	•	76.0	63.5	84.4 85.0	88.0	89.9 90.3	91.5 92.1	92.5	94.1			98.5 98.7			99.3		1	m r	99.3		99.3		
PERCENTAGE	FT Н ИАСНИСА		6E 3 2		76.3		85.0		89.9 90.3	1.	v.	94.1			98.5	7.1	2.6	99.3			m w	566.5		99.3		
PER	NAME:		33 †		75.9	83.4	94.3 64.9	87.9	89.8 90.2	91.4 92.0	92.4	93.9			98.1 98.3	98.3 98.6	9 8.1	8.80			8.8	98.8	8 . 8	96.8	459	
	STATION NAME:		Lij	•	75.9	83.4	84.3 84.5	87.9	89.8 90.2	91.4 92.C	h • 26	93.9			98.1 98.3		(.	98.8 98.8	α α	0	8 8	93.5	8.8	98.8	.	
SY BRANCH	722730		GE 6	•	75.6	83.0 83.1	83.9 84.5	87.5	85.4 89.9	91.U 91.6	92.1		a - •	0.	97.7	98.1	58.3	98.3	98.3	98.3		98.3		98.3	JASERVATIONS	
GLJEAL CLIMAIOLOGY BRAH USAFETAC AIR WEATHER SERVICE/MAC	NUMBER: 7	• • • • • • • • • • • • • • • • • • • •	6£ 10	•	75.6	83.0 83.1	83.9 84.5	87.5	39.4 89.9	91.G 91.5	92.0	93.5 93.7	94.4 54.8	96.5	97.3	97.7	97.8	97.8 97.8	m ~		8 8	7.8	6	97.8	0.F	
VEETAC VEETAC VEETHE	STATION NL	ILING		:	CEIL 1	26000 18000	1 1		15005 9050	i		50301 4530['		25.001 20001	==	_	1001 900	100	200	1	30 al	1	2	N UM P	
USA AIR	STA	CEI	- 3		0 N		6.E		ក្នុង	ม ม ว	ir Tr	0 CE	ارا 10 10	ت سا	GE DE	6.F	<u>.</u> 29	0 CE	6.F.	90	2 S	5 G.	3.0	2	TOTAL	

	USAFETAC	TAC						FROM	HOURLY	BSERVA	ATIONS						
4 1 K	KEA IHE	K SEKV	WEATHER SERVICE/MAC	1										ľ			
STA	STATION NUMBER:	l .	722730	STATIO	STATION NAME:		ET HUACHUCA	A 2					OF RE	무무	5713	200-14	_
CEI	EILING	:			•		•	VISIB	ILITY	IN STATUT	· LL	S	:	:	:	:	:
IN	E L	5E 1.9	3 3 3 3	0 E	30 4	6E 3	GE 2 1/2	iii	GE 1 1/2	GE 1 1/4	GE 1	GE 3/4	មE 578	GE 1/2	GE 5/16	GE 174	39 0
•				•					•			:	• • • • • •	:	••••	:	• • • • • • • •
0.0	CEIL I	70.7	75.7	76.9	4.07	4004	70.9	70.9	4.07	70.9	70.9	70.9	70.9	70.9	70.9	6.07	70.9
1	2000 nl	M W	MM	2 2	3 3	3 3	84.1		3 3	84.0	84.1	84.0 84.1	84.0 84.1	84.0	34 • D	84.0	84 • 1 8 4 • 2
1 W W	160001	84.6	34.6	84.8	8 4 5 H	85 th	84.8	84.8	8 u	3 "	84.8	3 4	3 6	7 5	3.0		3 5
1	120021	กเจ	o io	ن	10	فأذ	86.3	• •	5	9	86.3	9	9		5	• •	6
	10001			00	10.0	89.3	89.3	60	89.3	89.3	89.3	89.3	89.3	89.3	89.3	89.3	T - 68
9	80001	• 1 •	• ! •		10	89.7	89.7		۱O ۱				6	10 1	0:	89.7	5
0.0	1000	90.4	93.5	90.6	90.9	90.9	90.0	90.06	90.06				داد	310) O	9006	
10 G	1	92.2	92.3		100 60		92.6	2 M	2 %	2 2		N M	N M	NM	INM	92.6	92.8
. U.S.	4000	93.6	93.7	94.3	94.3	94.3	94.3	94.3	94.3	94.3	94.3	94.3	94.3	94.3	94.3	94.3	3 5
0.5	1	97.1	97.2		7		97.8	; -	:	:	•		-		-	97.9	30
. G.	ļ	97.8	1.	1.	100		98.5				1 -		800	800	loo o	1 .	000
יו ש	18001	7000 C 6000	98.2	98.9	98.9	98.9	99.1	99:2	99.2	266	99.2	99.2	99.2	99.3	99.2	99.3	66.3
100	1	98.2	60		10		h. 60			0	1 -		6		0		0
30	100	98.2	20 %	00	00		h • 66	60	00	00		166	66	60	! - •	9.66	00
00 0	8001	2.86	98.5	99.2	99.3	99.3	h . 66	2 66	99.5	2.66	9.66	9.66	9.66	9.66	9.66	9.66	8.66
O.E.	כוו	98.5	100	0	6		99.5	6	6	0		0	6	•		8.66	(a)
G G	1003	98.2	8 8	39.2	50	4.66	99.5	9.66	9.66	9.66	99.8	6.66	6.66	6.66	6.66	6.66	100.0
E 10	1002	98.2	98.5	2.66	99.3	h. 66	99.5	100	0	0.0	60	60	0 0	0	6		100.0
199	1301	200	3 00		0	h.66	99.5	. 6						· io		. 1 .	100.0
GE	<u>-</u>	98.2	98.5	2.66	99.3	7.66	99.5	9.66	9.66	9.66	8.66	6.66	6.66	6.66	6.66	6.66	100:0

-		:	0.E	67.5	83,7	84.08	8.7.0	89.6	90.1	92.0	4° 46	5.	3	99.9	6		99.99	6.66	0	100.0	0	8	100.0		,
ŀ			17¢	7.2	83.3	84.4	86.6	89.2	90.3	91.6	93.6	95.8	98.1	98.9	0 0	0	99.55	99.5	9.66	9.66	9.66	9.66	98.6		
	-86 (LST) : 1	• •		67.	mm	84.4	9	89.2	90.3	91.6	93.6	5	, w	98.9	l • •		66	99.5		9.66	99.66		966		
LITY	CORD: 77-	?!:	GE 1/2	7.2	mm	84.4	9	89.2 89.5	90.3	91.6	93.6		• •	98.9			6.6	99.5	6	6.6	98.66		99.6		
VISIBILITY	F RE		6E 5/8	- 0	mm	84.4	9	89.2	90.3	9 1/1 6	93.6	S. V	: 6		99.5	6	100	99.5		66	99.66	6	9.66		
VERSUS	PERIOD 0	S	6E 3/4	67.2	M M	84.4 85.0	ю	89.2	90.3	91.6	93.6	95.8	98.1	98.9	99.5	99.5		99.5		9.66	9.66	9.66	99.6		
CEILING, TIONS		TE MILE	GE	•	m m	84.4 85.0		89.2	6		93.6	1	-1 -	98.9	99.5	99.5	60	99.5		99.5	99.5	99.5	99.5	1 1	
SERVA		N STATU	GE 1 1/4	• 10	m m	84.4	9	89.2	0 0	:	93.6	5	0 00	000	99.5	6	0.0	99.5		00	9945	6	99.5		
OCCURRENCE HOURLY OBS		1:"	GE .	67.2	m m	φ. π. α. υ. α. υ. α.	9	89.2	90.3	91.6	93.6	8 5 6	98.1	800	99.5		66	99.5	: ;	6.6	99.5	6	5.65		
L X	AZ	VISIB	GE 2	67.2	63.3	84.4	86.6	89.2	90.3	91.6	93.6	95.8	98.1	98.9	99.5	99.5	99.5	99.5		99.5	3 66	6	99.5		
FREQUENCY 0	FT HUACHUCA		6E 1/2	57.2	83.3	84.4	96.6	89.2	90.3	91.6	93.6	95.8	98.1	98.9	99.5	99.5	99.5	99.5	99.5	99.5	99.5	5.65	69.5		
PERCENTAGE			6E 3	67.2	83.3	85.0	86.6	89.2	90.3	91.6	93.6	95.8	98.1	98.9	99.5	99.5	99.5	59.5	99.5	99.5	99.5	99.5	99.5		
P.ER	STATION NAME:		GL 4	67.2	8 3.3	85.0	86.6	89.2	90.3	91.6	mo	95.8	o iက	9.86	99.5	99.5	99.5	95.5	95.5	99.5	99.5	9945	99.5	308	
HJ.	1		GES	67.2	83.2	84.4	36.6	89.5	99.3	91.6	93.6	95.8	0 00	3.86	4.66	h • 66	4.00	h • 66	17.66	99.4	# 66 50 4	99.4	5.66	ERVATIONS:	
GY BRANCH	722730		GE 6	6.7.9	83.0	84.2	96.4	89.2	93.1	91.3	93.3	95.5	0 -	98.5	99.1	99.1	59.1	99.1	1.60	99.1	99.1	99.1	99.1	OBSERVA	
GLJBAL CLIMATOLOGY BRAN USAFETAC	TER SERTI		2	67.0	- 1	84.5			90.1	1	93.3	1		- 1	99.0	1	1	0.66		1	99.0	1	3.66	UUMFER OF	
JAFETAC	STATION NUMBER:	CEILING	1 1	NO CEIL		GE 160001		~	6F 80001		10035 39 10035 39	1	1	ł	6F 1800	1		6C 800	1		65 3001		6E rl	TOTAL HUM	

	,		•	0 0	71.6	84.3	85.5	89.2	91.3	92.8	93.6	94.5	96.5	1.86	98.5	6.66	6.66	6.66	6.66	6.66	100.0	100.0	100.0	100.0		,
				174	71.5	84.2	85.4	89.1	91.1	92.6	93.5	5 to 46	96.3	97.9	98.4	99.3	1.66	7.66	99.7	1.66	6.66	1	1	6.66		
	-	6 ST):	:	6E 5/16	71.5	84.2	85.4 87.6	89.1	91.1	92.6	93.5	h• h6	96.3	61.6	98.4	99.3	1.66	1.66	1.66	1.66	6.66	6.66	6.66	6.66		
LITY		77 JRS	•	6E 1/2	71.5	84.5	85.4 87.6	89.1	91.1	92.6	93.5	h• h6	96.3	6.16	98.4	99.3	1.66	7.66	99.7	1.66	6.66	6.66	6.66	6.66		
VISIBILITY		1	•••••••	5/8	71.5	84.2	85.4 87.6	89.1	91.1	92.6	93.5	7.46	96.3	61.6	98.4	99.6	9.66	9.66	99.66	9.66	99.7	1.66	1.66	1.66		
VERSUS		PERIOD OF R Month: Mar	S	GE 3/4	71.5	84.5	85.4	89.1	91.1	92.6	93.5	n° n6	96.3	61.6	98.4	99.66	9.66	9.66	90.66	9.66	99.7	99.1	1.66	7.66		
CEILING Tions			TE MILE	6E 1	71.5	84.5	85.4	89.1	91.1	92.6	93.5	h•h6	96.3	•	98.4	99.66		9.66	9.66	9.66	9.66	9.66	9.66	9.66		
NCE OF OBSERVA			• 2	1 1	71.5	2 2	85.4	6	91.1	2 .	2	h- h6	96.3	•	98.4		1 •	9.66	9.66	9.66	9.66	9.66	9.66	9.66		
OCCURRENCE HOURLY OBS			::	6E 1 1/2	71.5	3 3	85.4	5	91.1	92.6	.93.5	h. 46	96.3	61.6	98.4	9.66	9.66	1	9.66	1 •	9.66	9.66	9.66	9.66		
NCY OF FROM	1		:	GE	71.5	84.5	85.4 87.6	89.1	91.1	92.6	93.5	h• h6	96.3	6.16	98.4	966	9.66	9.66	9.66	9.66	9.66	9.65	9.66	9.66		
FREQUENCY FI		FI Н ИАСНИСА	:	6E 2 1/2	71.5	34.2	85.4	89.1	91.1	92.6	93.5	h • h 6	96.3	6.16	98.4	4.66	4.66	h • 66	4.66	h•66	h • 66	h 66	h • 66	h*66		
ERCENTAGE			• • • • • •	6E 3	71.5	84.2	85.4 87.6	89.1	91.1	95.6	93.5	h• h6	96.3	6.16	98.4	99.4	h*66	h 66	h 65	4.66	h. 66	1.66	h . 66	h*66	:	
ΡΕΉ		STATION NAME:	:	6E 4	7.1.5	84.5	85.4 87.6	89.1	91.1	92.6	93.5	h• h 6	96.3	97.9	96.4	#•66 666	4.66	h: 66 h: 56	40.66	4.66	h. 66	h . 5 6	4.66	4.66	1 1	
ИСН			:	39 3	71.5	33	85.4 87.6	10	91.1			4.46	96.3		98.4	99.1	99.3	99.3	99.2	99.3	99.3	99.3	99.3	99.3	20	
OGY BRANCH	SERVICE/HAC	722730	:	6E 6	71.2		85.1		90.8	92.3	93.2	94.1	96.8	91.6	93.1	98.86	98.8	w w	3.86	100	98.8	98.6	98.8	98.6	CBSERV	
GLOBAL CLIMATOLOGY USAFETAC	HER SER	NUMBER:	• • • • •) GE 15		1	87.3	i	90.7	j	1	93.9	į	1	97.9	1		98.	98.2	98.	98.	93.2	98	rl 98.2	M7LR	
LOBAL C SAFETAC	IR KEAT	TATION	CEILING	IN FEET	NO CEIL	,	62 140001 62 140001	1	GE 1000n	l		E 50001	00 4000 00 3500	1	6E 25001		1	F 10001	6 <u>E 8J</u> D		E 5001	008 300		0E [OTAL NU	

	,	,			••			,										-									
			• • • • • • • • •	GE O,	• • • • • • •	81.8	9 9	87.3		91.9	93.2	min	n° n6	95.9	98.2	99.42	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
		2100-2300	• • • • • •	.GE 1/4	• • • • • •	81.8	86.8 86.8	87.3	90.4		93.2		n• n6	95.9	0 00	99.2	100.0	1 00 0	100:0	100.0	100.0	100.0	1	1	100.0		
		-86 (LST):	• • • • •	GE 5/16	•	81.8	86.8	87.3	4°06	1 ~ 0	93.2	1160	nº 116	95.9	98.2	99.2	100.0	0.00	100.0	100.0	100.0	0.00		0.00	100.0		
נרווג		~ v	•	□ □		81.8	86.8	87.3	h•06		93.2		n n n 6	95.9	98.2	99.2	100.0	100.0	100.0	100.0	100.0	100.0	8 5		100.0		
S VISIBILIT		F RE	• • • • • • •	GE 5/8		81.8	86.8	87.3		2:0	93.2	i m	h•h6	95.9	98.2	99.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
G VERSUS		PERIOD O	ES	37 37		81.8	86.8 86.8	87.3	h • 06	91.9	93.2	l M	n. n6	95.9	98.2	99.2	100.0	100.0	00.00	100.0	00.00	100.0	100.0	100.0	100.0		
CEILING ATIONS			E MIL	6E 1		81.8	86.8 86.8	87.3		7.	93.2	M	h• h6		• •	99.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	:	
E OF SERV			IN STATUT	17 65		81.3	9.0	87.3	6	144 0	93.2	M	4.46	5 4	ο α	99.2	100.0	100.0	183	100.0	8	100.0	100.0	100.0	100.0		
OCCURRENC HOURLY OB			BILITY	6E 1 1/2	:	81.8	86.8	87.3		91.9	MW	ılm	4.46	100	000	99.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
FREQUENCY OF FROM	- {	ا ۲	ISIA	6E 2		81.8	86.8	87.3.	4.06	91.9	93.2	93.2	h• h6	95.9	98.2	99.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	139.0	160.0		
1 1		ပ (•	6E 2 1/2		81.8	86.8 86.8	87.3	4.06	91.9	93.2	93.2	h• h6	95.9	98.2	99.2	100.0	100.0	196.0	100.0	130.0	100.0	100.0	160.0	100.0		l
PERCLNTAGE		- 1	:	6E 3	:	81.8	86.8 86.8	87.3 89.6	4.06	91.9	m m	l _m	h• h6	95.9	98.2	99.2	100.0	100.0	160.0	160.0	100.0	100.0	100.0	100.0	109.0		
PE		2	:	GE 4	\vdots	81.8	86.8 86.8	87.3	h•1)6	91.9	93,2	93.2	h° h 6	95.9	98.2	99.2	100.0	100.0	100.0	100.0	100.0	106.0	100.0 100.0	195.0	105.0		
BRANCH	1	- 1		GE		81.8	86.8 86.8	87.3 89.6	b • 96	91.9	93.2	93.2	n° 46	6.36	98.2	99.2	100.0	100.0	100.0	100.0	100,0	100.C 100.C	100.C	100.3	100.C	ATIOKS:	
1 1	> 1	12213		. GE 6		81.8	86.8 86.8	87.3 89.6	90.4	91.9	93.2	93.2	h• h6 h• h6	95.9	98.2	99.2	100.0	169.0	100.0	170.0 190.0	100.0	100.0	100.0	100.0	100.0	0	
CLINATOLOGY	HEK SEI	a Unibe K		1 6E 1 10			31 36.8 51 86.8			91.9	00	0	94.4	1	1	1 99.2		1	1 99.7	66 66	66	99.		66	7.66	WUMPER OF	
GLOBAL CLINA USAFETAC	AIR BEAINER SER	NOT I WILL	CEILING	FEET			CE 20000 GE 18000			6E 10000.01			GE 50001 GE 45001		1	6E 25001			1006 39 1000 39			الـ 50 <i>0</i> الـ 400			£ 01	TOTAL MU	
١٩٩١		"	• 0		•	z	ပပ	ග ග	ပ	9 9	<u>ა</u> ა	S.	ی ی	<u>၀</u>	2	3	(O .)	9	0 5	၁ ပ	9	2.0	دَ د	ق	6E	F	

		• • • • • • • • •	GE 0	73.1	mm	34.6	-	89.8 90.1	91.2	92.1	93.6	95.3	97.9	800	99.2	6	66	99.8		100.0	0.00	0.00	100.0		
,	ALL		GE 1/4	73.0	mm	84.5	-	60	91.1	100	93.5	95.2	7.16	98.4	0.66	• •	99.7	7.00	1.66	1			6.66		
	36 LST):	:	GE 5/16	73.0	lw w	84.5 85.6	-	89.6	91.1	92.0	93.5	95.2	7.16	98.4	0.66	6	99.7	7.66	1.66	99.8	99.8	99.8	99.8		
LITY	CORD: 77-8 HOURS(L		6E 1/2	73.00	mm	84.5 85.6	-	89.6	91.1		93.5	95.2	7.16	99.4 99.0	6 6		99.7	7.66	1.66		99.8		99.8		
	OF RECO		GE 5/8	73.0	lw w	84.5 85.6	-	89.6 90.0	91.1	2	93.5	5.		98.4	60		99.66	9.66	6	99.7	7.66	1.66	7.66		
	RIOD ONTH:	l .	GE 3/4	73.0	83.6	84.5 85.6	87.4	89.6 90.0	—	ıιN	93.5	10 4		98.4	6 6	6	66	9.66	6	7.66	7.66	7.66	7.66		
CEILING TIONS		•₩	GE 1	73.0	mm	84.5	-	89.6	91.1	100	93.5		• •	98.4	0 ° 66		1	9.66		99.7	1.65	7.66	7.66		
NCE OF COBSERVAT		TATU	6E 1/4	73.0	W W	84.4	I	89.6	91.0	·IN	93.5	6		98.4	100 0	10		00	6	9.66	9.66		9.66		
OCCURRENC HOURLY OB		16.17	GE 1 1/2	73.0	m m	84.4	-	89.6	-	10	93.5	5		98.4			99.5	6 6	6	00	9.66	6	9.66	1 1	
L E	AZ	VISIB		73.5	83.5	85.6	87.4	89.6	91.0	92.0	93.5	95.2	7.76	98.4	99.0	99.5	99.5	99.5	9.66	9.66	9.66	9.66	9.66	1 1	
FREQUENCY O	ниасниса		GE 2 1/2	73.0	83.5	85.6	87.4	89.6	91.0	92.0	93.5	95.2	97:79	98.4	99.0	h • 66	99.5	99.5	99.5	99.5	99.5	99.5	99.5		
CENTA	FT	:	GE 3	72.	83.5	85.6	87.3	89.6	91.0	6116	93.4	95.1	97.6	98.3	98.9	99.3	h. 66	h 66	4.66	4.66	h • 66	h*66	h-65		
PER	STATION HAME:		ე ქ	72.9	m m	34.4 35.5	1	89.5	91.U. 91.3	91.9	93.4	95.1	97.5	98.2	98°4	99.2	שסיסו	99.2	10	99.2	2.56	20.66	99.2	2	
U	STATIC	:	9 3	12	mm	84 • 4 85 • 5	-	89.5	91.C 91.3		93.4	5 5		98.2	98.7	99.1	99.1	99.1	99.1	99.1	99.1	99.1	99.1	TIONS:	
JGY BRANCH	722733	:	39	2.7	83.2 83.5	84.1	87.1	89.3	90.7 91.0	91.7	93.1	94.6 95.6	97.2	97.8	98.3	9.86	98.6	9.86	98.6	98.6	98.6	98.6	98.6	ORSERVATIONS:	
. INATOLO FR SERV	ıvı:BER:	:	6£ 10	7	83.2	ł .	1	89.2	ŀ	1	93.0 93.2		1	97.6 98.0		ı	98.2	99.2	2.86	98.2	53.2	98.2	96.2	PER OF	
GLOBAL CLINATOLOGY BRAN USAFETAC AIR WEATHER SERVICE/MAC	STATION NUMBER:	CEILING	IN FCET	11	6E 200001			GE 100001 GE 90001		ł	GE 5000] GC 4500]		1	GE 25901 GE 20901			6E 1000 6E 900	89 70	99	65 4001			נו פו	TOTAL NUMPER	

					301						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		i 23				7	المين المار المين المار ا				-3				72		T	
1			OF	\$ D	85.4	6.06	כן כ	92.2	96.2	96,02	7.96	9.60	97.4 97.4	8.16	7.86	98.8	0.66	99.0	h. 66	1.66	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
		00 80-00 90 ••••••••		- :	85.4	6.06	• •	92.2	96.2	96.2	7.96	n•//	97.4	8.16	7.86	98.86	0.66	99.3	h. 66	4.66	- 1	100.0	ł	100.0	- 1	100.0	- 1		
-		:	15		85.4	6.06	6006	92.2	96.2	96.5	96.7	.n.,	h • 1 6	8-16	98.7	98.8	0.66	99.3	4.66	1.66	100.0		1.00 • 0	1	-	100.0	0.00		
ILITY	RECORD: 77-86	HOOKS	6 E	, :	85.4	6.06	6.06	92.2	96.2	96.5	96.7	0.17	97.4	97.8	98.7	98.8	99.0	0°66	4.66	ľ	100.0		100.0	1	- 1	100.0			
S VISIBILIT	<u> </u>		95		85.4	90.6	606	92.5	2.96	96.5	96.7		97.4	97.8	98.7	98.8	99.0	99.0	4.66	1.66	100.0	- 1	100.0	1	100.0	- 1	100.0		
IG VERSUS	PERIOD (ES 6E		85.4	900.0	6.06	93.8	96.2	96.5	96.7		97.4	97.8	98.7	98.8	99.0	99.3	p.66	1.66	100.0	100.0	100.0	1	100.0	- 1	0.00		
CEILING ATIONS					85.4	90.9	6.06	93.8	96.2	96.5	96.7	2 6	97.4	97.8	98.7	98.8	0.66	99.3	4.66	1.66	100.0	100.0	1001	100.0	100.0	100.0	100.0		
ER,					85.4	90.9	90.0	93.8	96.2	96.5	96.7		97.4	97.8	80	9.86	0.66	99.3	h°66	7.66	100.0	100.0		100.0			101		
OCCURRENCE 1 HOURLY OBS			1 1/2		85.4	90.9	6.06	93.8	96.2	90.5	96.7		97.4	97.8	1.86	co (S O	99.3	h•66	99.7	100.0	100.0	0.00	100.0	100.0	100.0	100.0		
FREQUENCY OF FROM	4 A 2		GE		85.4	90.08	90.0	93.8	96.2	96.5	96.7	4.70	97.4	98.0	98.7	98.8	0.00	99.3	h*66	99.7	100.0	100.0	•	100.0	100.0	100.0	100.0		
GE FREGI	FT HUACHUCA		GE 2 1/2		85.4	90.9	90.9	93.8	96.2	96.5	96.7	97.4	97.4	98.0	7.96	98.8	99.0	99.3	4.66	1001	100.0	100.0		190.0 100.0	100.0	100.0	100.0		
PERCENTAGE			GE 3		85.4	6°06 6°06	90.9	93.8	96.2	96.5	97.0	97.6	97.4	98.0	7.86	98.8	0.66	99.3	56.	100.0	100.0	100.0		100.0	100.3	100.0	100.9		
d	STATION NAME:		19 14 14		85.4	90.9 90.9	90.9	93.8	96.2	5.96	97.0	97.4	97.4	98.0	1.36	98.8	0.56	\$ 9.03	ታ ሉ ሉ	99.7	100.0	100.0		120.0 100.0	196.0	100.0	100.0	۳	
ANCH	AC B STAT		GE S	• • • • • • •	85.4	90.9		1	96.2	96	97	97.4	97.4	98.	98.7	98.8	3000	5.66	ታ • › ›	100.0	130.0	100.0		100.6 100.C	109.C	100.0	100.0	OPSERVATIONS:	
GLOBAL CLIMATOLOGY BRANCH USAFETAC ATR BEATHER CFOUTCE VALCE	: 722730		6 <u>E</u> 6		85.4	90.9		ļ	96.2				-	98.0		98.8	99.0	99.3	4 4 4	99.7 100.0	100.5	160.0		100.0	100.0	105.0	100.C	OPSERV	
CLIMATO C THEE CF	STATION NUMBER:	•	1 GE			0 90.8		ı	01 96.1 01 96.1	1				97.8		1 98.7	1	- 1		99.6	1	1	- 1)		1	6.66	NUMEER OF	
GLOBAL USAFETA	STATION	CEILING	IN FEET			6E 200301			GE 100001 LE 90001		1	- 1	- 1	55 35 U		6E 25001	l	- 1	- 1	05 10001 65 900		-		430			6E 01	TCTAL NU	
																									. ·				

V.

	00	•••••••	GE O	82.9		89.5	· •	95.4	95.9	o lo	6.96	97.6	98.7	98.9	99.2	99.5	9.66	9.66		ㅁㅁㅁ	100.0		100.0		;
	0900-1100	•	1/4 1/4	• •	4.68 n 00	89.5	92.3	N W	95.9	9	6.96	97.6	98.7	98.9	99.2	99.5	9.66	99.66	99.8	100.0	100.0	100.0	100.0		
	-86 (LSŤ):	• • • • •	GE 5/16	2.9	10.0	89.5	HQI .	N. S.	95.9	9	6.96	97.6	98.7		99.2		9.66	966	8 66	100.0	100.0	100.0	100.0		
 -	77 URS	•	6E 1/2		0.0	89.5	2	95.4	95.9) O	6.96	97.6	98.7	98.9	99.2	99.5	9.66	0 0		100.0	100.0	100.0	100.0)
I A I	OF AP	••••••	6E 5/8		0.0	89.5	2		95.9) o	6.96	97.6	98.7	98.9	99.2	99.5	9.66	99.6	6	100.0	100.0	100.0	100.0		
VERSI	PERIOD MONTH	S	GE 3/4	82.9	100	89.5	N N	95.4	in a	9	6.96		- œ	86	2.66		9.66	6		100.0	100.0	100.0	100.0		
CEILING ATIONS			GE	82.9	4.08	89.5	92.3	95.4	95.9	9	6.96	97.6	98.7	98.9	2.66		9.66	6		100.0	100.0	100.0	100.0		
ENCE OF OBSERV		TAT	6E 1 1/4	82.9	100	89.5	101	95.4	S 50	10	6.96	F -	00	800	99.2	6	9.66	6 6	5	100.0	1	1	130.0		
OCCURRE HOURLY		::	6E 1 1/2	6	6.0	89.5	2	95.4	က ဖ	0	6.96	9,7.6	98.7	800	2.66	0	9.66	00	0	100.0	ĺ	1	100.0		
ENCY OF FROM	A 2	SI	6E 2	•	4, 68	69.5	92.3	95.4	95.9	9.96	6.96	97.6	98.7	98.9	99.2	99.5	9.66	9.66	99.8	100.0	100.0	100.0	100.0		
FREQUENCY F	F I НОАСНИСА	:	6E 1/2	82.9	89.4	89.5	92.3	95.4	95.9	9.96	96.9	97.6	98.7	98.9	99.4	5.66	9.66	9.66	8.66	100.0	1	100.0	1rc.0		
U U			6E 3	82.9	89.4	69.5	92.3	95.4	95.9	9.96	96.9	97.6	98.7	98.9	2966	5.66	9.66	9.66	99.8	100.0 100.0	100.5 100.5	100.0	100.0		
	NA N		C E	82.9	# 68 8 9 4	85.5 96.1	92.3	95.4	95.9	96.6	6.96	97.6	98.7	98.9	7.66	96.5	9.56	9.56	8.56	100.0 100.0	106.3 106.3	130.0	101.0		
U		:		32.9	89.4	89.5	92.3	95.4	95.9	96.6	6.96	97.6	98.7	98.9	2.66	3.66	9.66	9666	8.66	100.0 100.0	100.C 100.E	1001	105.C	TIONS:	
ו כו הו	~	•	66	82.9	89.4	89.5	92.3	95.4	95.9 96.1	9.96	6.96	9.79	98.7	98.9	1.66 99.3	h. 66	99.5	99.66	9.66	6.66	6°66	6.66	6.66	OUSERVATIONS	
CLIMATOLOGY A C A THER SERVICE	VUNBER:		3	82.9		89.5	1	95.4		•	6.96		1	93.9	66	66	h°56		i i	9.66			9.66	NUMPER OF	
GLOBAL CLINA) USAFETAC AIR WEATHER :	i	ING	FEET			6E 14650	3	6E 100001 6F 90001			6E 50001		1	GE 25301		}	0 1000 j			65 50C 65 40P			ور دا	TOTAL NUM	

.

,		• • •	35	• • • • • • • • •	13.5	86.9 86.9			92.50			9.96 9.96		9	1			9.66			1000	100.0	100	100.0
	1200-1	• • • • •	*\ 10			## ## ##	6.78	89.6	9.26			[404	3:4	-100				35	9.66	100.0	60	100.00		0.001
	-86 (LST) t	•••••	GE 5/16	:	13.1	86.38	6.6		42.5	7		***	9.46	-11	3	200		9.66	9.00	1.00.0	99	100.0	00	100.0
1811.177	URS S	••••	17.2 17.2	:	13.66	6.00	-		92.6	1991	7.3	96.69	37.6	-160	4	2.0	•ii 👄		3.66	0	200	100.00	3	100.0
V 15	OF RECORD APR HO	•••••	8 2 3 3 3		23.6	86.98	86.9	9.69	200		-1-	99	97.6	98.6		000		50	9.66	6	900	100.0	00	100.0
VERSUS	PERIOD HONTH:	8	3/k	ļ.	77.3	86.9	86.9	9.69	72.5 92.6	ا وحق ا	2	9,96		3,46	2000	99.2		60	9.66		1	0.00	•	100.01
CEILING TIONS		TC HILE	1 35 9		77.5	86.9	٦	<u>.</u>	92.6	,	7	9.96	2.46		30	3.60	10	60	7.00		88	100.0	9	100.0
NCE OF OBSERVA		.T	12.7 14.7	• • • • • • • • • • • • • • • • • • • •	77.3	86.98	jo r	· 5	0.0		• ;		, -	9.86	00	6.00		100	10 4 10 6 10 6		00000	100.00	uon non	100.0
OCCURRE HOURLY		: :: ::	Gt. 1/2		77.3	86.98			3.26	.	ni=	9.96	2.46	2:00	00	200	r.C.	00	2000	. 5	000		ູ້ ອີດເຕີ	100.0
NCY OF FROM I	A 2	V1518	ر,	:	77.3	86.9 86.9	5.		92.5	ļ.,	94.5	9.5		2000	00	50	- 0	66	5000		000	100.0	00	100.0
FREQUE	HUAÇHUCA	•	GE 2 1/2	, ,	77:3	86.8 86.9	9000	9.60	92.5	93.2	93.3 94.5	9.96	77.6	2:76	20.00	5 60	25.56	36.66	3 66	99.99	20	0.00	İ	6.06
PERCENTAGE	F1 HU/	• • • • • • • • • •	GE 3		77.3	86.8	! •	• i •	92.5	93.5	93.3	ے دا		9.96	1 - 4	2.66	• ; •	99.5	200	66.66		99.66		6.66
PER(NAME:		ت ت		77.3	86.8	36.9	89.6	92.5	93.0	93.5	9.96	9.7.6	9.06	2.66	99.5	5.66	00	5.56	5	4.44	97.9	6.66	6.66
=	STATION	•	39 3	:	77.3	22	٠,	داد	92.5		93.3	3		9.86	i • •	99.2		3.66	99.4	6.66		99.9		6.00
TOLOGY BRANCH Service/hac	722733		GE 6		77.1	86.6	86.7	89.4	92.2	i N	94.2			47.6 98.4	98.9	6.80	99.1	12.2	- r	2		9.66	•	9.66
	H3ER: 7		10		77.1	96.6	ي ما	89.4	10 V	163	93.1	96.3) (r~ 1	-	98.9	9 R. 9	99.1	5.66	79.3	97.5		L 57	2	5.04
سابد ا	STATION NUMBER:	LING	1.5		CEIL	200001	 - -	1	000	1000	700C9 6000	- 1	1	35.35	5.001	1900	1002	1	950	i	200	.L_	00	ما
GLOBAL USAFETA	STA	CEIL) L	•	011	900	in r	بنال	L 1	CE	<u>မ</u> မ ပ	5 5 7 6	33	- L	u u	1 to 1	CE	200	5	S S	20.0	3 5	5	90

ATT TENTHER SERVICE / MAC	C								•					
i	STATION NAME:	i	rt hurchuch	į,	V.2				ERYOD	F-RECORDE	HOURS (L	87.1.18	00-1700	
		- 1 -		••••		1				:			:	
	-			1	18101		100	פני	F	Ŀ.	<u>ئ</u>	15.	ו / וי נוני	0
GE DE 10 6	ائد د	=		2 1/2	7	1/2				a]:				
• • • • • • • • • • • • • • • • • • • •	• • • • • • •	•		:				4		7.7	71.16	11.6	74:6	3.4.6
CEIL 74.6 74.6	74.6	3.4.6	74.6	74.6	9.11.6	74.6	9 : -	3 + . 0	9.4.0			ı	11.48	1
01 85.1		1	85.1	45.1	05.1	1.55	85.1 85.1	35. 35. 1.	38 38 31.	(A)			1.0	1001
65.1			1.58	45:1	85.1	ıin ı		85.1	1 2 2 1 N	8.0.1	1000			86.1
14010 86.1 86.1	86.1	86.1	186.1	86.1 88.1	1:00	3		1.99		1.80	11.02		1.10	T • 88
1.88	- 1		90.9	6.06	0.00	4.04	6.06	6.00	6.06	6.06	9000		1:06	1:10
91.1	91.1	91.1	91.1	91.1	91.1	7.10		9:16	91.6	9:14	9:16		914	91.6
91.6			91.1	91.7	91.7	91.7	41.7	71.7	91.7	91.7	91.7	3:2	2186	1116
6000 93.2 93.2	1		93.2	43:5	93.2	93.2	200	2 · · ·	3004					96.6
96 9.76	96.6	9.96	9.98	9096	9.96	9.96	9.96	9.96	96.99	9.96	40. 40. 40.	 	6.9	6:36
96 6.96 10	96.9	96.9	0.90	D- 00	0.86	- Pinh	- 2 -		-98:0	0.86	0.194	2.4	7	
35001 98.2	98.2	98.2	98.2	2.86	2.86	2.86	78.2	- 5 -	-48.7	4.86	4.16	1:16	48:1	1:16
86 2.86 15	98.7	7.86	1.84	1001			8.53	1.00	00.	1:00	1:66	1:46		
1 99.1 99.	99.1	99.1	99.1	99.1	49.00 99.41	1000	99.4	1 . 60	+ 66	H . 66	7.00	7.00		#166 400
99.1 99.1	90.1	94:1	99.0	40.00	39.4	70 - 2	000	7.66	D C		3.00	3.66		- 1
1500 99.1 99.1	99.1	99.1	1.06	99.4	20.00	- 10	90.11	h:66		₹.	h . 6 6	7.66	•	•
1 * 4 * 10				-	le	٥	00.00			-	40.00	١.	300	3.00
001 99.1	99.1	7.60	3000	200	500	99.4	40.66	4.66	7.66	70.00	1000	hida-	1. 6A	-
00 99.1	99.1	1.76	h . 66	1.66	0	÷ 0					4.66		4066	7.00
700 99.1 99.1	99.1	1.60	3.66	33.50	· 🖘	6	93.5		a 👁	•	60.66			- 1
	1 60	0.00	1.66	7.66	5	13-1	1.66	١.	49.7	1.00	100.00	100.0	100.0	100.0
66 11.66	• • •	9000		7.66	0 10	~ ~	200	낞	•	1.64		F .	T .	
p.06	n • 66	= 000	7.66	2000	2.66	2000	49.7	99.7	0	2066	95	56		
h.66 h.61 1001	• † •	1.66	• •	43.5	6	ॐ	4.66	•	>		_ 1	5		
	000	0.00	40.7	7.66	1.66	1.66	49.7		6	66	100.1	100.0	100.0	0.001
- :							-				distance in			
TOTAL NUMPER OF ORSERVATIONS	ATIONS:	199	;		•			W 244	-			-		

	# UD-20 UQ	:	35. 174 OE	• • • • •	8.3	87.1 67.1 87.4 67.4	7.6 87		92.6 92.6 93.0 93.0	93.	٠,	97.5 97.5 97.7 97.7	215	9.9	1		99.1 99.1		99.1 99.1 99.1 99.1	4 Z	3	100.0 100.0	0		100.0 100.0		
	-86		5/16			87.1			95.6			5 97.5		8	1		1 99.1	D	1 99.1 1 99.1	• 66	66	1	190	1001	0 100 0		
SABALLI	RECORD: 77	********	5/8 1/2		8.3 78.3	87.1 87.1 87.4 87.4	4 87. 5 87.	30 30	2.6 92.6 3.0 93.0		_	7.5 97.5	2.8	8,8	8.9 98.	8.9	8.9 y8. 9.1 99.	9.1 99.	9.1 99.	66 7.6	66 h.6	8.0	9.8 100	9.8 100	9.8 100.		
VERSOS VA	5	1:	3/4		78.3 78	87.4	7.6	8.8	92.6 9 93.0 9	3.6	5.3 9	97.59	6 2 9	8.8	0.6	8.9	98.9 9	9.1	99.1 9	9.1	4.6	8.0	6 8'66	9.8	6 8.66		
ATIONS			016. 31.LE GE 1	:	78.3	87.1	87.6	88.8	92.6 93.0	~ ~	S	1			ő	. 6	98.9 99.1	66				00		99.8 99.8	8.66	•	
URLY OUSERV			12 C		3 70.3	1 87.	4 87.6	8 08.	42.6 53.0	93.	95.	5 97.	2 98	2 98.2 8 98.8		9 98	1 99.1	1 99	1 99.1		2	99.	66 9	8 99.8	8 99.	• • • • • • • • • • • • • • • • • • • •	
FROM HOUR			를 -		8.3 78.	97	7.4 87.	88	2.6 92	3.6 93	5.3 95	00	96	98.8 98.	6	9 6	98.9 98.	66	66	77.	66 h	66	20	99.8 99.	66	•	
r REQUERIC	HUACHUCA AZ		96.		78.3 78	7 - 1 8	8 4 8	8 8	3.00	93.6 9	5.3	n,	2	98.2		۰.۰	98.99	-	1.6	99.1 9	7.0	20	ω ω	8.66	80	•	
ERCENTAGE	1-1		6.6.	1:	78.3	87.1	87.4	88.8	Ne	93.6	2/2	97.5	98.2	98.8		98.9	98.9	99.1	99.1	99.1	99.4	8.66	99.8	99.8	8.99	• (2
9 d	ION NAME		OF	5	3 78.3	9.7	7 2 2 2	88	00	6 03.6	6	6	مام	2 98.2		0 0 0 0	6.86 9	66	66	1 99.1	56	66	66	h 56 h	6		\$:
вкансн	730 STATION		95	9	.3 78.	.1 87.	4 B 7	. 8 8 8 .	.6 92	6 93.	3 95	97	97	8 98.2 8 98.8		86	9 98.9	1.	1 99	1 99.	1 99	66 2.	2 99	. 2 99	2 99		UPSERVATION
10000	HEK SERVICE/HAG Hirrer: 722730		9	10	78.1 78	7.0 87	87.3 87	88 7.8	2.5 92	3.4 93	സ്യ	1		98.0 98.	1	20 C	94.6	6	8.6	عام	co ac	8.6	9.6	98.6 99	9.6		TER OF URS
GLOEAL CLIMA USAFETAC	A P		ING	FEET	NO CEIL 7	20000	ופנים נו פ ופנים נו פ		100001	<u></u>	10009	10005		3550	20005	2500	1870	12001	10001	000	1007	530	400	2001		• [OTAL NUM

AIR WEATHE		ETAC	5	13.1	בערניין אפנ	1	FREYORNO! FROM.	10URLY	OBSERV	ATIONS		:				
ı	R SEKY	ICE/NAC									11		•			:
STATION NU	NUMBER:	722750	STATION	IR RAME:	FT	ниасииса	AZ				ONTH	APR	HOURS	111	00-23	0
CEILING	• • • • •	•	:	• • • • • •	:	• • • • • •	:	il:	• Z	TE MIL	:		:		:	
FEET	GE 10	3 9	39	t)	39	6E 2 1/2	2	6E 1 1/2	6E 1 1/4	6£ 1	GE 3/4	GE 5 / 8	ອ ~		GE 1/4	. O
: -								:	:		• • • • •		•	•	•	
NO CEIL I	86.8	86.8	86.8	86.3	86.8	86.8	36.8	86.8	86.8	86.8	86.8	86.8	86.8	86.8	86.8	86.08
GE 200001	973.5	90.5	90.5	90.5	90.5	96.5	90.5	90.5	90.5	90.5	90.5	90.5	90.5 90.5	90.5 90.5	90°5	3°06
և ս	90.5	3.00	90.5	9.00	5.06	90.5	90.5	5	0 0		90.5	0 0	90.5	90.5		ء ط
ılu	91.6	91.6		91.6	91.6	91.6	91.6		-	•	91.6		91.6	91.6		91.6
GE 1000001	3.5	92.9		92.9	92.9		NW	92.9	92.9	92.9	92.9	92.9	92.9	92.9	92.9	92.9
GE 80001	7.49	7.40	37 U	7.46	94.7	7.46	7.46	3 0	3 0	7.46	3 5	3 4	3 4	= "	94.7	04.1
1			فأه	96.3	าเจ	• •	ນໄຜ	9	9		9	9			96.3	96.3
GE 50001	100	97.9	~ a)	97.9	97.9		97.9	97.9	97.9	97.9	1-8	~ °	l~∞	97.9	97.9	97.9
1	p.86	98.4	4.86	ħ• 8 ό	h 86	98.0	98.4	h•86	80 0	80 4	486	486	3° 80°	30 4		3 4
1	8		6	6.96	ıœ		98.9	6		8	6		80	30		30
25061	98.9	98.9	98.9	98.9	98.9	98.9	98.9	8 8	8 8	8	8 8	8 8	8 8	8	8 6	8 8
6E 1800	98.9	98.9	စြာလ	98.9	98.9	96.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9
1250	98.9	68.86	æ	98.9	lω	6.86	6986	8	8		8		80	80	6	6
6E 10001	60 60	1 .	8 8	98.9	98.9		98.9	98.9	98.9	98.9 98.9	98.9	98.9	98.9	98.9	98.9	98.9
	93.9	98.9		6.36	98.9	98.9	ထြေ	30 80	8 8	8 8	8 8		α α	8 8	80 80	30 30
69	8		8	98.9	6.86		l co	80	8	20	80	80	80	80	80	8
6C 50Cl	90.5		• •	99.8	99.5	99.5	99.5	99.5	99.5	2°66	99.5	99.5	99.7	7.66	100.0	100.0
	3.66	100	10.0	0	39.66	99.5	99.5	0 0	6 6	6		00	00	6	95	
İ	3.66			10	99.5	• •	99.5	6	0						8	
GE 01	99.5	9.60	3.65	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	7.66	2.66	100.0	100.0

USAFETAC AIR WEATHER SERVICE/HAC	H	PERC	PERCENTAGE	FREQUENCY	2 S	HOURLY	OUSERVA	CEILIN	G VERSUS	S VISIBILITY	IL ITY			
NUHBER: 72273D \$	STATION NAME:	NAME:	FT HU	FT НИАСНИСА	AZ					PR	77 IRS	57.):	ALL.	
		• • • • • • • • • • • • • • • • • • • •			VISIB	1.1	N STAT	UTE MILE	ES.		•	. !		
6£ 6£	6E 5	ور د	GE 3	GE 2 1/2	7 7	GE 1	6E 1 1/4	E	6E. 3/4	د 18		ام	1/4	0
		:					:	• • • • • • •	•••••		:	• • • • • • • • • • • • • • • • • • • •	•	_
80.2 80.2	30.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2	80.2
		8.1	88.1	88.1	88.1	88.1	88.1	88.1	88.1	88.1	88.1	38.1 38.1	88.1	88.1 88.1
88.1	88.2	86.2	88.2	98.2	88.2	88.2	88.7	88.7	88.7	88.7	88.7	88.7	58.2	56.2° 86.7
9.06	1	9.0	9.06	90.06	9.06	9.06	10	9006	9.06	9006	906	90.6	9.06	9.06
3 93.4	1	7.5	93.4	93.4	93.4	93.4	93.4	93.4	93.4	93.4	93.4	93.4	93.4	93.4
94.1 94.1	94.2		2. 46	94.2	3 =	13° 3	3 3	94.2	2.46	94.2	94.2	24.6	94.2	2.46
3 95.3		5.4	95.4	95.4	r kn	rko	S	95.4	95.4	95.4	4.56	95.4	95.4	45.6
97.0	7.1	7:1	97.1	1.	97.1	97.1	97.1	97.1	97.1	97.1	97.1	97.1	97.1	97.1
97.8	6.16	97.9	97.9	6.79	97.9	97.9	6.15	97.9	97.9	97.9	97.9	97.9	97.9	97.9
0	8.7	8.7	98.7	0 00	98.7	98.7	98.7	98.1	98.7	98.7	7.86	58.1	1.86	1.86
0 • 66	ω-		99.0	99.0	99.0	99.0	99.0	99.0	99°0	99.0	99.0	99.0	99.0	99.0
D 56 6	99.1	99.1	99.1	99.1		99.3	99.3		99.3	99.1	1.66	99.1	99.1	99.1
1 99.2	J.		99.3	99.3	• •	10	99.3		69.3	99.3	99.3	99.3	5 6 6	86.3
2 99.3	1	4.66	99.4	99.4	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5
3.5	- 1		99.5	99.5	36.5	99.66	0	99.66	9966	99.66	9.66	9.66	9 . 66	9.66 9.66
3 99.5			9.66	9.66	1.66	1.66	5	1.66	1.66	1.66	1.66	1.66	66.	1.66
9.66 1.		9.7	6.66	99.9	6.66		3.0	6.66	6.66	6.66	100.0	100.0	100.0	100.0
9.65 11.6	7.66	7.66	6.66	6.66	6.66	6.66	6.66	6.66	6.66	6.66	100.0	100.0	100.0	100.0
9.66 4.		6.7	6.66	6.66				6.66	6.66	6.66	100.0	100.0	100.0	100.0
9.66 4.65	90.7	1.66	6.66	6.56	6.66	6.66	6.66	6.66	6.66	6.66	100.0	100.0	100.0	100.0
0F 0B	110NS:	4222												
				-										

\$\text{Station name:} FI Handfuller not \$\text{Station:} \text{Handfuller note:} \text{Station:} \text{Handfuller note:} \text{Station:} \text	GLOBAL CLIMATOLOGY BRAN USAFETAC AIR WEATHTR SERVICE/MAC	OLOGY E FRVICE	3RA MA	Ü		a 1 1	; .	FROM H	OURLY	BSERVATI	SNO	810D 0	RECOR	3: 77-8				
Section Sect	STATION NUMBER: 722739	1	50		N A M	<u>.</u>	~	7				ONTH	AY	OURS (L	90 :			
Section Sect	SNE TERE		:	•				VISIB	LITY IN	STATUT	MILE	GE	GE	u u	<u> </u>	GE	ثينا	
Section Sect	10 65	٥			30 4	м	5 -	2 2	1/2	1/4	-	3/4	5/8	172	/16			
Section Sect			•									,		9	9.9	٥	5	
95.7 92.7 92.7 92.7 92.7 92.7 92.7 92.7 92	CEIL 86.2 86				86.6	86.6	9	9	•	9•9	٥٠٥	: 1		. le		1	I۸	
93.2 93.2 93.2 93.2 93.2 93.2 93.2 93.2	01 92.2 3	1	S	92	lo	92.7	92.7	2.	lo r	2.2	3.2	å'n	3.	NMI	25		יון ריי ז	
94,4 94,4 94,4 97,4 97,4 97,4 97,4 97,4	92.8	0, 0		93	ml~า	93.2	93.2	, m	m :	3.2	3.2	E W	3.	m J	3.2	; <u>-</u>	ין דב נ	
97.4 97.4 97.4 97.4 97.4 97.8 98.6 <th< td=""><td>140001 93.9</td><td></td><td>2 5</td><td>96</td><td>3 10</td><td>94.4</td><td>94.4</td><td>2 12</td><td>L L</td><td>5.7</td><td>5.7</td><td>S</td><td>က</td><td>2</td><td>5.7</td><td>s I</td><td></td><td></td></th<>	140001 93.9		2 5	96	3 10	94.4	94.4	2 12	L L	5.7	5.7	S	က	2	5.7	s I		
7 97.5 97.5 97.5 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8				6	- 15-	11-	4.76	-				100		97.4	7.	97.4	-	
98.1 98.1 98.1 98.1 98.1 98.1 98.1 98.1	90000 97.4 9		!	97	97.9	97.8	97.8	, le	- 6	. 8		٠ ا	· 00	98.1	80 0	98.1	8 8	
98.6 98.6 98.6 98.6 98.6 98.6 98.6 98.6	97.7			98	98.1	98.1	96.1	ω.	8	8	ه اه	œ æ	φ α	98.1	8	98.1	8	
98.6 98.6 <th< td=""><td>7.79</td><td></td><td></td><td>86</td><td>98.1</td><td>98.1</td><td>78.7</td><td></td><td>; </td><td>;</td><td>١,</td><td>۔ ا</td><td>1.</td><td>1.</td><td></td><td>1 -</td><td></td><td></td></th<>	7.79			86	98.1	98.1	78.7		;	;	١,	۔ ا	1.	1.		1 -		
99.3 99.3 99.3 99.3 99.3 99.3 99.6 99.0 99.0 99.0 99.0 99.9 99.3 99.3 99.3	98.1	1	9.00	9.6	98.6	98.6	98.6		m @	က္လ		, m	:	ا ش			3	
99.3 99.3 99.4 99.5 79.5 79.5 79.5 100.0 1	45001 98.1	١	98.86	8 8	0.66	99.0	0.66		6 0	6 6		66	o^ (O		99.3	66	6	
100.0 100.0	98.8		99	66	99.3	100.0	100.0	•! •		0.0	00.00	90		0	0.00	9		
100.0 100.	99.66			- 1	- 1	100.0	100.0	100.0	0.00	0000	00.00	188	0.00	100.0	0.00	98		
100.0 100.	2506 99.6 2000 99.6		300	- 1	- 1	100.0	100.0		0000	00.00	00.00	88	0.00	100.0	000	88		
100.0 100.	99.6		. 6	- 1	1	100.0	100.0	86	0.00	00.00	00.00		00.00	100.0	0.00	8		
100.0 100.	9.66		. 66	•		0.001					É	00	000	90	8	8	15:	
100.6 100.6 100.6 100.0 100.	9.66		66	1		100.0	190.0 106.0	음임	: :			00	000	98	98		ole.	Ì
105.0 100.0	1	9.6	66	i	ì	100.0	100.0	80	• •	0.00	90	00.		8	9		olc	
100.0 100.0	7001 99.6		99.	- 1	1	100.0	160.0		6	0.00	00	00	00	90				
10C.0 100.0	1	4	10			-		8	000		88	88	000	900	000		100.0	
100.0 100.0	99	9.6	6		- 1			임은		-1-			000	000	00	9 0 0	100.00 100.00	
198.3 188.3 188.8 188.8 188.8 188.9 188.0 188.8 189.8 188.8 188.9 188.9 188.9 188.8	اد د	اد د	99.	- 1	- 1	-				- 1 -			00	00	8	00	100.0	
190.3 100.9 100.0 1	9.66	9.6	96			`		Ş	2	- 1 -	00	00	00	90	0000	100	1 .	
	9.66 10	5	66:	100.	190.	100:	• • •	ġ:	; :									
	NUMPEP OF	P 0F 0	BSE	RVATIOUS		t)												
		ž.				+						1						

STATION NUMBER 722730 STATION NAME: FT NUMBERGA A2 PERIOD OF P	E/HAC 2730 STATION NAME: FT 6E	UACHUCA AZ UE 2 1/2 2 1/2 2 1/2 2 1/2 2 1/2 2 1/2 2 1/2 2 1/2 2 1/2 2 1/2 2 2 1/2 2 2 1/2 2 2 1/2 2 3 5 9 3 5 5 9 3 5 5 9 3 5 5 9 3 5 5 9 3 5 7 9 3 5 9 3 5 9 3 5 9 3 5 9 3 5 9 3 5 9 9 3 5 9 9 3 5 9 9 5 6 5 9 6 6 9 6 6 6 9 6 6 6 9 6 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 6 9 6 9 6 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 9 6 9 6 9	1LITY IN ST GE GE 1 1/2 1 1/ 87.8 87. 93.5 93. 93.5 93. 93.7 93.7 93.7 93.7 94.6 94.6 94.6 96.6 96.9	PE HILES 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RIOD. OF 13.74 13.5 13.5 14.6 1	2 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	-86 (LST): 	4 8 8 11 0 0 M T 0 0 M T 0 0 M
	HUURBER: 722730 STATION NAME: FT GE	UACHUCA AZ VISI GE GE 2 1/2 2 87.8 87.8 87.8 87.8 93.5 93.5 93.7 93.7 93.9 93.9 94.6 94.6 96.6 96.6 96.6 96.6	11.17 IN ST 6E 6E 1 1/2 1 1/ 1 1/2 1 1/ 93.5 93. 93.5 93. 93.7 93. 93.7 93. 93.7 93. 93.6 96.6 96. 96.6 96.6 96. 96.6 96.6	UTE MILES GE 1 93.5 93.5 93.5 94.6 96.4 96.6 96.6	7.8 8 7.4 66.4 99.9 99.9 99.9 99.9 99.9 99.9 99	100 3 3 3 3 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6 5 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0
The color Color	GE	VISI 0	11/17 IN ST 6	96.4 96.4 96.6 96.4 96.4	3.5 93. 3.5 93. 3.5 93. 3.5 93. 3.5 93. 3.6 96. 66.4 96. 66.4 96. 66.6 96.	8 8 1/2 8 8 7 8 8 9 7 8 9 9 3 5 7 9 9 3 5 9 9 9 4 6 6 9 4 6 6 9 4 6 6 9 6 6 4 6 9 6 6 6 7 9 7 3 3 9	6E 87.8 87.8 93.5 94.6 96.4 96.6 96.6	• 1 1• 1 1 1 1 1 1
Fig.	GE	6E 6E 2 1/2 2 87.8 87.8 87.8 87.8 93.5 93.5 93.7 93.7 93.9 93.9 94.6 94.6 96.4 96.4 96.6 96.6	61 1/2 1 1/2	93.5 93.5 93.5 93.9 94.6 96.4 96.6 96.6	3.4 5.7 6.5 6.5 9.3 9.3 9.3 9.5 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5	8 8 1/2 8 8 7.8 8 8 7.8 5 93.5 5 93.5 6 94.6 6 96.6 6 96.6 3 97.3	6E 5/16 87.8 93.5 93.5 93.5 94.6 94.6 96.4 96.6 96.6	
CELL ST.4 ST.6 ST.5 ST.6	10 6 5 4 5	87.8 87.8 87.8 87.8 93.5 93.5 93.7 93.7 93.9 93.9 94.6 94.6 96.4 96.5 96.6 96.6	87.8 87.8 93.5 93.5 93.7 93.5 93.7 93.0 94.6 94.6 96.3 96.3 96.6 96.6	87.8 87.8 93.5 93.5 94.6 96.3 96.4 96.6	7.8 87. 3.5 93.5 93.4 93.9 93.9 93.9 94.9 96.4 96.4 96.6 96.4 96.6 96.9 97.3 97.3 97.3 97.3 97.3 97.3 97.5 97.5 97.5 97.5 97.5 97.5 97.5 97.5	8 87.8 8 87.8 8 87.8 9 93.5 9 94.6 6 94.6 6 96.4 9 96.4 3 97.3	87.8 93.5 93.7 93.7 93.9 94.6 96.3 96.4 96.6	
CELL 67.4 87.8 67.5 63.5	1L 87.4 87.8 87.8 87.8 100 93.2 93.5 93.5 93.5 900 93.2 93.5 93.5 93.5 900 93.5 93.7 93.7 93.7 900 94.2 94.6 94.6 94.6 900 95.9 96.3 96.3 96.3 900 96.9 96.4 96.4 96.4	87.8 87. 93.5 93. 93.7 93. 93.9 93. 94.6 94. 96.4 96. 96.6 96.	7.8 87. 3.5 93. 3.7 93. 4.6 94. 6.4 96. 6.6 96. 7.3 97.	93.5 93.5 93.7 94.6 96.3 96.6	7.8 87. 3.5 93. 3.7 93. 4.6 94. 6.3 96. 6.6 96.	8 8 87 8 93 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Carrell St. to	93.2 93.5 93.5 93.5 93.2 93.5 93.5 93.5 93.5 93.9 93.9 93.9 94.2 94.6 94.6 94.6 95.9 96.3 96.3 96.3	93.5 93. 93.5 93. 93.7 93.9 94.6 94. 96.4 96. 96.6 96. 96.6 96.	3.5 93. 3.7 93. 3.7 93. 4.6 94. 6.4 96. 6.6 96. 7.3 96.	93.55 93.57 94.6 96.6 96.6	3.5 93.5 93.4 93.9 93.9 93.9 93.9 93.9 93.9 94.9 96.4 96.4 96.6 96.4 96.9 96.9 97.9 97.9 97.9 97.9 97.9 97.9	3 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		
10000 93.5	93.2 93.5 93.5 93.5 93.2 93.5 93.5 93.7 93.5 93.9 93.9 93.9 94.2 94.6 94.6 94.6 96.3 96.3 96.3	93.5 93. 93.7 93. 93.9 93. 94.6 94. 96.4 96. 96.6 96.	3.5 93.5 3.4 93.5 93.6 94.6 94.6 96.6 96.6 96.6 96.6 96.6 96	93.55 93.55 94.6 96.4 96.6 96.6	3.5 93. 3.9 93. 4.6 94. 6.4 96. 6.6 96.	3 996 933 966 9 94 9 95 9 95 9 95 9 95 9 95 9 95	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 - 0 0 m + 0 0 m
10000 93.5 93.7	93.5 93.7 93.7 93.7 93.5 93.9 93.9 93.9 94.2 94.6 94.6 94.6 95.9 96.3 96.3 96.3	93.7 93. 93.9 93. 94.6 94. 96.3 96. 96.6 96. 97.3 97.	3.7 93. 3.9 93. 4.6 94. 6.3 96. 6.4 96. 6.6 96.	93.7 94.6 96.3 96.4 96.6 96.6	3.7 93. 3.9 93. 4.6 94. 6.1 96. 6.6 96. 7.3 97.	9 4 4 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	000 man 0000	
14000 93.5 93.5 93.5 93.5 93.5 93.5 94.5 94.6	93.5 93.9 93.9 93.9 94.2 94.6 94.6 94.6 95.9 96.3 96.3 96.3 96.0 96.4	94.6 94. 96.3 96. 96.4 96. 96.6 96.	4 96 96 6 96 96 96 96 96 96 96 96 96 96 9	94.6	4.6 94. 6.3 96. 6.4 96. 6.6 96.	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4.6	0 70 70 90
Street S	95.9 96.3 96.3 96.3 96.0 96.4 96.4	96.3 96. 96.4 96. 96.6 96. 97.3 97.	6.3 96. 6.4 96. 6.6 96. 7.3 97.	96.3 96.4 96.6 96.6	6.3 96. 6.4 96. 6.6 96. 6.6 96.	3 94 96 96 96 96 96 96 96 96 96 96 96 96 96	m at o sem	9666
1000 96.5 96.4 9	00000 95.9 96.3 96.3 96.3 9000 96.0 96.4 96.4	96.4 96. 96.6 96. 96.6 96.	6.4 96. 6.6 96. 7.3 97.	96.4	6.4 96. 6.6 96. 7.3 97.	3 97	# 0 0 m	966
Street S		96.6 96. 96.6 96. 97.3 97.	6.6 96. 6.6 96. 7.3 97.	96.6	6.6 96. 7.3 97.	3 97	, am	96
Third 96.4 96.5	31 96.3 96.6 96.6 96.6	97.3 97.	7.3 97.	97.3	7.3 97.	3 97	۳,	٤ زه ۲
Second 97.2 98.5	0 96.3 96.6 96.6 96.6 0 96.9 97.3 97.3 97.3					, c		
450 95.2 96.5 98.5 9	97.8 98.2 98.2	98.2 98.	8.2 98.	98.2	8.2 98.	7 2	2 2	22
3500 98.4 96.8 99.5	95.2 98.5 98.5 98.5	98.5 98.	8 5 98	98.0	800 000	8 98	2 00	8
STOCK 99-5	98.4 98.8 98.8 98.8	98.8 98. 99.1 99.	8.8 y8. 9.1 99.	99.1	9.1 99.	1 99	-	6
Secondary System	99.2 99.5 99.5 99.5	•66 5•66	•66 5•6	99.5	9.5 99.	٠ ٢	n	n)
2001 99.7 100.0 10	8-99 8-99 11 00	99.6	9.8 99.	8*66	66 8	8 99		ص د
1850 99.7 180.0 100.0	9.4 9.68 57.6 100.0 100.0	160.0. 100.	00.0 100.	100.0	100	100		50
1506 99.7 150.0	99.7 100.0 100.0	100.0 100.	60.0 100.	100.0	100	0.0		0
159 ct 196 tt 1	99.7 100.0 100.C 100.0	100.0 100.	00:0 100	100.001	0 100	001.0	~ 	0
E 800 99.7 100.0 1	0-1001 0-1001 1 100-0	100.0 100.	00.00	100.01	00.00	100	0.00	0 5
E 800 99.7 100.0	9001 99.7 100.0 100.0 100.0	100.0 100.	00.00	100.001	0.00	100	0000	0
E 630[99.7 100.0	0 99.7 100.0 100.0 100.0	100.0 100.	00.00	100.0	00.00	100.	0000	0
E 50C 99.7 190.0 10C.C 10C.C 10C.O 100.0	01 99.7 100.0 100.0 100.0	100,0 100.	00.0 100	100.0	00.00	• 00 1 .	T 0.00	.
E 306 99.7 100.6 100.6 100.0	99.7 130.0 100.0 103.0 100	100.0 100.	000.0	100.0	00.0, 100	0 100	0000	0.0
E 308 99.7 100.0	99.7 100.0 100.0 100.0 100	100.0 100.	00.0	10000	00.00	0 100	00.0	0
E 100 99.7 100.0	99.7 100.0 100.0 100.0 100	100.0 100.	00.0 10	100.0	00.0	001	00.00	
F C1 59.7 188.0 100.0 195.0 188.0 188.0 188.0 188.0 188.0 188.0 188.0 188.0 188.0 188.0 188.0 188.0	99.7 100.0 100.0 100.5 100	100.0 100.	00.0	100.0	00.0	•001 0•	0.00	
	69.7 100.0 100.E 102.0	100.0 100.	00.0 100.	100.0	00.0 100	0 100	100.0	0. 10

	- ;	`	• • • • • • • • • • • • • • • • • • • •	o		3	2.4	7	7 7	5	0.0	,	D, 2	0.1	5	10 0		D				-60		30		
			•	3 9		82.4	89.2	68	0.6	92.	6.26	94	98.0	98.9	66	100.0	100.0	100.0	100.0	in a	100	100.0	0.001		100.0	
,	ŀ	~	•	GE 1.74	• • • • •	82.4	89.2	2.00	4.06	92.5	92.9	24.6	98.0	98.9	99.5	99.8	100.0	100.0	100.0	100.0	0.001	100.0	100.0	0001	100.0	
,	, ,	- 1	•	5/16	•	82.4	89.2	7.68	406	92.5	6.26	7.04.6	98.0	98.9	99.5	99.8	100-0	100.0	100.0	100.0	0.001	100.0	100.0	100.0	100.0	. 1
LITY		HOURS (LST):		.6E 1/2		82.4	89.2	89.2	406	92.5	92.9	7.46	98.0	98.99	5.66	99.8	00.00	1	100.0				100.0	1	100.0	
VISIBILITY	10,30	MAY		GE " 5/8	•	82.4	89.2	89.2	4.06	92.5	92.9	64.7	98.0	98.9	99.5	99.8	00000	1	1	100.0	1	1	100.0		100.0	
VERSUS		MONTH	•	37 4		8244	89.2	89.2	4.06	92.5	92.9	י דו ר	98.0	1.	5.66	100.0	1		100.001			1	100.0	1	00.00	
CEILING TIONS			E MILE	6E 1	•	82.4	89.2	89.2	90.4	92.5	92.9	7.46	98.0	100 0	5.66	100.001	i	1	1	00.00	1	100.001	1	ı	0.00	
ERVA			•	6E . 1/4		82.4	89.2	6		92.5	1 0 4	ו שלו	98.0	000	99.5	99.8	0.00	1	0.00	00.00	1	0 0	100.0 1	,	00.0	
OCCURRENCE Hourly obs			ILITY IN	. 6E . 1/2 1	• • • • • • •	82.4	89.2	50	90.4	22	92.9	1	98.4	98.9	5.66	99.8	00.00	1	100.001	1	1	0.00	0.00	0.00	00.00	
0 F 20 M	A 7		VISIB	6Ę 2)	• • • • • •	82.4	89.2	89.2	4.06	92.5	92.9	64.7	98.0	98.9	5.66	99.8			100.0	1	1	100.001	0000	!	0.00	
FREQUENCY FA	V Jin J V II I	- 1	:	GE 2 1/2	• • • • • •	82.4	89.2	89.2	4.06	92.5	92.9	1.46	98.0	98.9	99.5	ł	100.0	ł	100.0	1	1	100.0	1	1	0.00	
PERCLNTAGE	110 13	:		GE 3		82.4	89.2	89.2	4.06	92.5	92.9	94.7	98.0	98.9	99.5	99.8	ı	1	100.0	1	1	100.0	1	1	160.0 1	
PER	TAKE:			. 65 4	:	82.4	89.2	89.2	9.06	92.5	92.9	7.46	98.0	96.96	5.66	99.8	1	I	100.0	1	1	196.9	1	ŧ	0.33	
Ξ.	STATION	1071110		6E 5	•	82.4	89.2	89.2	4.06	92.5	92.9	1.46	97.8	98.8	n.66	1	2 0		6.66	0.0		1	0. 0	6	99.9 1	
AL CLINATOLOGY BRANCH Etac	ICE/HAC	20123		GE 6	• • • • • • • • • • • • • • • • • • • •	82.4	89.2	89.2	90.4	92.5	92.9	1.46	97.8	98.8	h • 66	6.66	6.66	6.66	99.66	6.66	6.66	99.9	66.66	6.66	6.66	
(HA10LO	THER SERV	.		6E 10		82.2	89.C 89.D	89•U	90.1	92.4	92.6	4.49	97.5	98.5	2.65	99.4	99.7	1.66	7.66	99.7	7.66	7.66			99.7	
BAL CLI FETAC	AIR WEATHE Station NI		EILING	EET 1	•	כבור ו	2003 nl 1800 pl		1	10000	ı	1	10005	ł	1	2550	1		10001	1	1	1003	•		2	
GLOB/ USAF	AIR	;	CEI	FEE	•	022	SE		1		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	6E	5.0 0.0	3 D	9	6F 6F	2 6 7	13.63	5 G	ני ני	3	. C.	6.5	99	0.0	

V TOLO	GLOBAL CLIMATOLOGY BRANCH USAFETAC	£3	PER	PENCEN I AUG	מאר	FROM	HOURLY OBS	E KV	ATIONS			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		,		
R SERV	ICE/NAC			1:								ľ		; 		
NUMBER:	722730	STATION	N NAME:		FT HUACHUCA	AZ				ERIOD MONTH	A Y	LR 7	6 ST):	1500-1700		
				•	• • • • • • •	VISIB	ility.	IN STATU	• 🛏		•		•		• • • • • • • •	
1 6E	GE	6£ 5	GE 4	GE.	GE 2 1/2	6E 2	6E 1 1/2	GE . 1 1/4	/ .6E 1	GE 374	6E 5/8	GE 1/2	GE 5/16	GE: 17.9	GE O	,
	:						•	•			:	•		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		:
CEIL 75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	17.0	• `	75.6	75.6	. v
98	86.9	86.9	96.98	86.9	86.9	86.9	86.9	86.9	86.9	86.9				6.98	6.98	, i
16000 86.9	86.9	86.9	86.9	86.9	86.9	86.9		86.9	86.9	86.9	86.9	86.9	86.9	86.9	87.1	,
၁၉	88.4	88.4	88.4	88.4	p . 88	88.4	lω	88.4		88.4	80		1 •	88.4	# 68 # • 68	, , , ,
91		91.9	91.9	91.9	91.9	₩ €		91.9	91.9	91.9	91.9	91.9	91.9	91.9	91.9	
8000 92.4	92.4	92.4	4.26	92.4	92.4	92.4	100	92.4	1000	10 V	2 %	92.4	I • '∢	92.4	ku N	
28	NIG	95.4	95.4	95.4	95.4	νlιo	រ ហ	1 0	1 10	95.4	i w	95.4	95.4	95.4	N	-
5.30 98.2	98.2	98.2		98.2	988	∞ α	1 • •	100 CC	1	98.2	1		98.5	98.2	98.2	
4000 98.7	98.7	98.7	98.7	98.7	7.86	98.7	98.7	98.7	98.7	98.7	98.7	98.7	98.7	98.7	98.7	; ;
1	99.8	9.66	1	9.25	66	· lo	ı i e	-10		99.8	1.] •	99.8	8.66	8.66	٠.
2500 100.0	100.0	100.0	1	100.0	150.0	100.6	100.0	100.0	100.0 100.0	100.0	100.0 100.0	100.0 100.0	100.0	100.0	100.0 100.0	
800 100.0	139.0	l	106.0	ı	100.0	100.0	100.0 100.0	100.0	100.0 100.0	100.0 100.0	100.0 100.0	80	100.0 100.0	100.0 100.0	100.0 100.0	_
2001100.0	10.0	1	1	1	100.0	8	100.0	100.0	100.0	100.0	100.0	00	1,00	·100•0	100.0	
39 0 1 1 00 C	100.0	1	1	1	190.0	100.0	188	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100:0 100:0	
890 100.0	130.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0 100.0	100.0 100.0	100.0° 100.0°	100.0	100:0	
0.00 100.0	130.0	1	ì	100.0	100.0	100.0	8	100.0	100.0	100.0	100.0	100.0	1 00 • o	100.0	100.0	
500[109.0	100.0	100.0	100.0	100.0	103.0	100.0	100.0	100.0	100.0	100.0	100.0	100:0 100:0	100.0	100.0	100.0 100.0	ч
30 m 150 m	103.5		1	1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100 100 0.00 0.00	,
100 100.0	100.0	ļ	1	1	156.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
nl 100. P	100.0	100.0	105.0	100.9	100.0	160.0	103.0	100.0	100.¢	100.0	100.0	100.0	100.0	100.0	100.0	
TOTAL NIMER OF	OBSERVATIONS	TIONS.	919											,	,	
													,		-	
													1			; -
	-		1		,											,

275	USAFETAC	CLIMATOLOGY BRANCH	RANCH	-	PLKLEMIAGE	r KE 40	FROH	HOURLY OBSE	RVA	TIONS			,	, , , , , , , , , , , , , , , , , , ,		
	. u- 111 w - 1		- 1				,					02.88.00	RD: 77-	-86		* .
STATION	ION NUMBER:	R: 722730		STATION NAME:	بــ اند	ниасниса	AZ				ONTH:	HAY	HOURS	ST1: 1	1800-2000	
	1:	•		••••••			VISIB	ILITY	IN STATUTE	•			:		:	
212	9	L 6E	95 35	39 2	GE	GE 2 1/2	6E 2		6E, 1 1/4	6E 1	GE 3/4	GE 5/8	6E 1/2	5/16	1/4	, o
	- :									•	• • • • • •		•	• 1		
NO C	CEIL 80.0	80.	0 80.	1 80.1	80.1	80.1	60.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80•1	•
1	200301 91	91	91	0. 0		91	1-1-	91.3	1::-	91.3	91.3	91.3	91.3 91.3	91.3	91.3	91.3
- 1	- 1	16	91	٦		91			91.3	91.3	91.3	<u>.</u>	91.3	91.3	91.3	
GE 1	120001 91.1	91	-10	.3 91.3 .C 92.U	92.0	91.3	91.3	92.0	16	• •	92.0	7	92.0	92.0	92.0	• •
	lucan	6	ħ5	h 6	94.	9.46	8.46	3 1	JT L	8.46	94.8	8.46	8 · # 0:0	94.8	94.8	94.8
- 1	96301 95.4	-	25	95.6	95	95.6	95.6	95.6	95.6	95.6	95.6	าไเก	• I- •	95.6	95.6	9.56
		с о	9 9 5 10	9 6	9 6	95.9	95.9	ů	່ທ	95.9	വ	សា	′•∣	95.9	95.9	95.9
GE.	1		97	16	97.	1.16	1.16	i •	7	1.16	_	-		97.6	76.4	7 6.0 1.
1	- 1		66	٥	0	99.1	1.66	5	6	99.1	99.1	1.066.	99.1	99.1	1.99.	99.1
	ĺ	1	66			-	99.2	ماه	ەاھ	2066	200.7	99.7	99.7	1.66	1.66	1.66
1	ì		66	.7 99.7 8 99.8	7 99.7	1°56 8°66	9.66	8.66	99.8	99.8	9.66	99.8	0	99.8	99.8	99.8
9 6 F.	3000 99.7	T. 99.7	66				8.66	6	6	8 • 66	8.66	8*66	8 66	8.66	8 . 66	8 66
1	1000		000	l°	99.	56	6	· •	6	8.66	lo.	6	1.	1 .	8.66	8.66
ນ ເມ	1000		66	6	-66	66	0.	•	٥١	99.8	οlo	ەاھ	• 1		99.8	99.8
9	80 n l		56	6 0		8.00	8, 60 00 00 00 00	8.00	8 ° 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	8.66	99.8	9 % 6 6	99.8	99.8.	99.8), • i
6. GE	15001 99.7 12001 99.7	7 99.7	56	u 60	99.	66	6	• •	6	8.66	0	6		. •	8*66	8.66
3.9	10					1	1	8.66	1 -	99.8	99.8	8.66	8.66	8.66	8 66	8.00
GE.	66 1006	7.66 7.6	- 1	8 99.8	8 99.8	99.8	100-001	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100:0
با با ق ق	סס	w er						100.0	1	100.0	100.0	100.0	100.0	1.00	1000	100.0
100	10	60		1	1	l	1	100.0	•	8	100.0	1001	3	100.1	3.	
6.5	- 1	66	ما		0 100.0	100.0	100	100.0	100.0	100.0	100.0	100.0	100.0	100.0	1000	100.0
1 C	1	66	Ω	1		1		100.0	160.0	100.0	100.0	100.0	18.8	100.0	100.0	100.0
<u>ម</u> ១១	2001 99	99.8 99	.8 100.C	0.001.0	ı	- 1	100.0	100.0	100.0	100	100.0	100.0	100.0	100.0		100.0
9 11		Y	0				4						- [-	
39	66 10	66 3	8 10C	2 100	.0 106.0	160.0	100.0	130.0	100.0	100.0	100.0	100.0	100.0	100.0	I nne n	1000
		1			7 2											ì
TOTAL	AL NUMPLK		USSERVA LONS		F C0									[

		0: 77-81,83-86 HOURS(LST): 2100-2300		6E GE 5/4	• • • • • • • • •	83.3, 83.3	92.4	h-26		95.0	95.6	96	96.9	98.2 98.2	98.7 98.7		100.001.00.001	100.0 100.0 100.0	100.0 100.0	100.0	100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0 100.0	1 00 0	100.0 100.0 100.0	1.00.0
VERSUS VISIBILITY	,	RECORD: 7	•	. GE		3 83.3		# 26 h		0 95.0		6 95.6 1 96.1		2 98.2	- 1	0 100 0	1	0 100.0	1	100.0	- 1	100.0			100.0	1	100.0	100.0
RSUS VI	•	PERIOD OF RECORD: MONTH: MAY HO	• • • • • • • • • • • • •	GE GE 3/4 5/8		.3 83.3	4 92.4	İ	0 63.0		6 95.6		6 96 6	1		100.0	1	0.100.0	1	- 1	0 100.0	-		0 100 0	0 100.0	1		0 100.0
CEILING VE		PER MO	. 0	GE GE		63 83.3	4 92.4	7 :	- 0	0	-	95.6 95.6 96.1 96.1		98.2 98.2	Ī		ĺ	0 100.0	1	1	- 1	- 1			0 100.0	1		0 100.0
SERVATION			STATUTE	174 174		3.3 83		92.4 92	1	95.0 95		5.6 6.1	6.9	8.2	7.0		100.0 100	100.0 100.0 100.0 100.0	1	0.00 100.0	160.0 100.0	1	100.0 10b.0		100.0 100.0	1	3.0 190.0	100.0 100.0
OCCURRENCE OF HOURLY OBSERVA			ISIBILITY IN STATUTE MILE	6 <u>:</u>		83.3 8		92.4			-	96.1 9	Î	0, 3	٦,			100.0 10	1	1	100.0 16	1		100.0 10	1	00.00	- 1	100.0 100
ROF H		7 A Z	VISIB	6L 2		83.3	92.4	92.4	93.0	0.36	95.6	96.1	6.96	98.2	- 1	ı	100.0	l	100.001	ı	100.0	1		100.001		100.001	1	100.00 I
SE FREQUENCY F		ОАСНОС	:	ьЕ 2 1/2	• • • • • •	83.3	45.64 45.44	92.4	93.0	95.0	95.6	96.1	6.96	98.2	100.001	130.0	100.0	100.0 100.0	100.0	100.0	100.0	190.0	100.0	160.0	1	0.00	0.00	180.0
PERCENTAGE				6E 3	•	83.3		92.4		1	1	96.1		98.2	1	- 1		100.9 100.0		1	100.0	100	100.	- 1	100.3 100.0	l	1	160.3
	- 1	2 2	:	3	•	3 83.3		92.4	1	1	1	96.1		2.36	ı	ı		100.0		I	100.0	1	- 1	- 1	100.0 100.0	1	1	100.0
BRANCH	- 1	-		GE 6	:	83.		4 92.4	1		ļ	1 96.1		2 98.2	1	- 1	- 1	ນ 166 ຕ 0 100 ຕ		l	160.0	1	- 1	- 1	0 - 100.C		į	100.6
COLOGY	100 100 000 000 000 000 000 000 000 000	ne 1221 : n		اے و				4 92.4]		1 95.1		9 98 2	1	- }	- 1	7 100.0		l.	7 110.0 7 100.0	1	- 1	- 1	7 138.0 7 100.0		1	7 185.0
GLOBAL CLIMATOLOGY USAFETAC	THE WILL SER	au winner			•		ľ	16000 92.4	ı	,		70001 96.1		9°26 0°25	1	- 1	- 1	250ff 99.7 2000 99.7		(5001 99.7	1	- 1	- 1	5JN 99.7		1	7.66 10
GLOBA USAFE	1 1 1 1	1 1 1	CEILING	FEET	•			GE 16 GE 14	,			2 39		ល ក ម ល ង	1	- 1	- 1	GE 2			6E 18				 			د ت

	GLOSAL CLIMA	CLIMATOLOGY BRANCH	GY BRAN	СН	PEF	PERCENTAGE	FREQUENCY	NCY OF FROH	OCCURRENC HOUBLY OB	NCE OF OBSERVA	CEILING TIONS	VERSUS	VISIBILITY	LITY				
	AIR WEAT	HFR SER	SERVICE/MAC											1				
2	STATION NUMBER:	NUMBER:	722730	STATION	N NAME:	13	ниасниса	AZ				PERIOD Month:	OF REC May	RD: 77-86 HOURS(LST)	.86 LST):	긥		
		:						VIS	IBILITY	IN STATUT	TE MILE	S	•		•.	.:	:	
	PI SI	GE	99	GE	39	GE	6E	GE	GE 1 1/2	GE 1 1/4	GE 1	GE 3/4	6E 5/8	. GE 1/2	6E 5/16	174	GE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	7.41.41.4				1 •	1 •		:		:		:			• • • • • • • •			
	NG CEIL	82°u	32.6	.82.6	9.2.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	1 1000
	6E 2003 G		90.8	9.06	90.06	90,8	8.06	1 .	90.8		90.8	90.6	90.6	90.8	90.8	90.8	90°8 90°9	
		1	90.9	6.06	6.06	90.9	606	6.06	٠.	90.9	90.9	90.0	90.9	90.9	90.9	90.9	90.9	
	GE 12CJ0	92.0	92.1	91.2	92.2	91.2	92.2	• i •	4 0	+lN -	92.2	• 1 •	92.2	•	92.2	92.2	92.2	
	-	i	٠.	١.	5.46	54.5	94.5		3	3	13 3	37 3	3	94.5	94.5	94.5	5.46	
	GF 900 01	94.6	94.8	646	94.9	94.9	94.9	94.9	94.9	94.9	94.9	• •		2	2 3	T 1 W /	- JVG	
					9.00	95.0	95.2		95.2	2 .) W.	າ ທ [2	S	S	95.2		
	1	1	۱.	٠.	96.5	96.5	96.5		9	9	•	•	Ġ	•		76.5	ו ם	,
	1	1 98.1	98.3	98.3	98.3	600	98.3	98•3	m «	80 00	ioo co	98.3	98.3	98.3	98.3	98•3 98÷6,	98.3	1
	0504 39	1	99.0	0:66	300	99,0	99.0	0.66	99.00	99.0	99.0	00	100	99°B	99.0	9 6 6 0 6 6	0, 66	•
	1	3 88 5	99.7	99.7	1.66		7.66	1.66	6		10	6	0	1.66	1.66	1.66	L• 66	
		J						3 6	0	0	- 1 -	0.00	0.00	6.66	6.66	6.66	6.66	
			99°8	99.9 100.0	99.9	99.9 100.0	100.0	100.0	00	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	6F 1800	7 99.7	6.99	100.0	100.0	100.0	100.0	100.0	100.0 100.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0	
		1	6.66	100.0	100.0	100.0	100.0	109.0	00	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	-	- 1	99.9	190.0	106.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100,0	100.0	100.0	100.0 100.0	
	008 39 104 19	7.66 10	6.66	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		100.0	1 00 0	100•0 100•0	
	6E 70F	- 1	6.66	190.0	100.0	100.0	100.0	100.0	100.0		1 90 0	100.0	100.0	100.0		1 00 0	100.0	
		- i	6.66	100.0	100.0	100.0	150.0	100.0	100.6	0.0	88	100.0	100.0	100 0	100.0	100.0	100.0	
]	67.66	100.	10.00	160.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100:0		1.00 0.	100.00	,
	65 200 65 200	[6.66	130.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
			6.66	106.5	D•31.1	103.0	n.co.T	2.001	0.00	3					18	9	1001	,
		rl 99.7	6.66	10C.C	199.61	100.0	-	100.0	100.0	100.0	100.0	100-0	0.001	0.001	٠.	0.001		
												l				,		
1	TOTAL NUMPER OF OBSERVATIONS:	IMPER OF	UBSERV	A 1 10115:	4 314									-				' Arr

WEATHER SERVICE/MAC	FT HUACHUCA AZ VISI GE GE 3 2 1/2 2 86.4 86.4 86.4 90.4 90.4 90.4 91.7 91.7 91.7 94.1 94.1 94.1 97.5 97.5 97.5 98.5 98.5 98.5 98.5 98.5 98.5 99.3 99.3 99.3 99.7 99.7 99.7 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	B L L L L L L L L L	STATUE 5E 11/4 11/4 86.4 86 90.4 90 90.4 90 91.7 99 91.7 99 94.1 90 97.5 99 99.3 99 99.3 99 99.1 90 99.0 100 90	PERIOI FES GE 3/4 90.4 90.4 91.7 91	1: JUN 6E 5/8 66.4 90.1 90.4 91.7 91.7 94.1 91.7 94.1 97.5 98.5 99.0 99.0 99.0	URS (URS (URS (URS (URS (URS (URS (URS (-86 (LST): 0600-0800 5/16 1/4 5/16 1/4 86.4 86.4 90.1 90.1 90.4 90.4 91.7 91.7 94.1 94.1 94.1 94.1 94.1 94.1	0800 4 GE 6 GE 4 90.4 4 90.4 4 90.4 7 91.7 9 1.7 9
GE GE GE GE GE GE GE GE	10 A C H U C A A Z L / Z	B6.4 86.4 86.4 90.1 90.4 90.4 91.7 94.1 97.5 98.5 98.5 99.0 100.0	5TATUTE 5E 1/4 1/4 90.1 90.4 90.4 90.4 91.7 94.1 94.1 96.4 97.5 9	•	90.4 90.4 90.4 90.4 91.7 91.7 94.1 97.5 98.5 99.3 99.3	177- 177- 177- 177- 177- 177- 177- 177-	אמסמט האדבה ב פע פיי	GE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
GE GE GE GE GE GE GE GE	2 1/2 86.4 8 90.1 9 90.4 9 90.4 9 91.7 9	BELITY I 6E 1 1/2 90.1 90.4 91.7 94.1 91.7 94.1 97.5 98.5 99.0 99.0 100.0 100.0	STATUTE 5E 1/4 1/4 900.1 91.7 91.7 91.7 94.1 97.5 97.0 97.5 97.5 97.0	ESS 3/4 3/4 900.4 900.4 900.4 910.4 910.7 9	6E 5/8 86.4 86.4 90.1 91.7 91.7 94.1 97.5 98.5 99.0 99.3	6E 1/2 1/2 1/2 90.1 90.1 91.7 94.1 94.1 99.3	• 1 1 1 1 1 1 1 1 1	6 6 4 8 6 4 9 9 0 0 1 1 9 9 0 0 1 1 9 9 9 1 5 5 9 9 9 6 5 5 9 9 9 9 9 9 9 9 9 9 9 9
GE GE GE GE GE GE I I I I I I I I I	2 1/2 96.4 96.4 90.4 90.4 91.7 94.1 94.1 94.1 99.5 99.5 99.3 99.7 100.0 100.0 100.0	90.4 90.4 90.4 90.4 91.7 91.7 94.1 97.5 98.5 99.0 99.3 99.3	•	90.1 90.4 90.4 90.4 91.7 91.7 91.7 91.7 99.5 99.0	96.4 86.4 90.4 90.4 91.7 94.1 97.5 98.5 99.0 99.0	6E 1/2 86.4 86.4 90.4 91.7 97.5 97.5 99.0		90.4 90.4 90.4 91.7 97.5 97.5 97.5 97.5 97.5 97.5 97.5
CEIL 86.1 86.1 86.4 2	96.4 90.4 90.4 91.7 91.7 94.1 97.5 98.5 99.0 100.0 100.0 100.0	86.4 86.4 90.1 90.4 91.7 94.1 97.5 98.5 99.0 99.3 99.3 99.3 99.3		900.1 900.4 900.4 900.4 910.7 94.1 97.5 99.0 99.3	86.4 90.4 90.4 91.7 94.1 97.5 98.5 99.3 99.3	86.4 90.1 90.4 91.7 94.1 97.5 99.5 99.3		86.4 90.1 90.4 90.4 94.1 94.1 99.5 99.3
Second S	90.1 90.4 90.4 90.4 91.7 94.1 97.5 98.5 99.0 99.3 99.3 99.3 100.0 100.0 100.0	90.1 90.4 90.4 90.4 91.7 94.1 97.5 99.0 99.3 99.7			86.4 90.1 90.4 91.7 94.1 97.5 98.5 99.0 99.3	1 1 1 1 1 1 1		
2 3 7 0 0 1 89.8 89.8 89.8 90.1 1 30.0 1 1 40.0 1 90.1 90.1 90.1 90.1 90.1 1 90.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	90.4 90.4 90.4 91.7 94.1 94.1 99.5 99.6 99.3 99.3 99.7	90.1 90.4 90.4 91.7 94.1 94.1 99.5 99.3 99.3 99.3 99.3			90.1 90.4 90.4 91.7 94.1 97.5 98.5 99.0 99.3	1 1 1 1 1 7		
140001 90.1 90.1 90.1 90.4 140001 91.0 91.4 91.4 91.7 120001 93.8 93.8 94.1 100001 97.2 97.2 97.2 97.5 90001 98.7 98.7 98.7 98.7 50001 99.0 99.0 99.0 99.0 99.0 50001 99.7 99.7 99.7 100.0 45001 99.7 99.7 99.7 100.0 35001 99.7 99.7 99.7 100.0 35001 99.7 99.7 99.7 100.0 35001 99.7 99.7 99.7 100.0 18001 99.7 99.7 99.7 100.0 18001 99.7 99.7 99.7 100.0 18001 99.7 99.7 99.7 100.0 18001 99.7 99.7 99.7 100.0 18001 99.7 99.7 99.7 100.0	90.4 91.7 94.1 94.1 97.5 98.5 99.0 100.0 100.0 100.0 100.0	96.4 91.7 94.1 94.1 99.0 99.3 99.3 99.3 99.3 100.0			90.4 91.7 94.1 97.5 98.5 99.0 99.3 99.3	/		
1400f 91.4 91.4 91.7 1200f 93.8 93.8 93.8 94.1 1000f 93.2 98.2 98.2 98.5 800f 98.7 98.7 98.7 98.7 700f 99.0 99.0 99.0 99.3 600f 99.0 99.0 99.0 99.3 600f 99.7 99.7 99.7 100.0 350f 99.7 99.7 99.7 100.0 350f 99.7 99.7 99.7 100.0 350f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 99.7 100.0 150f 99.7 99.7 100.0	91.1 94.1 97.5 98.5 99.3 99.7 100.0 100.0 100.0	94.1 97.5 98.5 99.0 99.7 100.0			94.1 94.1 97.5 98.5 99.0 99.3 99.3		1 1 1	
100001 97.7 97.2 97.2 97.5 97.5 97.5 97.5 90.5 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 80.2 98.5 98.5 90.0 99.0 99.0 99.0 99.0 99.7 99.7 100.0 99.7 99.7 99.7 100.0 30.0 99.7 99.7 99.7 100.0 20.0 180.0 99.7 99.7 99.7 100.0 180.0 99.7 99.7 99.7 100.0 150.0 150.0 99.7 99.7 99.7 100.0 150.0 150.0 99.7 99.7 99.7 100.0 150.0 150.0 99.7 99.7 99.7 100.0 150.0 150.0 150.0 99.7 99.7 100.0 150	97.5 98.5 99.0 99.3 99.7 100.0 100.0 100.0 100.0	97.5 98.5 99.0 99.7 100.0 100.0	1 1 1 1 1	1 1 1 1	97.5 98.5 99.0 99.3 99.7			
90.00 99.7 98.2 98.2 98.5 95.0 99.3 100.0 190.0 99.4 99.4 99.4 99.4 99.4 99.7 99.7 99.7	99.3 99.3 99.7 100.0 100.0 100.0	99.0 99.3 99.7 100.0 100.0	1 1 1 1	1 1 1	99.0	1 1 '	1 1	1 1
7000 99.0 99.0 99.5 99.5 99.5 99.5 99.7 99.7 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 1800 99.7 99.7 99.7 106.0 1800 99.7 99.7 99.7 106.0 1900 99.7 99.7 99.7 106.0 11000 99.7 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 99.7 106.0 99.7 99.7 106.0 99.7 99.7 99.7 106.0	99.3 99.7 100.0 100.0 100.0	99.3 99.7 100.0 100.0	1 1 1	1 i	99.3	1 '		٠,
5CU01 99.4 99.4 99.4 99.7 5CU01 99.7 99.7 99.7 106.0 45001 99.7 99.7 99.7 106.0 35001 99.7 99.7 99.7 106.0 25501 99.7 99.7 99.7 106.0 25001 99.7 99.7 99.7 106.0 18001 99.7 99.7 99.7 106.0 18001 99.7 99.7 99.7 106.0 18001 99.7 99.7 99.7 106.0	99.7 100.0 100.0 100.0	99.7 100.0 100.0 100.0	1 1		100.0	,		66
SCUUI 99.7 99.7 99.7 100.0 4500 99.7 99.7 99.7 100.0 3500 99.7 99.7 99.7 100.0 3500 99.7 99.7 99.7 100.0 2550 99.7 99.7 99.7 100.0 1800 99.7 99.7 99.7 100.0 1500 99.7 99.7 99.7 100.0 1500 99.7 99.7 99.7 100.0 1500 99.7 99.7 99.7 100.0	100.0 100.0 100.0	100.0	1 1	i	100.0	,		
4636 99.7 99.7 99.7 100.0 3568 99.7 99.7 99.7 106.0 3006 99.7 99.7 99.7 106.0 2556 99.7 99.7 99.7 106.0 1868 99.7 99.7 99.7 106.0 1508 99.7 99.7 99.7 106.0 1508 99.7 99.7 99.7 106.0	100.0	100.0	l		100.0	100.0 10 100.0 10	100.0 100.0 100.0 100.0	0.100.0
2500 99.7 99.7 99.7 100.0 2500 99.7 99.7 99.7 100.0 200 99.7 99.7 99.7 100.0 1500 99.7 99.7 99.7 100.0 1500 99.7 99.7 99.7 100.0 1500 99.7 99.7 99.7 100.0 17.00 99.7 99.7 99.7 100.0	0.004	1001		0 100.0	100.0			
255C 99.7 99.7 106.0 250E 99.7 99.7 106.0 180A 99.7 99.7 100.0 150A 99.7 99.7 100.0 150A 99.7 99.7 99.7 100.0 170A 99.7 99.7 99.7 100.0 90A 99.7 99.7 100.0	100.0	100.0	1	1	100.0	1	1	
200f 99.7 99.7 99.7 100.0 180n 99.7 99.7 99.7 100.0 150n 99.7 99.7 99.7 100.0 170n 99.7 99.7 99.7 100.0 90n 99.7 99.7 99.7 100.0	100.0	100.0	1	ł	100.0	100.0	1	1
150n 99.7 99.7 99.7 10C.J 120n 99.7 99.7 99.7 10C.J 11.Dn 99.7 99.7 99.7 10C.b	00.0 100.0 100.0	100.0	100.0 100.0	0 100.0	100.0	1	100.0 100.0	,
120F 99.7 99.7 99.7 106.5 1P3F 99.7 99.7 99.7 106.0	130.0	100.0	ı	- 1	100.0	- 1	7	0 100.0
1000 99.7 99.7 99.7 100.0	100.0	100.0	190•0 190•0		1001	1 0 0 0 1	•	
	00.0 100.0 100.0	100.0	100.0 100.0	0 100.0	100.0	100.0 10 100.0 10	100.0 100.0 100.0 100.0	
1		100.0	100.0 100	1	100.0	ŀ	ı	
600 99.7 99.7 99.7 100.0	100.0	100.0	1	1	100.0	1	ľ	0 100.0
400 400 7 00.7 00.7 100.0	100.6	100.0		10000	100.0	100.001	100.0 100.0	Ή`
GF 3001 99.7 99.7 99.7 100.0 10		100.0	100.0 100.0	1	100.0	i	l	100•0
1301 99.7 99.7 99.7 100.0	100.0 109	0 100.0	0	1	100.0	1	100.0 100.0	L.
99.7 99.7 99.7 105.0	100.6 100	0 100 0	100.0 100	0.0 100.0	100.0	100.0	100.0 100.0	0 100 0

Graph Grap		
HOTTH U. U. U. U. U. U. U. U	17-86	
64 65	JUN HOURS (LST): 0	100
10		
CELL B7.3 87.3	GE GE 1/2 5/16	GE GE 1/4 :0
CELL G7.3		•••••••
SUBDIOL 93.4	87.3 87.3	87.3 87.3
10000 97.6 93.6	7	: `
12000 94.8	7 M 1	1
10000 97.1	8 - 3	8.46 8.46 94.8
C C C C C C C C C C	97.1 97.1	97.1 -97.1 97.8 97.8
E 500 99.0 99.0 99.1 99.5	98.5 98.5	
E SCOR 99.3 99.3 99.5 99.5 99.3	2 2	
F 40 100	99.3 99.3	99.3
E 25001100.0 100.0	100.50	100.0 100.0
E 550 100.0	0.001 0.00	Ľ
E SOC 150-6 100-0 100	100.0	100.0 100.0 100.0 100.0
E 1700 109.F 170.0 106.6 196.0 100.9 100.0	100.0	
Continuous 170.0 100.0 196.0 160.0 100.0	100•0	1
E 80 0 100.0	100.0 100.0 100.0 100.0	100.0 100.0
E 507 100.0 190.0 100.0	100.0	100.0 100.0
E \$30 139.0 190.0 100.C - 190.0 100.E 100.6 100.0	1.00.0	1
5 3 0 0 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100.0 100.0	100.0 100.0
196/179.5 196.0 196.6 169.9 196.5 196.6 196.9 190.0 190.6 193.0 19	100.0	100.0 100.0
E G1159.5 190.0 160.0 170.3 150.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	100.0	1
	100.0 100.0	100.0 100.0
I DIAL NUMBER OF ORSERVATIONS: 860		

		99		1:09	77.5	78.5	62.9	67:6	9.00	95.3	\$. 9 ¢	4.66	8:46	N. 0.0	- 0	53	99	2 E	00.0	00	0.00	0,00	0.00	100.0		
	1800-1700		7	68.7	, i.	,	6 . 2	1.7.			43.6	3.5		9.0	7:00	100:00	00.00	0,0	100.0	0.00	22	í) -		100.0		
	ST. 1	91	5/16	1.89	77:5	78.5	05.0	87.6	3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00	95.3	98.0	17.00	9.66	1.66	1.00	190:0	0.00	0.5	100.0		00000	1		100.0		
۲۱۱۲	1801 77-0 HOURS (L	·	1/2	4.09		20.67		87.1 87.6	9.00	95.3	4000	1	99:8		90.00	100.0	e		000	9	00.00	<u>,</u>	0.00	100 0		
v 18 10 11.1	oF REGO	OE.		68.7	77:8	78.3) # 	87.1	=	مرد	98.4	17.60	0.66	ž 🕶 🤈	99.8	0.00	5	- i	99.9	-	6,00		~ i~	4.66		
VERSUS	PCRIOD HONTH	36	1/2	68.7	77.8	(TO E	C 3	100	200	• Ñ •	98.9	1.60	8.66		- 5-	90.66		•	99.9		00	5.00	•	6.66	# . 16.76 / St. 7	
CEILING		TE NILE		68.7	1	78.5		1	9.00	222	ه دا	1.00		1 -	- 6-	90.00	٥	0	6.66	•	6.00	99.0	• •	6.66	(4) 7	
RENCE OF Y GUSERVA		XN STATU	T/1	1:09		70.3	273		3.80			7.00	• <u>i</u> •	٥		99.80	5	0	200	6		9.90	· (c)	6.66		
OCCURRE HOURLY		-	<u>ا</u>	1:92		78.5	No.		2.00	•} •		200	~ i∽		6	99.66	5	0	6 · 6 · 6 · 6 · 6 · 6 · 6 · 6 · 6 · 6 ·		50	6.66.	- le	9.9	Mary Mary	E-1. 2 VALUE - 1
NCY FROM		2151		4:09	77.5	78.3	82.9	07.1	0.00	95.3	6.06	99.4	90.6	(C)	> (C	99.0	· ·	99.9	> 6 > 6	99.9	1	9.66		6.66		
F FREQUE	\S 1	i ja	271.2	68.7	77.5	70.3	0.30	07.1	200	95:3	98.9	99.4	99.66	9.66	9.66	96.66	6.66	666	\$ 6 \$ 6 \$ 6	6.66	6.99	6.66	6 66	6.46		-
PERCENTAG	1 1	GE	mi -	69.4	37.5	78.5	62.0	87.1	3 · B 3	95.3	98.9	11.66	99.6	8.00	9.66	99.8	6	6	99.9	;		49.4	• •	6.66		
n d	ON HANE	10	:	64.7	27.5	78.5	86.9	87.1	3.0	95.5	4.09	1.00	3.66	8.46	9.66	9.66	6.40	• 4	5 5 5 6	•	99.99	99.9	97.6	6.65	7	
BRANCH 7 MAC		GE		68.7	27.5	78.3	92.9	F .	988	2 20	98.9	10.66	3 8 0 6 8 0 6	8.06	9.66	99.9	6.66	• • •	0 ° 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	. •	1 .	6.66	• ! •	3 66	1011	
	722730	GE	9	68.7	77.5	78.5	42.9	87.1	388	95:3	6.86	99.4	9.66	10-0	210	99.8	i C	6	6.66	5	66	6.66	66	6.66	088	
ETAC CLIMATOLOGY ETAC WEATHER SERVICE		90		1.89	17.	78.5	35	12.2	88.6	35	S	0 66 0		E :	<u> </u>	0.99.8	- -	66	0.99.00 nl 30.9	6.5	<u> </u>	0 49.9	6 66 1	دا 66.0	., –	
GLOBAL CUSAFETA CALACA	IV.	CE IL IRU	_ :	NO CEIL		65 160001 65 140001		17	0E 8000	1	500	05 450 6E 400	350	E 250	180	6E 150	103	C 6 3	היה אים היה אים	6.0	50	2	6E 10	ر. ۳. د د د	TOTAL NUMBER	

-4															•	^-		
												!		Ŧ.				<u>;</u> =
ļ.,	GLUBAL CLIMA USAFETAC	CL IMATOLOGY C	JGY BRANCH	VCH	PE	PERCENTAGE	FREQ	UENCY OF FROM	OCCURRE I OURLY	NCE OF OUSCRVA	CEILING Tions	VERSUS	Visibility	111		1		-
م ا ا	AIR WEATH	4CH SER	SERVICE/HAC															
	STATION NUMBER:	TUMBER:	722730	STATION	ON WANE:	-	ниасниса	A 2				PERIOU Honth:	OF RECORDI	. 77 JURS (86 LST): 1	800-200		
	CEILING							VISIB	ility I	N STATU	TE MILE	S			•	• • • • • •	•	-
apel date array	IN FEET	12	99	RE S	- C	6E 3	υξ 2 1/2	. GL 2	0E 1 1/2	₩ ╲!	0E.	35 374	GE 578	9E 1/2	GE \$/16	رِ	9	
	:								•	•	• • • • •	• • • • • •	•••••	•	•	•		
,,,,	NO CEIL	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4	11.1	•	71.4		71.4	7104	
	in the	80.	80.5	80.5	3.08 0.08	80.5	80.5 80.5	50	50	80.08	80°5 80°5	80.5	80.5 80.5	80.5 80.5	80.5 80.5	80.5 80.5	80.5 80.5	
	'	81.2	91.2	81.2	81.0	81.0	81.2	81.0 81.2	81.2	⊢	61.0 81.2						81.0	
	ılw	844	94.3	84.3	8 4 · 3	84.3	84.3	<u> </u> :	3	13	•		•	Ŀ		04:3	C: 12	
	17	2.5	90.3	90.3	90.3	90.3	90.3	00	55	00	00	200	90.3	90.3	\$0.0 \$0.0	6.06	90.0	
	6E 8000	00		92.1	92.1	92.1	92.1	92.1	92.1	92.1	92.1	92.1	92.1	92.1	93.2	93.2	92.1	-
	ŀ	6	1.16	1.16	41.7	67.7	1.16	1:	-	~	1:	▶	►	►	47.7	1.7.6	47:7	
		162.0	99.7	130.0	99.7	99.7	100.0	100.0	99.7	100.0	99.7	100.0	99.1		99		99.7 100.0	
	100h 39	4000 133.0	100.0	100.0	100.0	100.0	100.0	100.0		100.0	p 0	-	000	60	100.0	00	00	
l	lu.	100.0	100.0	100.0	100.0	100.0	100.0		gg.	100.0	0.00		<u></u>	P		 -	roor	
	6E 25001	1100.0	100.0	100.C 100.0	100.0	100.0	100.0	00	100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0	1.00 1.00 0.0	100.0 100.0	
	6E 1800	109.3	100.0	100.0	100.0	100.0 100.0	100.0	100.0	100.0	100.0 100.0	00		00	00	20	00	100.00	-
	1200	1109.9	100.0	100.0	100.0	100.0	100.0	90	100.0	1	100.0	100.0	P.	0.0	_	0 1	0.001	
	GE 1009 1	100.0	100.0	100.0	100.0	100.0	100.0	88	88	į .	100.0	100.0	100.0	0000	100.0	00.00	100.U	
	01 30 06 30	10 5	130.0	100.0 100.0	106.0	100.0	100.0	100.0	100.0	o 0	100.0	100.0	00.00	00	100.0	00		
	٤	ual 160.0	170.0	100.0	100,0	100.0	100.0	•	B		0.00.	100.0	P	0.00	P	P	0.001	
}		500 100.0	100.0	100.C	100.0	100.0	100.0	100.0	100.0	100.0	100.0 100.0	100.0	100.0	100.0	100°0 100°0	1 00 0	100.0	
	65 30F	1100.0	100.0	100.0	100.0	160.0	100.0	100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0	00	00	၁၀	100.0	100.0	
		100.0	103.0	100.0	100.0	150.4	100.0		100.0	100.0	1.00.1	100.0	9	P.	P	1.00.1	100.0	
	GE n	r 163.0	1.90.0	.c 100.c	101.0	169.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	1 00 0	100.0	
2005	TAL	L.		S														
								•										

PRINCH PERCENTAGE FREQUENCY OF OCCUMRENCE OF CELLING VERSUS VISIBILITY FRANCH PERIOD OF RECORD: 7 PERIOD OF RECORD: 7 POLITICAL POLITICA		-86 (LST): 2100-2300		GE GE GE /1'6 1/4 O		4.67 4.67 4.67	85.9 85.9 85.9 85.9 85.9 85.9	8 9.38 9.38	87.1	90.5 90.5 9	91.5 91.5 91 92.8 92.8 92	96.7 96.7 96	100.0 100.0 100	2001	100.0 100.0 100	100.0 100.0 100	100.0 100.0 100.	100.0 100.0 100.	801	100.0 100.0 100 100.0 100.0 100	100.0 100.0 100	100.0 100.0 100.	100.0 100.0	
STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION NAME: FI HUACHUCA AZ STATION STATION NAME: FI HUACHUCA AZ STATION STATION NAME: FI HUACHUCA AZ STATION STATION NAME: FI HUACHUCA AZ STATION STATION NAME: ST		OF RECORD: 7 : JUN HOUR	•	GE GE 4 5/8 1/	• • • • • • • • • • •	4 79.4 79.	• 9 85 9 85 • 9 85 •	.9 85.9 85.	1 87.1 87.	.5 90.5 90.	.5 91.5 91.	.7 96.7 96.	99.7 99	100.0 100	100.0 100	0 100.0 100.	0 100.0 100.	0 100.0 100.	0 100.0 100	0 100.0 100	.0 100.0 100	100.0 100	0 100.0 100	
FRANCH FRANCH FROM HOURLY OBS FROM HO	OF CELLING	im ze i	ATUTE MILES	4 GE G	• • • • • • • • • • • • • • • • • • • •	4 79.4 T9	9 85.9 85 0 85.0 85	9 85.9 85 49 86.6 86	1 87.1 87	.5 90.5 90 .7 90.7 90	.5 91.5 91 .8 92.8 92	• T 96 T	7.99 7.	0 100 0	0 100 0	0.00 100.0 1	0.0 100.0	0.00 100.0	0 100.0 10	0 100.0 10	0 100.0 10	0 100.0	0 100 0	0.001
BRANCH PERCENTAGE FREQUEN 27.30 STATION NAME: FT HUACHUCA A 5.6	OF OCCURRENCE OM HOURLY OBS		ISIBILITY IN	GE 1 1 / 2 1	• • • • • • • • • •	7 4.97 H.	9 85.9	8 8 8 6	1 87.1 8	5 90.5 9	5 91.5 9	7 96.7	7.66 7.	10000	0 100 0	0 100.0 10	0 100 0 10	0 100.0 10	100.001	100.00	0 100 0	.0 100.0	0 100.0	0.001
8RANCH 2730 STATION NA 2730 STATION NA 9.4 79.4 79.4 5.9 85.9 85.9 5.9 85.9 85.9 6.6 86.6 86.6 86.6 7.1 87.1 87.1 1.5 91.5 91.5 1.5 91.5 91.5 1.5 91.5 91.5 1.5 91.5 91.5 1.0 100.0 100.0 10.0 100.0 100.0	FREQUENC	ниасниса	• • • • • • • • • • • • • • • • • • • •	6E		7 4.97 to	85.9	85.9	87.1	90.5	91.5	7.96	1.66	100.0	100.0	100.0	100.0	100.0	0 100 0	100.0	0 100.0	100.0	100.0	100.0
27 30 57 57 57 57 57 57 57 57 57 57 57 57 57	PERCEN	1		GE.		6L 4.6L	85.9	85.9	87.1 8	5.06	91.5	7 96.7	7.66	100.0	100.0	100.0	150.0	100.0	100.0	100.0	102.0	100.0	100.00	100.0
	CLINATOLOGY BRANCH C TH ^e r Service/Mac		•	GE	3	19.4	85.9 85	85.9 65	86.6 86	90.5	90.7 90	92.8 92	7.66	100.0	100.0	103.0	190.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

		•	9	•	78.0	85.1 85.	80 80 80 80 80 80 80 80 80 80	88.5	92.2	93.6	4.16	99.3	8 6 6 6 6 6	100.0	100.0	200	10	100.0	00	20	100.0	100.0	100.0	100.0	
	A.	• • • • •	6Ε 1/4	•	78.0	85.0 85.2	85.4 85.9	88.5	92.2	3 -	- 1-	99.3	9 66	100.0	100.0	100.0	1 00 0	100.0	000	00	88	100.0	00	100.0	
-	7-86 S(LST):	• • • • •	. GE 5/16		60	85.0 85.2	2.2	80	92.2			99.3	99.66	1 00 0	100.0		12	100.0	8 8	8	18 8	100.0	9	100.0	l
	L S	•	GE . 1/2		60	85.0 85.2	2 2	ico .	92.2	93.6	97.4	99.3	99.66	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	OF RECORD: JUN HO		6E 5/8	:	æ	35.0 85.2	ຂ	LΦ.	92.2	93.6	97.4	66		0	100.0	100.0	100.0	100.0	100.0	00	100.0	100.0		100.0	
2024	PERIOD MONTH:	S	6E 3/4	•	8	85.0 85.2	5.	60	92.2	93.6	97.4		99.8		100.0	00	00	100.0	00	00	900	100.0	00	100.0	
TIONS		E HILE	GE 1	•	78.0	85.U 85.2	5.5	20	92.2	93.6	97.4		99.8		100.0	100.0	100.0	100.0	100.0	00	100.0	100.0	100.0	100.0	
OBSERVA		. z	GE 1 1/4	• • • • • •	78.0	85.0 85.2	5	8	92.2	1 •	• i •	6.6	99.66		100	100.0		loo	100.0		000	160.0	00	150.0	
HOURLY		ILITY I	GE 1 1/2	• • • • •	78.0	85.U 85.2	S S	8	92.2		• •	66	99.8		100.0	100.0		00000	00	0.00	100.0	100.0	100.0	100.0	
FROM	A Z	VISIB	۱ م	•••••	78.0	85.0 85.2	85.4 85.9	88.5	92.2	93.6	97.4	99.3	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100,0	
FREGORICE	ниасниса		GE 2 1/2	•	78.0	85.0 85.2	, 85.4 85.9	88.5	92.2	93.6	97.4	99.3	99.99	100.0	100.0	1	1	100.0	1	i	100.0	100.0	100.0	100.0	
r CR CERTAGE	FT	•	GE 3		78.0	85.0 85.2	85.4	88 • 5	92.2	93.6	97.4	99.3	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	190.0	
7.5	N NAME:		. 6f.		76.0	85.0	N U	1 ∞	NO	93.6	r [r-	99.3	99.68	6.66	6.66	6.66	100.3	100.0	105.0	100.0	105.0	100.0	100.0	196.0	
H.3	STATION		GE 5		78.6	85.2	S G	8	92.1	93.6	97.3	99.2	99.7	6.66	66.66	6.66	6.66	6.06.	6.66	5.66	5.66	5.66	5.66	6.66	
GLUGAL CLIMAIULUGI BRAMUH USAFETAC AID VEATHER SERVICE/HAC	722739		GE 6		78.0	84.9	85.4	88.4	92.1	93.6	97.3	2.66	7.66	6.66	99.66	6.66	6.66	5.66	66.66	6.66	6.66	6.66	6.66	6.66	
THAIDEN	NUMBER:		GE 1C		78.0	85.2	۵ ۵	, Im	92.1	93.6	97.3	2.66	7.66	6.66	6.66	99.9	6.66	99.99	66.66	6.66	6.66	6.66	6.66	6.66	
	STATION N	CEILING	IN		CEIL	200001 180001	0000	000	10000	3000	0029	50001	4000	3000	2530	1900	1200	10001	800	900	500	3001	100	 	

ATTA WAT HERE SERVICE FINAL CHARGE FT HUACHUCA AZ TOTAL TOTAL WEIGHT JULY STRAILEGE FORCE TOTAL TOTA	GLJB USAF	AL CLIMATO Etac	LOGY BRANCH	NCH	PEI	Percentage	FREQU	ENCY OF FROM	OCCURRE HOURLY	NCE OF OBSERV	CEILING ATIONS	S VERSUS	S VISIBILITY	ILITY			
Second Color Seco	AIR	WEATHER SE	RVICE/HA						-								
0.C	STAT	TON NUMBER				F	JACHUCA	A2				PERIOD Month	JL _R	ORD: 77 HOURS	6. ST):	1600-080	
Ge Ge Ge Ge Ge Ge Ge Ge	CEIL		:	į•		• • • • •	•	I	ILITY	N. STA	HIL	S	•	•	•		•
CELL 53.5 53.5 53.6	IN		GE	GE	GE 4	GE.	17 17) 	1 1	GE 1 1/4	٥			-GE 1/2	GE 5/16	GE. 17.4	Lui I
CEUL 58.5 58.5 58.6	:			:				• • • • •		:	•	•	• • • • •	• • • • • •	• • • • •	•	•
		-		58.6	10	58.6	58.6	80	æ	80	8	80	80	58.6	58.6	58.6	58.6
14000 72.2 72.5		1		69.3	69.5	69.5	69.5				69.5	69.5		69.5	70.0	69.5	69.5
1000 69.7 69.3 69.6 69.7				70.4	70.5	70.5	3.07				70.5	70.5		70.5	70.5	70.5	7.0.5
STOOL 69.7 89.4 89.5 89.7			ĺ	78.9	79.0	79.0	79.0	• •	• •	• •	79.0	19.0		0.61	0.6	0.6	0.67
STOON 91.1 91.2 91.2 91.5 91.6	1	12020		39.6	89.7	89.7	89.7	10.0	89.7	89.7	7.08	89.7	1967	89.7	89.7	89.7	89.7
Table 92.3 92.4 92.7 92.9	1			91.5	91.6	91.6	91.6	ۍاc	91.6	91.6	91.6	91.6	916	916	91.6	916	916
\$\$\text{\$\	- 1	•		92.7	92.9	92.9	92.9	N	92.9	92.9	92.9	92.9	92.9	92.9	92.9	92.9	92.9
STOOL 96.6 97.4 97.0 97.1 97.2 98.2 99.2				5.46	95.1	95.1	95.1	r)	95.1	95.1	95.1	95.1		95.1	45.1	45.1	1.00
400 97.5 97.7 98.1 98.2 9				II- I-	97.1		97.1	1: -		-:-		97.1		97.1	97.1	97.1	97.8
STOIN 977.7 977.8 98.2 98.5 99.5	l			loo a	98.2	1.	98.2	800	80 0	80 0	1 •	98.2	α α	98.2	98.2	98 • 2 0 8 • 2	98.2
Second 97.7 97.8 98.2 98.4 98.5 98.5 98.5 98.5 98.5 98.8	1		1	7 Ιω	4.86	. 1 .	98.5	80	2 2	8		98.5	æ	98.5	98.5	98.5	98.5
Suc 97.8 97.9 98.4 96.5 98.6 98.6 98.8 9	- 1	0.7		6 80	17 00	3 00	30	a	a	۵	98.5	5 80 ·	98.5	3,80	9,80	08.5	08.5
15UC 97.8 97.9 98.4 96.5 98.6 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.9 98.9 98.1 98.5 98.5 98.5 98.9 98.0 99.2 99.2 99.2 99.2 99.5 9		97.		98.4	98.5	98.6	98.6	œ	8	œ	98.8	98.8	98.8	98.8	98.8	98.8	98.8
12 Jr 97.8 98.1 98.5 98.6 98.8 98.9 98.9 98.9 98.9 98.9 98.9 98.9 98.9 98.9 98.9 99.2 99.2 99.2 99.3 99.5		97.		98°4 98°5	98.5	98.86 98.8	96.86 98.8	ထတ	8 8	8 8 8 •	98.8 98.9	98.86	98.86	98.86 98.9	6 - 8 6 8 - 8 6	98.86	98.86 98.9
10000 97.8 98.2 98.6 98.8 98.9 99.0 99.2 99.3 99.4 99.5 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.7		.16	İ	386	986	98.8	8.86	80	20	æ	98.9	98.9	686	98.9	6.86	6.86	6.86
RUE 97.9 98.4 98.6 96.3 99.3 99.3 99.5 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.7 99.7 99.7 99.7 99.7 99.7 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.9 100.0 <t< td=""><td>10 10 10 10 10 10 10 10 10 10 10 10 10 1</td><td>1000</td><td></td><td>98.6</td><td>98.6</td><td>98.9</td><td>98.9</td><td>60</td><td>0.0</td><td>99.2</td><td></td><td>99.2</td><td></td><td>99.2</td><td>99.2</td><td>99.2</td><td>99.2</td></t<>	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1000		98.6	98.6	98.9	98.9	60	0.0	99.2		99.2		99.2	99.2	99.2	99.2
50 93.1 98.5 99.0 99.2 99.5 99.6 99.6 100.0 10	14-14 C)	1		98.86	98.9	99.0	99.0	00	00	99.3		99.3		99.99	99.90	99.3	6.66
\$\frac{400}{400} \frac{98.2}{98.2} \frac{98.6}{99.2} \frac{99.2}{99.2} \frac{99.6}{99.6} \frac{99.9}{99.6} \frac{100.0}{99.9} \frac{100.0}{100.0}	50			3.66	3.66	99.5	98.5	6	0	1.66	. 1 •	1.66		1.66	1.66	1.66	1.66
3301 98.2 98.6 99.2 99.3 99.6 99.9 100.0 1	ب ب ا ا ا	1	ı		5.96	9.66	9.66		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
23F 98.2 98.6 99.2 99.3 99.6 99.6 100.0 10	9	1			99.3	9.66	9.66	• •	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
0 98.2 98.6 99.2 99.5 99.6 99.6 99.9 100.0 100.	بنا لي ت ت	- 1	1		99.5	99.5	99.60	• •	100.0	100.0	100.0	1000	100.0	0.001	10000	1 0000	10001
0 98.2 98.6 99.2 99.4 99.6 99.9 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	5			7	7	٠٠،	2.67	•	7))))	2	3	3))	,))
TAL MINDER OF OBSERVATIONS 172	6.	-86 lo	86	2.56	5.66	9.66	66		00:	9	8:	100	100.0	100.0	100.0	on:	100.0
	101						L	1		١	١	l				Ł	

AZ VISIBILITY IN STATUTE M GE GE GE C 1 1/2 1 1/4 GF GE GE T5.1 75.1 75.1 75.3 75.3 75.3 75.3 75.3 75.3 75.3 75.3	PERCLNIAGE FREQUENCY OF OCCURRENCE OF CEIL FROM HOURLY OBSERVATION NAME: FT HUACHUCA AZ Loc GE GE GE GE GE GE GE GE GE J 2 1/2 1/2 1 1/4 174 174 174 174 174 174 174 174 174 17	PERCENTAGE FREQUENCY OF OCCURRENCE OF CELL FROM HOURLY OUSERVATION NAME: FT HUACKUCA AZ 1.	ING VERSUS V	PERIOD OF RECORD: 77-86 MONTH: JUL HOURS(LST): 0900-	·····································	1 3/4 5/8 1/		1 67.1 67.1 67.1 67.1 67.1	75-1 75-1 75-1 75-1 75-1 75-1 75-1 75-3 75-3 75-3 75-3 75-3 75-3 75-3 75-3	75.7 75.7 75.7 75.7 77.4 77.4 77.4 77.4	83.7 83.7 83.7 83.7 83.7 83	92.4 92.4 92.4 92.4 92.4 92.4 92.4	2 94.2 94.2 94.2 94.2 94.2 94.2 94.2 94.	95.3 95.3 95.3 95.3 95.3 95	96.8 96.8 96.8 96.8 96.9	98	56 1.66 1.66 1.66 1.66 1.66 1.66	h*66 h*66 h*66 h*66	6 4.66	h.66 h.66 h.66 h.66 h.66	37.6 37.6 37.6 37.6	66 9°66 9°66 9°66 9°66 9°66 9°66	9968 9968 9968 9968	100.0 100.0 100.0 100.0 100.0 100.	100.0 100.0 100.0 100.0 100.0	100.0 100.0 100.0 100.0 100.0 100.0	100.0 100.0 100.0 100.0 100.0	0.00 100.00 100.0	
FROK VISIB 66 67.1 67.1 75.1 75.1 75.1 75.1 75.1 75.1 75.1 7	PERCENTAGE FREQUENCY OF FROM NAME: FT HUACKUCA AZ VISIB OF GE GE GE GE GE GE GE GE GE GE GE GE GE	STALLON NAME: FT HUACKUCA AZ STALLON NAME: FT HUACKUCA AZ STALLON NAME: FT HUACKUCA AZ STALLON NAME: FT HUACKUCA AZ STALLON NAME: FT HUACKUCA AZ STALLON S	OF CEIL		ITY IN STATUTE	E GE G /2 1 1/4	• • • • • • • • • • • • • • • • • • • •	7.1 67.1 67.	.1 75.1 75. :3 75.3 75.	.4 77.4 77.	.7 83.7 83.	2.4 92.4 92. 2.9 92.9 92.	4.2 94.2 94.	5,3 95,3 95,	8 96.8 96.	4 98.4 98.	.4 99 4 99.	. 99 44. 99 49.	66 h 66 h	. 99 4. 99 4.	• 66 0 66 0	.6 99.6 99 6 99.6 99	66 8.66 8.	0 100.0 100	100.0	100.0	100.0	.0 100.0 100.	
	PERCENTAGE NAME: FT HU ST-1 GE GE GE GE GE GE GE G	### ### ### ### ### ### ### ### ### ##	FROM	AL	VISIBI	E GE /2 2	• • • • • • • • • • • • • • • • • • • •	7.1 67.1	5.1 75.1 7 5.3 75.3 7	5.7 75.7 7 7.4, 77.4 7	1 83.7 8	4 92.4 9	6 6.46 6	95.3 9	.8 96.8 9.0 9.0 9	9 4.36 t	6 h.66 h.	6 4.66 4	6 h 66 h	6 4.66 4		9.66	99.8	100.001	100.0	100.001	105.0	160.0 10	

ATR	USAFEIAC AIR WEATHER SERVICE/MAC	C THER SERVICE/MAC	/HAC	,				r.RUM	חסוברי מפז	OBSERV	CNOTIA	,	-				710.5 31
NOTIATA	ON NIMBER:	FR: 72		STATION	N NAME:	FT	HUACHUCA	AZ				PERIOD	O.	RECORD: 77	-86		<u> </u>
			1 *]:	38.	(1.57):	1200-1400	000
CEILING	-				,	ز	1	긲][ارد	11 11 11 11 11 11 11 11 11 11 11 11 11	2	J.	98	GE	GE	GE
IN FEET		5t 10	6E 6	6E ร	5 t	9L 3	0t 2 1/2	0 F	1 1/2		1	۳,	5/8	172	5/16	174	0
•••••	• • • • • • •			:			• • • • • •	• • • • • •		•	•	• • • • • • • • • • • • • • • • • • • •		•	•	•	•)
NO CE	CE1 53.	3	58.3	58.3	58.3	58.3	58.3	58.3	58.3	58.3	58.3	58.3	58.3	58.3	.58.3	58.3	58.3
	- 1			70.2	70.2	70.2	70.2		70.2	70.2	70.2	70.2			70.2	70.2	7.0.2
	-			70.3	70.3	70.3	70.3	• 1	٠i	70.3	70.3	ok	اه	٠i٠	70.3	-10	7007
GE 16	165901 70 140961 72	70.7	70.7	70.7	7.0.7	70.7	75.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	
1	i			76.1	76.1	76.1	76.1			76.1	76.1	76.1	•	76.1	76.1	76.1	76.1
-	1	3	3	84.4	4.48	h • 58	h• 18	#• #8	# · # 8	7.48	7 7 8	h • h 8	7 7 8	7 9 4 8 7 9 4 8	300	7 · 78	7 0 7 8 7 0 7 8
1	- 1	8 6	۰٫۱	64.9	6.40	•	84.2	•1 •	يا:		ء ا:	r 19		9		86.2	86.2
הני הרי	30001 86 70001 86	ນແ	36.0	86.8 86.8	3 P P P P P P P P P P P P P P P P P P P	86.8 86.8	86.6		86.8	•	9	9		6.		86.8	86.8
1	1	8	6	88.9	6.38		8		æ	æ	80	8		88 • 9	88.9	88°.	6. 88 · 68 · 68 · 68 · 68 · 68 · 68 · 68
			15	96.2	96.2	96.2	96.2	96.2	96.2	6	10	96.2	٥١	96.2	96.2	96.2	96.2
				96.7	7.96	96.7	7.96	7.96	7.96	٥	91	٥	96.7	7.96	96.7	96.7	96.7
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35001 99	6 0.66	99.1	99.1	99.1	99.1	99.1	99.1 99.3	99•1 99•3	99.1	99.1 99.3	99.3	99.3	99.3	99:3	99.3	99.3
1	1		9	9.66	9.66	9.66	9.66	9.66	10	9.66	66	6	9*66	9.66	9*66	9 66	9.66
	1.		. و	9.66	9.66	9.66	9.66	9.66	9*66	99.66	66	99.6	99.6	99.66	99.66	99.66	9.66
65 2	2000 99	6 4.66	9.66	99.66	9.66	99.66	9.66	99.7	7.66	99.7		7.66	99.7	7.66	1	66	7.66
			0.	6.66	6.66	63.0	6.66	100.0	100.0	100.0	100.	100.0		100:0	100.0	100.0	100.0
	1		6	99.96	6.56	6.66	6.66	100.0	100.0	100•0	100	8	ċ	100•0	-	1.00	
	1	8.6	6.6	66.66	6.66	6.66	6766	100.0	100.0	100	100.0	ŀ	100	100,0		100.0	100.0
E C	8001 99	8.66	6.6	6.66	6.60	6.66	6.66	100.0	100.0	-		7	100.		1 00	100.0	100.0
6F	1			6.66	6.46	5.66	6.66	100.0	100.0	100			100.	.,	100	1.00.0	100.0
GE	1		6.6	6.66	6.66	6.66	6.66	100.0	'	100	"'		100	1001	100.0	100.0	100.0
9	405 95	99.8 9	6.6	99.9	6.56	6.66	6.66	100	100.0	100.0	100.0	7		7	10000	1 00 0	100.0
نیا ہے ک ک		ı. en	6.6	6.06	6.66	6.66	66.66	100.0	1 ~	1001	•	-	100	100	100.0	100.0	100.0
96	1	2	6.6	6.66	6.66	6.66	6.66	100.0	Γ	100	Γ		100	100	100.0	1 00 • 0	100°
SE	56 Ju	99.8	6.60	6.66	6.66	6.66	6.66	100.0	100.0	100.0	100.0	100.0	100.0			8	00
	•1		•				•										

AIR WEATHER SERV	C THER SERVICE/HAC				FRO	FROM	HOURLY OB	SERV	ATIONS		ı				
STATION NUMBER:	722733	STATION	N NAME:		FT Н ИАСНИСА	AZ				PERIOD	P				
:						VIS	IBILITY	IN STATUTE	HIL		100 :	10000	11217		
IN GE FEET 10	6 F 6	GE S	30	GE 3	6E 2 1/2			1	GE GE		6E 5/8	. GE 1/2	GE 5/16	. GE	GE
	:				:									1	
NO CEIL 39.5	39.5	30.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5
200001	60.8	60.8 50.8	60.3 60.3	60.8	60.8	60.8	60.8	60.8	60.8	60.8	60.8	8-09	809	60.8	8.09
6£ 1600C 60.8 6£ 14000 62.0	60.8	60.8 62.0	60.8	60.8	60.8	63.8	60.8	60.8	60.8	60.8	60.8	60.8	8.09	8-09	800
120001	67.4	67.4	4° L9	b.7.4	67.4	67.4	67.4	67.4	67.4	b.7.9	67.4	67.4	67.4	67.4	4.19
	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2
6F 8000 78.0	78.0	78.6	78.0	78.0	78.0	78.0	78.6	78.6	78.0	78.0	78.0	0.87	18.0	0.87	78.0
10029	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4
	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	1.96	1.96	1.96	1.96
4000 93.9 3500 98.9	99.0	0.66	0.56	99.0	D 66	0.66	0.66	99.0	0.66	0.66	0.66	0.66	0.66	0.66	D-66
h*66 acas	9.66	9.66	9.66	9.66	9.66	90.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66
GE 2500 99.4 GE 2000 99.4	9.66	99.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66	9.66
18051 99.4 1507 99.5	99.66	9.66	99.66	99.66	9.66	9.66	9.66	9.66	99.66	9.66	99.66	99.66	90.66	9.66	90.66
12301 99.5	99.8	8.66	9.56	8.66	8.66	8.66	8.66	8.66	8.66	8.66	9.66	8.66	8.66	8 66	8.66
GE 100C 99.6 GE 90C 99.6	5°66 6°66	6.66	6.66	6.66	6.66	6.66	66.66	99.99	6.66	6.66	6.66	6.66	6.66	6.66	6.66
800 99.6 7901 99.6	1	6.66		6.66	6.66	6.66	· (O)	6.66	63.66	6.66	6.66	6.66	6.66	6.66	6.66
8.69 n03	1	1	1	100.0	100.0	100.0	• 1 •	100.0	100.0	100.0	100.0	100.00	בממים	1.00.1	זמתית
6F 5001 99.8 1 6F 4001 99.8 1	100.0	100.0	106.0	100.0	100.0	100.0	100.0	100.0	100 0	100.0	100.0	100.0	100.0	100.0	100.0
200 99.8 200 99.8		i	1	1	1		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100 99.8	ł	l	1	ı	i i		100.0	100.3	100.0	100.0	100.0	100.0	100.0	1	100.0
6£ rl 99.8 1	000	00.0	100.0	100.3	160.0	100.0	100.0	100.0	100.6	100.0	100.0	100.0	0.00	0.00	0.00
TOTAL NUMBER OF O	ORSERVATIONS	IONS:	223												
	•														
		İ													

F RECORD: 77 Jul. HOURS(GE GE 5/8 1/2 5/8 1/2 55/8	RECORD: 77-86	
The Number Terms The Number The Number The Number Terms The Number Terms The Number Terms The Number Terms The Number Terms Term	RECORD: 77-86	
The color Color	L HOURS (LST):	ða.
CEIL 31.7	••••••••••	•
CEIL 31.7	GE GE 8 1/2 5/16	GE GE 174 D
CEIL 11.7 31.7		•
COURT Sec. B Se	1.7 31.7 31.7	31.7 31.67
10000 57.2	6.8 56.8 56.8 7.2 57.2 57.2	56.8 56.8 57.2
12000 30.2 80.2	7.2 57.2 57.2 9.1 59.1 59.1	57
COUC 30.2 80.2	9.99 9.99 9.99	99 .9
8000 82.2 82.2 82.2 82.2 82.2 82.2 82.2 82.2 82.3	0.2 80.2 80.2 1.1 81.1 81.1	80.2 80.2 81.1 81.1
Color Str.	2.2 82.2 82.2 7.3 82.3	82.
50.00 97.4 97.7 97.7 97.7 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 98.0 99.0 <t< td=""><td>9.4. 89.4 89.4</td><td>89</td></t<>	9.4. 89.4 89.4	89
4000 98.5 98.8 98.8 98.9 99.1 99.1 99.1 99.1 99.1 99.1 99.1 99.1 99.1 30.0	97.8 97.8 98.0 98.0	97.8 97.8. 98.0 98.0
3000 98.8 99.1 99.1 99.1 99.4 99.5 99.5 99.5 99.5 99.5 99.5 99.5	99.1 99.1 99.1 99.1	
25001 98.8 99.1 99.1 99.4 99.5 99.5 99.5 99.7 99.8 <t< td=""><td>5.66 . 3.66</td><td>66 5</td></t<>	5.66 . 3.66	66 5
1500 93.6 99.1 99.2 99.5 99.7 99.8 90.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	9.5 99.5 99.5 9.7 99.7 99.7	99.5 99.5
12Un 98.8 99.1 99.2 99.5 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.8 90.0 98.9 99.8 99.8 99.8 99.8 90.0 90.0 99.0 99.8 99.8 99.8 90.0 90.0 99.0 99.8 99.8 90.0 90.0 99.0 99.8 99.8 90.8 90.0 90.0 99.0 99.8 99.8 90.0 90.0 90.0 99.0 99.8 99.8 90.0 90.0 90.0 99.0 99.8 99.8 90.0 90.0 90.0 90.0 99.0 99.8 99.8 90.0 90.0 90.0 90.0 90.0 99.0 99.8 99.8 90.0 90.0 90.0 90.0 90.0 90.0 99.0	7.66 7.66 7.6 7.66 7.66 7.6	
1000 98.9 99.2 99.2 99.4 99.7 99.8 90.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 90.8 90.8 99.8 99.8 90.8	1 99.7 99.7	1.66 1.66
8U0 58.9 99.2 99.2 99.4 99.7 99.8 99.8 99.8 99.8 99.8 99.8 99.8	6 99.8 99.8 8 99.8 99.8	99.8 99.8 99.8 99.8
6001 98.9 99.4 99.4 99.5 99.8 100.0	8 99 8 99 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ထ ထ
500 98.9 99.4 99.4 99.5 99.8 100.6 100.0 1	.0 100.0 100.0 1	0.00
3.00 98.9 99.4 99.4 99.5 99.8 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	100.00 100.00 100.00 1	1,00.0 100.0 '9.0 100.0
230 98.9 99.4 99.4 99.5 99.8 100.C 100.0 100.0 100.0 100.0 100.0 100.0	0 100.0 100.0 1	0.0 0.00
100 98.9 99.4 99.4 99.5 59.8 100.0 100.0 100.0 100.0 100.0 100.0 100.0	0 100.0 100.0 1	0.00
GE 01 98.9 99.4 99.4 99.5 99.8 100.0 100.0 100.0 100.0 100.0 100.0 100.0 10	0.0 100.0 100.0	
HTER OF OBSERVATIONS: 650		

***	1		• 1	0	•]	41.60	58.7 58.7	58.7	.65.6	77.4	79.7	1.06	95.8	98.1	1.66	99.5	99.5	100.0	100.0	100.0 100.0	100.0	100.0	100.0	100.0	100.0	,	i
		2100-2300		7,4		41.0	58.7	58.7	65.6	77.4	19.7	90.1	95.8	98.1	1.66	99.3	99.5	100.0	100.0	100.0	1.00.0	100.0	100.0	100.0	100.0	·	
	48	ST1:		5/16		41.0	58 • 7 58 • 7	58•7 60•1	9 • 59	77.4	19.1	90.1	95.8	98.1	1.66	99.3	99.5	100.0	1;	öo	0	188	100.0	88	100.0		
LITY	Ph. 77-	HOURS	:	9E 1/2		41.0	58.7 58.7	58 • 7 60 • 1	65.6	77.4	19.7	90.1	95.8	98.1	99.1	99.3	99.5	100 0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
.VISIBILLITY	OF RFCO	JUL		.6E. 5/8	• ,	41.0	58.7	58.7	65.6	77.4	7.9.7	90.1	95.8	98.1	99.1	99.3	99.5	100.0	100.0	100.0	100.0	100.0	100,0	100.0	100.0		
VERSUS	PFRION	ONTH	: 0	3/4		41.0	58.7	58.7	65.6	77.4	79.7	90.1	95.8	98.1	99.1	99.3	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
OCCURRENCE OF CEILING HOURLY OBSERVATIONS			a:1411	35.		41.0	58.7	58.7	65.6	77.4	19.1	90.1	95.8	98.1	99.1	99.3	99.5	100.0	100.0	100.0	100.0	100.0	100.0	120.0	100.0		
NCE OF OBSERVA			IN STATUTE		۱ 🔺	41.0	58.7	58.7	65.6	77.4	79.7	90.1	IN 4	98.1	0 0	99.3	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	150.0		
OCCURRE HOURLY			<u></u>	GE 1 1/2	. •	41.0	56.7	58.7	65.6	77.4	79.7	90.1	95.8	98.1	99.1	99.3	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	1	
ENCY OF FROM	1	A.C.	IS	6E 2	•	41.0	58.7	58.7	65.6	77.4	19.7	90.1	95.8	98.1	99.1	99.3	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
E FREQUENCY FR	4 C	ОАСИОСА	:	GE 2 1/2	•	41.0	58.7	58.7	65.6	77.4	79.7	90.1	95.8	98.1	99.1	99.3	99.5	100.0	100.0	100.0	190.0	190.0	100.00	130.0	160.0		
PERCENTAGE		- 4	:	5E 3		41.0	တြလ	58.7	ט וע	77.4	79.7	• ! •	I to 4	98.1	olo	99.3	99.5	100.0	100:0	100.0	100.0	100.0	100.0	100.0	100.0		
Эd		ON WANE:	• • • • • •	GE 4		41.0	58.7	58.7	65.6	- α	79.7	4 IO	95.8	98.1	99.1	0.0	5.66	NO	195.0	100.0	100.0	190.0	100.001	100.0	100.0		-
исн		SIAIION	:	36. 3.	•	41.0	80 0	58.7	S.	77.4	79.7	90.1	In 4	97.6	~ l∞	99.1	2.99	8.66	0.0	8 66	VIO.	00	3.66	0.10	8-66	OPSERVATIONS	
OGY BRANCH	[] 	722753	•	6E 6		40.8	58.5	58.5	65.3		79.5	• •	I CO U	97.2	-11-		98.3	• •		98.8	• •	800	8.86	0100	38.8	1	1
CLIHATOLOGY C	HER SER	NUMBER:		6E 1	•	8.04	1	28.5		77	196	သူထ	95.	96.9	0 97.	10.0	0 98.1	- 6	93	9.86 10	98	93	0 98.6	98.	9.86 10	1 1 1 H	
GLOBAL CLIHA USAFETAC	R WEAT	STATION	EILING	IN FEET		NO CEIL		6E 160001	ı	~	3000	10009 3	500	E 400	300	250	GE 1800	E 120	~	66 830			6E 300		96	O TAI N	2

				(2) (2)											1					بنسة			<u> </u>	<u> </u>	
			0		51.1	66.5	68.3	74.1	84.1	86.7	£-06	96.7	po a	99.3	2.00	99.5	99.66	9.66	99.4	8.66	nen.	100.0 100.0	100.0	ומתית	100.0
	ALE		ם פ	• • • • • • •	51.1	66.3	66.7 68.3	74.1	84.1 84.7	86.0 86.7	7-06	96.7	7.86	99.3		99.5	99.66	9 * 66	99.7	99°8 99°8	l	100.0	100.0 100.0	n • nà I	100.0
	6 ST):	•	GE 5716	• • • • • •	51.1	66.3 66.5	66.7	1:1	84 • 1 84 • 7	86.0 86.7	1.06	96.7	1.86	99.3		99.5	9.66	9 6 6 6	99.66	1	1	100.0	1	1 .	100.0
ITY	D: 77-86 HOURS(LST)	•	6E 1/2	:	51.1	66.3	66.7	74-1	84 • 1 84 • 7	86 • 0 86 • 7	1.06	96.7		99.3		99.5	99°5 99°6	9.66	99.1	1	1	100.0	1	1	100.0
VISIBILITY	OF RECORD: JUL HO		GE 5/8	:	51.1	4	- m		84.1 84.7	86.1	1.06	96.7	98.7	99.3	,	99.5	9.8°5	9.66	99.1	99.8 99.8	100.0	100.0	1		100.0
VERSUS	PERIOD O		GE 3/4	:	51.1	9 9	66.7	4	84.1	86.0 86.7	7.06	96.7	98.7	99.3		99.3	9 • 66 9 • 66	9.66	99.1	1	1	100.0	i i	1	100.0
CEILING	۵	E HILE	6E 1		51.1		66.7		84.1	86.0	T.06	96.7	7.86	99.3		99.3 99.5	9°66 5°66	9.66	1	ω α	1	100.0	i	1	100.0
ERV		1 •	1/65		51.1	lo o	68.3	37		86.0	1 •	7.96	98.	98.8	. 1	99.3 99.5		•			0.0	1	100.0	1	100.0
OCCURRENCE HOURLY OBS		ILITY IN	1		51:1	66.3	. 0	74.1	84.1	86.0	7.06	96.7	98.7	98.8	. 1	99.3	98.66	9.66	10-0	99.8	, ID	1	100.0	1	100.0
P 0 0 H	2	SIB	2		51.1	66.3	66.7	74.1	37 37	86.0	(C)	7.96	98.7	98.8	,	99.3	50	6	1 • •	99.8	• •	0.0	160.0	0.0	100.0
FREQUENCY	HUACHUCA A		6E		51.1	66.3	666.7	74.1	84.1	86.0	7.06	96.7	98.7	98.8		4°66	49.66	9.65	7.96	1.66	6.66		6.66		6.66
PERCENTAGE	FI HU		GE	1:	51.1	56.3	66.7	74.1	84.1	86.0	2006	9.96	98.7	98.8	• ` `	4.66	99.4	9.66	99.6	4.66	6.66		6.65	-1-	6.66
PER	NAME:		95	:	51.1	66.3	66.7	74.1	84.1	86.0	96.7	ျပား	~ x	98.8	3. ()	99.3	99.3	9.56	0.0	3.56	ンしゃ	6.0	9.66	0	99.6
#3	STATION		GE		51.1	\$	66.7	5	84.0	86.0	90.7	9.96	97.0	98.7	7.46	יסו	99.3		3.66	9996	7.66	00	2.66	, 0	7.66
CLIMATOLOGY BRANCH C THEB SEBVICE/MAC	722730		SE.		51.0		66.1	• 1 •	84.0	85.9	9.06	96.5	96.9	98.6		99.0	99.1	99.3	100	h • 66	> 10	3.66	5 66	99.5	99.5
INATOLO	UMRER:		GE	3	51.0	66.2	66.6	74.0	100 0	85.8	حاء	9	တစ	p. 36	φ.	98	98.8	99.	66	99.1	66	65	99.2	99.	36.6
GLOBAL CLIMAT	AIR WEATHER SER STATION NUMBER:			EE I	כנור ו		160001		-	10008		25	2 5	3500	ว	1	1800	1	-	1006		S	10		13 3
6L:	ST		ا اند		02	96	2 0	200	. G.F.	1 C	GE	33	10 C	35	2	35	9 (30	35	9 6	50.0	33	90	62 6F	39

()	13	1	1	آ	المستلانة	مسيت	ا	منتيته	سنست	1					Ī	Ï	ستنا	1	1	<u> </u>	<u> </u>	i	1.	i ·	1	T	***************************************	Г
			1					,		,	-			,	;						, ,		. :					
			1	٠ _		9	2	n n	í	mun	; + O					. m en	m o		, N	~ ~			- 0				-	
		00		10 E	• · · · · · · ·		736		. ●	99.8	93.	1 4 6	96.8	97.	98	98.8	86.0	98.	99.2	66	66	66	99.99	100	100.0	ľ l	-	
		0600-0800		1/4	•	67.6	73.7	74.3	80.5	91.6	94°0 94°0		96.8	97.6	98.5	98.8	98.80	98.9	99.2	99.3	9.66	9.66	99.9	100.0	100.0			
	9	ST): 0		6E 5/16	• • • • • •	9.19	73.7	74.3	80.5	89.8	93.4	9.4.6	8.96	6.16	98.5	98.8		• •	1 • •	99.3		9.66	99.9	100.0	00.00			
17	77-8	URS (L		GE 1./2		7.6	73.7	4 5 . 3	0.5		93.4		96.8 96.8	7.9	8.5	80 80	80 80	80	99.2	9.3	9 %	9.6	99.99	l	00.0		,	
SIBILIT	RECORD	¥ :	Ì	578		9	7	w w	S	8.5	+ O		8 8	66	R)	8.8	80	6	25	2 2	ٔ وا	9 ~	r. 6		0		<i>:</i>	
ERSUS VI	o.		1		•		73	75	80		93.		96 8			9 9 8	00	6	00	66	6	66	66	100	100			
>	PERIOD	S .		3/4 3/4	•	67.6	73.7	3 K	10	99.6	93.4	3	96.8		1 •	98.8	œ a	6	99.5	99.3	9.66	99.66	99.4	100.	100.0			
CEILING			FHI	9E	•	67.6	73.7	5.0	ŀ	89.8	93.4		8°96 8°96			98.8				99.3			6.66	١.	100.0			
ERGE			S	GE 1/4	• • '* • • •	67.6	73.7	5	0	89.8	93.4	94.8	96.8 96.8			98.8	ω α	80	100	99.3	10	99.6	99.7	000	0.001			
OCCURRENCE HOURLY OBS			H	6E 1	•	67.6	73.7	5.	6	19.8	93.4	8 - 4	96.8 96.8	7.9 7.9	8.5	98.8	80 %	8	99.2	9.3		9.	99.9	0	0.0			
OF OC ROM HC			18181	E 2 1	•	9 9	7.	ii ii	5	1.6			ထထ	6.	.5	α α.	80	6	2.5	10 1	9	9.	2.6	.0	0			-
DUENCY OF FROM	A AZ			9	•	67	73	7	8	00	0.0	6	96 8	6 6	0	98	0	16	00	66	6		66		0 100			
E FRCQU	FT HUACHUCA			GE 2 1/2	•	67.6	73.7	74.	90.	89.8	93.4	16	96.8 96.8	976	96	96.8	98.	98	99.2	99.	9.56	99.66	99.9	100.0	100.0			-
PERCENTAGE	-		١	ge 3	•	67.6	73.7		6	89.8	93.4	8.46	96.5	97.9	98.5	98.8	٠.	-1 -	99.2	99.3	90.6	9.66	99.9	130.0	100.0			
P E R	STATION WAMES			e E	• • • • •	67.6	73.7	74.3	80.5	89.8	93.4	8.46	96.8 96.8	6.16	98.5	9.36	98.8	96.9	100	99.5	Alor	9.56	6.66	0.00	100.0	748		
_	STATION		- 1	GE 5	•	67.6	73.7	74.3	30.5	89.8	93.2	34.5	96.5 96.5	77.6 97.6	98.3	98.5	100 0	ોજ	98.6	99.1	39.3	n s	9.66	7.	99.7 1	1		
CLIMATOLOGY BRANCH C THER SERVICE/MAC				6E 6	• • • • •	9.	7	n n	5	89.8	i		v v	9 9	3	3 3	3 4) in	ωω	60	2	25	99.3	5	9.	ERVA		
OLOGY ERVICE	R: 722			ا ت		19 9	7 73						mm	76 5		1 98 1 98	İ	3 98		86 7					66 2	<u></u>		
LIMAT HER S	NUMBE			 	•	1	1 73.7	1	ł	91.0	1	1	96	97.	98	98.1	0 0		1	93.7	1		99.1		66	1 1		
GLOBAL CLIMATOLOGY BRAN USAFETAC AIR ZEATHER SERVICE/MAC	STATION NUMBER:		NING	IN FECT	•	CEIL	200001	16000 14000	12000	100001	8000 7007	9 000	1003h	400 <i>h</i>	3500	25001	1800	1230	1000	100g	909	500 400	3001	100	10	1 1		
GL(US)	\$118		CEI	F	•	ON	0 0 0 0 0	بنا لبنا 2 ق	GE	0 0 0 0	7. D	39	90 00 01	ວ ເກີນ ເກີນ	39	0.E	S F	3 3	6 G	بن البا الباري	6E	11 11 C O	6F 6E	9 E	95			

And the second of the second o

												34.7	() () () () () () () () () ()				7-2	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				-		· · · ·		14.75 13.75 14.75	
	0		10 39		73.4	80.0 80.2	80.5 80.9	J .	92.1	9.4.6	0.96	97.4 97.8	₽.86 ₽.86	69.3	9.66 h.66	99.66	1.66	6.66	6.66	6.66	100.0 100.0	100.0 100:0	100:0	100.0			,
, , , , , , , , , , , , , , , , , , ,	900-1100	. •.	6E 174		73.4	80.0 80.2	80.5 80.9	84.7	92.1	94.8 95.0	96.0	97.4	l • •	99.3	9.66	9.66	1.66	6.66	ه ۱۰۰		00.00	l	00.00	100.0			ŕ
	-86 (LST): 09	•	GE 5/16	•	73.4	80.0 80.2	80.5	i.• -	92.1 93.0	94•8 95•0		97.4	4°86	99.3	9°66			99.9	6.66	6.66	0000	00	00.00	100.0			
2112	77 JURS		6E · 172	• • • • •	73.4	66	80.5 80.9	3		94.8		97.4			00		6	99.9	6.66	6.66	00.00	00	0.00	100.0			
VISIBLEILE	OF RECORD	, -	GE 5/8	• • • • •	73.4	80.0 80.2	80.5 80.9	84.7	22	94.8 95.0	6	97.4	5.8°4 98°4	99.3		0	6	99.9	6 6	6	00.00	0.0	0.00	100.0			
VERSUS	PERIOD (\$	GE 3/4	•	73.4	80.0 80.2	80.5 80.9	84.7	92.1 93.0	94.8 95.0	0.96	97.4 97.8	4.86 98.4	99.3	9°66 4°56	9.66	10-	99.9	6.66	66.66	100.0	00.00	00.0	100.0			
TIONS	7	TE MILE	-		73.4	80.0 80.2	80.5	84.7	35	94.8 95.0	6	97.4	4°86		◆><	3.66	6	99.9	6.00	6.66	00.00	00	0.00	100.0			
ERVA		N STATU	W/		73.4	80.2	40.5 80.9	84.7	3.5	94.9 95.12	9	97.4	98.4	6	9.66	00	5	99.99	6.66	6.66		0 0	0	100.0			
HOURLY OBS		ILITY I	-		73.4	60	80.5	3		94.8	•	97.4	20 80	6	9°66	0 0	6	6.66			00.00		0.00	100.0			
FROM	AZ	VISIB	12		73.4	80.2	80.5	2.49	92.1 93.0	94.8	0.96	97.4	ിന ന	io.	, 4.66	9.66	1.66	6.66	6.99	6.66	100.0 100.0	100.0 100.0	100.0	160.0			
FREGUENCY	FT HUACHUÇA		GE 2 1/2		73.4	80.U	80.5 80.9	7.48	92.1	94.8 95.0	96.0	97.4	#*86	99.3	9.66	9.66	7.66	99.99	6.66	6.55	160.0		1	100.0			
PERCENTAGE	- 1		GE		73.4	80.0 80.2	80.5	84.7	92.1	94.6	0.96	97.4	486	99.3	9°66	9.66	1.66	99.9	6°66	6.66	100.0	1	1	100.0			
PER	STATION NAME:		30		73.4	86.0 80.2	80.5	84.7	92.1	94.8	96.0	97.4	4°36	5.66	9.66	9.66	1.66	99.9	6.86	6.66	166.0	i	i	100.0	156		
H CH	- 1		39 22		73.4	80.0 80.2	80.5	84.7	92.1	94.8 95.0	96.0	97.4	98.4	99.3	9.66	9.66	7.66	99.66	6.65	6.66	100.0 109.0	100.C 130.E	100.0	160.9	TIONS:		
JGY BRANCH	722730		GE 6		73.4	80.0 80.2	80.5 83.9	84.7	92.1	94.8	3.96	97.4	4.86 4.86	99.3	9.66	9.66	1.66	6.66	6.66	6.66	6.66	6.66	6.66	39.9	OBSERVATIONS	-	
CLIMAIOLOGY C THER SERVICE	VUNBER:		1.7 1.7		73.4	1	80.5	3	92.1	1	1	97.4	ı	1	h.66	Į		9.66	ı	1	9.66	9.66	9.66	9.66	NUMPEP OF		
GLUBAL CLIMATOLOGY HKAN USAFETAC A.IK WEATHER SERVICE/MAC	STATION NUNBER:	EILING	IN FEET		CEIL I		140001		10000		1	50001		1	25001 2000		1		1008		1304 1304	30 20	10		TOTAL NUM		
A U.S.	S	3	1 -	:	ON	10 11 11 11	19 19 19 19	15	6.E.	30 90 81	99	GE GE	. G	66	96 96	50 C) C)	39	7. O	19 19	99	65.5		G.F.	GF	1.0		

GE GL GE GE GE GE GE GE GE GE GE GE GE GE GE	AZ VISIBILI VISIBILI 6G.0 60 72.4 72 72.6 72 72.6 72 72.7 73	TAN STATUTE					a a
6E 6L 6E 6E 6E 6E 72.4 3.7 72.4 72.4 72.4 72.4 72.4 72.4 72.4 72	VISIBILI 0	IN STATUT	PERIOD MONTH	O OF RECORD: Y	40: 77-86 Hours (LS	1) 1 12	0-1400
60.0 60.0 60.0 60.0 60.0 60.0 60.0 60.0 72.4 72.4 72.4 72.4 72.4 72.5 72.6 72.5 72.5 73.7 73.7 73.7 73.7 77.4 77.4 77.4 77.4 17.4 87.4 87.4 87.4 87.7 88.0 88.0 86.0 68.0 88.0 88.0 86.0 68.0 88.0 98.0 80.0 90.6 90.6 90.6 90.6	6E 1 1 60 60 60 72 72 72 73 73 73 73 73 73 73 73 73 73 73 73 73		HILES		••••	••••	
60.0 60.0 60.0 60.0 60.0 72.4 72.4 72.4 72.6 72.6 72.5 72.5 73.7 73.7 73.7 73.7 73.7 73.7 73.7 73	60.11 60 72.4 72 72.6 72 73.7 73	1 1/4 1 1/4	GE ()E	₩ ~ i	, 2 / 2	05 716	174 174
60.0 60.0 60.0 60.0 72.4 72.4 72.4 72.4 72.5 72.5 72.5 72.5 72.7 73.7 73.7 73.7 73.7 73.7 73.7 73.7	60.0 60 72.4 72 72.6 72 73.7 72.7	• • • • •				• • • • • •	
72.4 72.4 72.4 72.4 72.4 72.5 72.6 72.6 72.5 72.5 72.5 72.5 72.5 72.7 73.7 73.7 73.7 73.7 73.7 73.7 73.7	72.4 72.5 72.7 72.5 7.27 7.27 7.27 7.27 7.27	0.00	0.03 0.09	0.09	60.0	9:09	0.09 0.09
73.7 72.1 72.7 72.7 73.7 73.7 73.7 73.7 73.7 73.7	72:7 72	72.4	2.6 72.	727	×~	2:0	200
77.4 77.4 77.4 77.4 87.4 87.4 87.4 87.4	8. A.	73.7	3.7 73.		73.7		
87.4 87.4 87.4 87.4 87.7 87.7 87.7 88.0 88.0 86.0 68.0 88.0 88.0 80.0 90.6 90.6 90.6		41.4.4	***	-	`	17:4	
A8.0 88.0 86.0 66.0 88.0 88.0 80.0 90.6 90.6 90.6	87.4 87 87.7 87	87.4	7 87.	7 87.1	87:4	7:18	07:4 87:4 07:7
9.06 9.06 9.06	8 0.89	0.88	98	80	p c) p::	Ĩ
	06 9:06	2.04	2				Ī
2 96.3 96.3 96.3 96.4 96.	95.0 95.	96.30	3 96.	1.96 r	96.3	0:36	95.0 95.0 96.3 96.3
3.6 56.6 93.0 93.0 93.0 99.1 99.1	9 1.66	6.06	96 1	96.	1:6		
4 99.7 99.7 99.1 99.8 99.	.64 D: 96	26.8	66 8.	66	F .	=	ļ
09.66 9.96 7.96 7.99 7.96 1.996 99.69	60	90.66	06 6 0	6.66 6 9.66 6	9.66		6:66 6:66
66 0.68 1.40 1.66 1.66	99.8	99.66	66 6	99.	-	0	•
99.8 99.8 99.8 49.66	.00 .00 .00.	45.0	.001_0.	100		0:0	1.0.1
6 79.8 99.5 99.8 99.9 99.	99.99	4.00	001 00	100	0.0	200	00.00
6 97.8 99.9 99.	66 6		0 100	0 10010	000	000	000.0
3 39.8 90.4 99.0 98.6 39.	.44.404.	9.66	. a1.oa.	ing.	1 0:0		00.00
9.66 9.66 9.66 9.66 9.66 9.66 9.66	66 6.68	99.9	00.0 100.0	0 100.0	1 0.001	00.00	0.001 0.00
30.00 9.00 9.00 9.00	1.66 A 66	6.44	ָּהָ רְהָּהְיּהְיִהְיִהְיִהְיִהְיִהְיִהְיִהְיִהְיִהְיִ	98	0	-	1001 0.0
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	20 0. 46.	T-0.00	001_0	1001			innla.u
6.66 6.66 8.60 3.66 8.60 9.66	0.60 0.66 0	01 6.64	סים יחת:	range	1.00.01	10.00	00.0.1.00.0

2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S CERUTAL	USAFETAC ATTO UP THIND SERVICE THAT														
STAFION NI	NUMBERS	722755	STATIO	STATION NAME:		rt nokanuck	. Zy				PERYOU	OF RECOR	DI TY	=	170	0
		• • • • • • • • • • • • • • • • • • • •					21.01.0	¥ 1	UL STATU	:::	S	-	1 0 0 0 0 0			• • • • • • • •
CEILING	111	 	7,7	15	gr	F		15	g	OL	į;	٠٠	10	30		9
	1.0	و.	· ·	1:	~	2/12	~	1 1/2			"	0/6				***************************************
0 0511	42.3	42.3	42.3	42.3	42.3	42.3	42.3	12.3	42.3	112.3	42.3	12.3	42.3	42.3	42.3	187
		49.2		5.83	68.2	68.2	68.2	<u> </u>	6	i.				300	iec e	20.0
J W	63.5	68.5	23.0	60.0	69.5	599	68.5	2000	2000	5 89 89	200	0.00		-10	68.8	1 -
L,	99		دی د	3 0 3 0 4 0	0 = 0 0 0 0 0	0 0	300				6	ċ	-		-]	-1
6E 12CON		75.4	m	73.4	73.4	73.4	73.4	-	-	-	2	73.4	h · 5 /	; !	5	- 1
-	84.	94.4	15	8.4.4	10.00	12:	h . h @	1::	= =	l - 4	3.4.5.4 1.5.4.4	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	H . H	3 . H & S.	± -4 - 43	
1) CE 9CD (1)	85.1	85.1	05.1	1.50	85.0	9.58	9.59	12:51	9:58	2.58		0.50	93.6	ر ها		
		35.6	; L	9.5	9.59	S	92.0	ر. اد:	د	رُ ورد	å,	0 2 2	0.00		-6 -	
1	48	18.2	lec .	88.2	88.2	8	88.2	=	.	• =	•	9 0 0	3000) B
2	95	าไมา :	SS -	5.26	95.3	95.3	95.3	15	20.00		95.3	2 8 9 2 6 0	95 . 3 96 : 0	20.90	20.00 20.00 20.00	96.0
פני מצרטו	95.8	95.9	96.0	1.00	00.00	0.66	1	Die.		5	<u>.</u>	-	•	> 0		
. M	9.6	100	0	2006	99.5	2.86	- è			• (• . • ! c		• ii • io			
	5	15	į O	9.66	9 • 66	y•66	٥	-	;	;		:				i
E 25U	.96		6	0.5	666	6.00 6.00	6.00	6.66	000	000	00.00	00°	99.9	99.0	99.9	0.00
GE 2000	1.66	2000	99.66	99.9	6.66	0.66				* •	6	•		-	> 2	50
125.1	65			3	• •	- • €		• 3	Si:	•	۔ وارم	-: -::0	•8 •		ئے!	5
120	99.	5.66	6	8.00	•	•		•	•	•]	•	: [THE PERSON NAMED IN		***	
12.	.56	1:0	1 •	100	50		0.00	9.00	6.66	99.99	99.99	9.66 89.9	000	1 20.00		100.0
65 90°	3.05	39.5	9.66	20.0	99.6	6.66		- -	٠. (: • (c) (-	55	35		000
ı Lı	99	20		-	3	• ;	c. /	- i	٠ : :	زدد	و لات تاريخ	ا جنز	3,5		1.00.1	2
2,1	47.	9	•	ċ		•		-		• }	: [, '	and Security of the second	
N S	66	6	6	5	: .	5		500	00	6.46	99.9	00 00 00 00 00	2001	200.0		
2	66		۱. با	٠.	• ,	د د	٠,			ĸã .	} •	il.	•		00	m
300			9 9	# 43 * 6 6 6	* o · o · o · o · o · o · o · o · o · o		600				0	o i	919		• 🕯	3
, L	60	5	6			1		Ċ.	ċ	*	÷	 -	100.0	•	•	
		3 65		2.7.0	0.00	0.00	6,06	9.00	6.66	4.00	6166	0.00	100.0		is.	0.001
	- ^ -	•		•	۰	٠				-				* * * * * * *	4	•

,

	100 0F R NTH: AUG F,4 5 / 3 41:	2	
10 10 10 10 10 10 10 10	5/8 5/8 3 41.3 4	RS(LST): 1800-	000
11 12 12 13 14 15 15	3 41.3 4	• • • • • • • • • • • • • • • • • • • •	
	3 41.3 4	GE GE 2 5/16 1/	0 CE 0
	41.3 4 7 70.7 7 71.2	•••••••••	
Substitute 70.6 70.7 7	7 70.7 7	2 41.3 41.3	41.3
10.00 71.0		2 70.	70.7
COUCE 74.6 74.6 74.7	71.2 71.2 71.	2 71.2	
84.9 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 85.3 85.2 96.2 96.5 <th< td=""><td>14.7</td><td>4.4.4</td><td></td></th<>	14.7	4.4.4	
86.3 66.4 86.5 96.5 96.5 96.5 96.5 96.5 96.5 96.5 96.5 96.5 96.5 96.5 96.8 <th< td=""><td>84.5 84.5 84. 85.3 85.</td><td>73 8.18 B</td><td>81.28 21.28</td></th<>	84.5 84.5 84. 85.3 85.	73 8.18 B	81.28 21.28
99.0 90.0 90.0 90.2 91.4 94.5 94.5 90.2 90.2 90.2 90.2 90.2 90.0 94.2 94.2 94.5 94.5 94.5 94.5 94.5 94.5 94.5 94.5	5.9 d5.9 8	5 26.5 86.	
94.2 94.2 94.4 te to fine 54.5 94.5 94.5 94.5 94.5 94.5 94.5 94.5	6 3.06 2.0	2 90.2 90.	Ĩ
98.1 98.4 98.5 98.6 98.6 98.6 98.6 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 98.8 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.9 <th< td=""><td>5 94.5 94 2 95.2 95</td><td>5 94°8 95</td><td>94.5</td></th<>	5 94.5 94 2 95.2 95	5 94°8 95	94.5
98.8 99.1 99.3 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.9 <th< td=""><td>9.8.9 0.8.8 9.8.0 0.8</td><td>0 98.8 98.</td><td>~ ~</td></th<>	9.8.9 0.8.8 9.8.0 0.8	0 98.8 98.	~ ~
98.8 99.1 99.4 99.4 99.9 99.9 99.9 99.9 99.9	66 9.66 9.6	° 66 .9°66 9	Î.
98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100.0 100 98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100 98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100 98.8 99.1 99.4 99.4 99.9 100.0 100.0 100.0 100	99.9 99	9 99.9 59.9 0 100.0 100.0	96.9 1001
98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100 98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100	100.0	0 100.0 100	001
000 98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100.0	0 100.0 100	0 1 00.0 1 00	198
	100.0	0 100.0 100.	100
	100.0 10	0 100.0 10	<u> </u>
ni 98.8 99.1 99.4 99.4 99.9 95.9 100.0 100.0 100.0 100.	100.0 100	0 100.0 100.	
98.8 99.1 99.4 99.4 99.9 99.9 100.0 100.0 98.8 99.9 100.0 100.0	100	100	100.0
26 93.3 99.1 99.4 99.4 99.9 99.9 100.0 100.0 100.0 100.	100.0	0 100.0 100.0	100
UDI 98.8 99.1 99.4 99.4 99.9 99.9 1UB.O 100.U 1UO.O 1RD.	0 100.0 100	0 100.0 100.	Ser Ser
C 93.8 99.1 99.4 99.4 99.9 90.9 100.0 100.0 100.0	100.0 100.0 100.	0 100.0 100.0	0.001

1 - mary mark and a second

	CLIMATOLOGY BRANCH	- E	PERC	PERCENTAGE	FREQUENCY F	P 20	SCCUKKEN OF SCOUNTS OF SCOOL SECTION OF	GE OF C	TONS	200					,	T
USAFETAC AIR ALATHER SERVICE/HAC	/ICE/HAC							-		X A R Y A R	11.12.12.14.14.14.14.14.14.14.14.14.14.14.14.14.	H. C. C. S. S.	7			7
STAFION NUMMER:	722750	STATION	NAME:	FT HUA	FT NUACHUCA A2	7				HONTH	AUG HOURS	HOURS (L	ST): 2	100-2300	• • • • • • • • • • • • • • • • • • • •	
						VISIBI	LITY IN	STATUT	• W				ŀ	ļ	90	
- 1	39	O.L.	15	1	1	; l;	35.	7,7	1 GE	3.7.4 3.7.4	35 578	GE 1/2	126	3.7	ŀ	
10	9	נו	3		7/17							:	:			
-	1,0	2.25	5.2.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53,3	53.3	53.3	2.50	23.5	
	23.5	7.00			110	ļ~			71.9	Ŀ		6.14	41.0	72.9	71.9	-4-
GE 2000C 71.9 GE 18FOC 72.1	71.9	71.9	72.1	72.1	72.1	72.1	72.1	72.1	72.1	72.1	72.1	72.1	1:21	1:24	16.1	Ė
ı	72.1	72.1	72.3	72.3	72.3	1001	72.3		72.3	مان	\sim	72.3	0.94	0.91	76.0	
120021	76.0	76.0	76.0	16.0	16.0	16.0	•	•				4 30	- 14	4664	96.4	T
8 100001	86.4	86.4	p. 98	86.4	86.4	6	86.4 86.6	4 · 9 · 9	86 • 4	3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	86.4 86.6	86.6	36.6	96.6	86.6	Í
GE 90001 80.6	86.6	86.6	86.6	87.5	87.5	87.5	87.5	87.5	87.5	87.5		87.5 88.0	- 20	0.03 0.03	88.U	
70007	7 P. C.	88.0	8 4.0	88.0	0.88 0.00	æ o	• •	- 6	• •	89.6		89.6	0	9.68	9.68	
8 2009	9.68	9.68	87.6	9.69	0 . 70			-	١.	97.1	:	:	1016	ŀ.	1.16	ŕ
12005		97.1	97.1	97.1	97.1	97.3	97.3	97.3	97.3	97.3	97.3	97.3	97.3	20,65	- D	
4500		5 66	99.3	99.3	99.3	99.3	6	5 6 6 6		50.66	99.3		99.3		o t	
GE 35301 98.9	99.1	99.3	9.5.3	99.3	99.3	99.5		99.5	.1.	3066	6	6	99.5	6	o • • • •	
30001		3		j			- 1		8.00	0.00		8.66	8.66	a ,		
isesz	66	8.66	98.8		100.0	100.0	1,00.0	100.0	100.0	100.0	01	100.0	100.0	۰	ומפים	
2002	66	100.0	וממים	1	100.0	100.0	1.	ہ ظ	0.001	100		100.0	100.0	0		
GE 1530 99.5	66	100.0	100.0	100.0	100.0	100.0			Tou-d	I'u'a		1.00.1	1.00.0	0.		- ست
12701	• 66	•		- 1				0		Š	00	100.0	18		2	
1	1	100.0	100.0	100.0	100.0	100.0	100.00	100.0	100.0	100.0	100	100.0	0001	100.00	100 · 0	
2004	1	1	100.0	104.0	1.00.0	93	100.0	100.0	100.0	5.5	00.	0.001	2	_ 1	0	
GF 7001 99.5	99.8	- 1	100.0	100.0	100.0	100.0	100.0	100.0		0	100.0	160.0	8	•	3	•
ב. פ		ı		200	100	0.001	100.0	100.0	100.0	١.	100.0	100.0	100.0	0001	0.001	
5*66 1008 39	99.86	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.001	n.pa.ı	100:0	I an a	
NCE.	66	1	101.0	100.0	100.0	100.0	100.0	100.0	100.0	c	100.0	100.0	100.0	100.0	100.0	
2007	66	i	196.0	100.0	100.0	100.0	100.0	100.0	1.00.0	•	0.001.	0.001				
0		- 1	5	0.001	1,000	100.0	100.0	100.0	100.0	100.0	90	100.0	100	100.0	100.00	•
66 Cl 99.5	8 66 9	ייייייי				• 1					• • • •					
TOTAL NUMPER C	OF OSSER	ODSERVATIONS:	thn							+		-				
																١.

STATION NUNRER: 722733 STATION NAME: FT HUACHUCA AZ CEILING UE G	1 1/2 1 1/2	ATUTE HILL 6E 1 1 73.1 73.3 73.3 73.3 73.3 73.3	1 H H			•	,
	1 1/2 1 1/2	ATUTE HIL GE 1 73.1 73.3 73.3 73.3 73.5 74.2	S 5	OF RECORD: Aug Hou	77-86 JURS (LST):	VIL	
LET GE GE GE GE GE GE GE GE GE GE GE GE GE	57.2 5 57.2 5 73.3 7 73.3 7 74.2 7 74.2 7 78.1 7 87.7 8	6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			• • • • • • •		• • • • • • • • • • • • • • • • • • • •
CLIL 57.2 57.2 <td>57.2 73.3 73.3 74.2 74.2 74.2 78.1 87.7 88.5 89.5</td> <td>2 57.2 57.2 11 73.1 73.3 73.3 74.2</td> <td>3/4</td> <td>GC GE 5/8 1/</td> <td>E GE /2 5/16</td> <td>GE 1/4</td> <td>0 0</td>	57.2 73.3 73.3 74.2 74.2 74.2 78.1 87.7 88.5 89.5	2 57.2 57.2 11 73.1 73.3 73.3 74.2	3/4	GC GE 5/8 1/	E GE /2 5/16	GE 1/4	0 0
CLIL 57.2 73.3 73.3	57.2 73.1 73.5 74.2 74.2 74.2 78.1 87.7 89.5	2 57. 11 73. 5 73.	•			•••••	••••••
20000 73.0 73.2 73.2 73.3 73.3 73.3 73.3 73.3 13.1 13.1 13.1	73.1 73.3 74.2 74.2 78.1 78.1 88.5 89.5	1 73. 3 73. 5 74.	57.2	57.2 57	.2 57.2	57.2	57.2
16 0 0 0 1 73.4 73.5 73.6 73.6 73.6 73.6 73.6 73.6 73.6 73.6 73.6 73.6 73.6 73.7 73.7 87.7 87.7 87.7 88.5	73.5 74.2 78.1 87.7 88.5 89.5	2 74	73.1	73.1 73	.1 73.1 .3 73.3	73.1	73.1
1200 73.1 73.1 78.1	78.1 87.7 88.5 89.5	78.	73.5	3.5 73	ر د د	73.5	ma
100001 87.6 87.6 87.7 87.7 87.7 87.7 87.7 87.7 87.7 87.8 88.5 89.5 89.7 89.6 96.0 <	87.7 8 88.5 8 89.5 4	•	78.1	8.1 78	-	78.1	130
8000 69.3 69.4 89.4 89 5 89.5 69.5 89 7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.7 89.8 91	89.5 8	7 87 5	1. 6	7.7 87	7 87.	* a	- 4
50001 91.6 91.7 91.8 91.8 91.8 91.8 50001 95.7 95.6 95.9 95.0 96.0 96.0 45.01 96.3 96.4 96.5 96.5 96.6 96.6 96.6 46.01 98.3 98.5 98.6 98.7 98.7 98.7 98.7 35001 98.4 98.6 98.6 98.8 98.8 98.8 98.8 30001 99.0 99.2 99.3 99.4 99.4 99.4 99.4	80.7	5 89.	89.5	89.5 89	5 89 5	89.5	89.5
5000 95.7 95.6 95.9 95.0 96.0 96.0 45.1 96.2 96.4 96.5 96.5 96.6 96.6 96.6 46.1 98.3 98.6 98.7 98.7 98.8 98.8 3500 98.6 98.6 98.7 98.8 98.8 98.8 3500 99.2 99.3 99.4 99.4 99.4	91.8	8 91.		1.8 91	8 91.		
40Jil 98.3 98.5 98.6 94.6 98.7 98.7 98 35001 98.4 98.6 98.7 98.8 98.8 98 30001 99.0 99.2 99.3 99.4 99.4 99	96 0.96	96.0	0.4	96 0.9		0.496	0.96
30001 99.0 99.2 99.3 99.4 99.4 99	86 1.96	7.86 7.	7.86.	286	7.86 7.	86	7.86
	66 4.66	4 99	0 3	66 4.6	0 3	99.66	99.4
25500 99.1 99.3 99.4 99.5 99.6 99.6 99	66 9.66	66 9	9.	66 9.6		9.66	9.66
E 1810 99.1 99.3 99.4 99.5 99.6 99.6	66 9.66	7.66 9.	2.66	66 2.66	1.66 1.	1.66	1.66
99.5 4.69 6.69 6.69 6.69 6.69 6.69 6.69 6.69	66 1.66	7 99	. -	90.7.9	7 99.7	99.7	99.1
E 10001 99.2 99.5 99.6 99.7 99.8 99.8 99.	8.66	8 99.	, m	8 99	99.	99.66	8.66
9.56 9.66 1.66 9.66 S	99.88	8 66 8		66 R	66	6.66	99.66
5 (301 99.3 99.6 99.7 99.7 99.8 99.8 99.8 59.	66 8.66	99.		99.6	6.66 6.	6.66	6.66
6 99.7 99.8 99.9 99.9 99.6	66 6.66	99 99	6.0	96 6.6	66 6	6.66	6.66
500 99.3 99.6 99.7 99.8 99.9 99.9	66 6.66	0 0	6.66	99.9 100	100.0	100.0	100.0
100 99.4 99.6 99.8 95.8 99.9 100.	100.0 100	100		0.0	100	1 00.0	100.0
GE rl 99.4 99.6 99.9 99.8 99.9 99.9 100.0	100.0 100	.0 100.0	100.0 1	00.0 100	0 100.0	100.0	100.0
5100							

THE STRATESTANCE THAT I SHARE STRATESTANCE THAT I SHARE STRATESTANCE THAT I SHARE STRATESTANCE THAT I SHARE STRATESTANCE S	GLOBAL USAFET	CL THA I (CLIHAIOLOGY BRANCH C	RANCH		P er centage	,	FREQUENC	F ROR	HOURLY	OBSERV	ATIONS	v versus	7	31016	,			
The contract The	राल भ	ZA THER SI	ERVICEZ						•							- 1			
	STATIC	N NUMBER	i	İ	TION NI	Ì.,	T HUAC	1	2				PERIOD Honth	0F . S	കശ	-85 (LST):	90-0090	•	١
	CEILIN								VISIB	LITY	N STAT	TE MIL	• 8	• • • • •	••••	•			
CELL 76.7 76.9 77.0	IN	35 -		99	ľ	2	, ,	₩ \	. Z	GE 1/2	1 SE	6 E	~ ك	₩ ~	6E 1/2	6E /1	₩	u l	
CEUL 78.0 75.0 75.0 77.0					:								:			•	• • • •	• • • • • • •	-
100.00 10.00 10		1 78.	78	61 6	79		0	0	1:	6	0	6		6	6	ċ		0	
14000 141.6 151.6			1	83.	6.4	m =		33.2	mm	mm	W.W	i • •	mm	83.12 83.6	83.2		83.2 83.6	83.2 83.6	_
1000 91-4 91-6		1		83) w a) © ¤		33.b	m =	m s	h =		m =	83.6	83.6		83.6	83.6 84.1	
1000 03-2 03-2 03-2 03-2 03-4				87.	8	8		37.8	-	-		·i •	-	87.8	87.8	•	87.8	87.8	
TOUR 94.4 94.4 94.6	-	i		- N	5 6	0.6	S at	91.5		1.0	25	- 2	- 2	1.	7	91.5 92.4	91.5	:	
\$\begin{array}{c c c c c c c c c c c c c c c c c c c	1	1		- C	6 9	0	ے د	94.6	ט בן	2 K	3 - V	- v	5.	4.5	2	9.46	9.4.6	÷ .v	
SEURI 96.7 96.7 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.4 96.8 9		1		, m	2 2		5	35.4	ប្រ	N.	S	S	Š	5	S	h•56	45.6	Š	
	1	00	96	96	7 W	1	- m	96.4	9 9	9	9.3	1	9 9	9 9	96.4 96.8		96.4 96.8	1991	
Sear 98.6 98.7 98.9 98.9 98.9 98.9 98.9 99.0		20	76	97	30		m 0	97.8			ļ. ;		٠,		97.8		97.8	~ ~	
Scul 98.7 98.9 99.2 99.2 99.4 99.4 99.4 99.4 99.6 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.8 99.9	1	100	98	9.8	6			98.9	. 8	ω	æ		0	6	0.66		0.66	io.	
150 98.7 98.9 99.2 99.4 99.4 99.4 99.4 99.4 99.5 99.5 99.7 99.8 9	L w	20	1	96	6 6 7	1		120	6.6	56		99.5	9	00	99.5		99.5		
120 98.7 99.0 99.2 99.4 99.6 99.6 99.6 99.6 99.7 99.7 99.7 99.7	. L	0	1	66	2 6 2			0 0	0.0	60		9.66	60	6	99.66		99.6		
150F 98.7 99.0 99.3 99.6 99.7 99.7 99.7 99.7 99.9 99.9 99.9	سالد		1		6			· lo	6	6		1.66	0	io.	1.66	•	1.66		
8 UN	-	50 L 98	66	66	56 E	ه د		7.66	0.0	00	0.0			66		6°66	i • •!		
6 UC 98.7 99.6 99.3 99.6 99.7 99.7 99.7 99.7 99.9 99.9 99.9		23	66	66	3 99	9 4		7.66	60	6 6				9.		6.66			
5001 98.7 99.0 99.3 99.6 99.7 99.7 99.7 99.7 99.9 99.9 99.9		R 6 13	66	66	3 99	9		29.7	6	5			1 .	6	6.66			5	
300 93.7 99.2 99.4 99.7 99.9 99.9 99.9 99.9 100.0 100.		1	66	00	56 5			7.66	00		0.0		1	99.9	6.66	6.66	6.66	6°66 6°66	
100 98.7 99.2 99.4 99.7 99.9 99.9 99.9 100.0 100		1	60	2 6	6 6			6.56	0		0-0	00.		10 2	100.0	100.0	99	100.0	
n 98.7 99.2 99.4 99.7 99.9 99.9 99.9 99.9 99.9 100.0		1	66	2 2	6.5			5.66	0		6	9			100.0	100.0	9	100.0	
OBSERVATIONS: 719	GF	86	66	5 99	66 11	6 7.	6.	6.6	66	6.66	6.66	100.0	100.0	100.	100.	100.0	100.0	100.0	
OBSCRVALIONS.	10,50	C STATE		011.44		7.0												l.	
	1014	NUMER LI		KVAILVI		7.77												-	

STATION NUMBER: CEILING IN 66 FEET 10	1000	USAFETAC USAFETAC	CH	PER	PERCENTAGE	FREQU	ENCY OF FROM	OCCURRE HOURLY	NCE OF OBSERV	CEILING ATIONS	VERSUS	SVISIBILIT	ILITY			3
STATION CEILING IN FEET	HEK SEK	1 CE / MAC	ì									1				
EILING IN FEET	หนุพยสา	722730	STATIC	STATION NAME:	H H	ниасниса	A Z				PERIOD O Month:	SE	RECORD: 76-85 :P HOURS(LST)		1900-1100	
IN FEET				• • • • • • • • • • • • • • • • • • • •	•		VISIB	ility	IN STATUTE	HIL	S		• • • • • •	:	_	
	1 GE	GE 6	GE 5	, 7 9	GE 3	6E 2 1/2	1 2	GE 1 1/2	P:~	35	374 374	578 578	GE 1/2	5/16 5/16	,GE	ם פנ
•														• • • • • •	•	• • • • • • • •
NO CEIL	1 73.6	78.7	78.9	78.9	78.9	78.9	78:9	78.9	78.9	78 • 9	78.9	78.9	78.9	78.9	78.9	78.9
GE ZUGOCI	83.8	83.9	84.0	84.0	84.0 84.1	34 • D	84.0	84.0	84.0	84 • 1 84 • 1	84.0 84.1	84.1	84.1	84.0 84.1	84.1	84.1
GE 16000	1	34.0	2 V		84.1	84.1	84.1	84.1	2 0		b v	84.1	84.1	84.1	95.4	85.4
GE 120001	1	88.5	88.6	120	68.6	88.6	88.6	88.6	lα		ico:	88.6	88.6	88.6	88.6	88.6
0E 100001	1	90.6	90.7	90.7	6-	90.7	0-	90.7	0-	0-	6-	90.7	90.7	90.7	90.7	90.7
6E 8FUN	92.1	45.0	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5
Ì	1	93.7	93.8	93.8	, m	93.8	M	93.8	2		m		93.8		93.8	93.8
00Sh 39	95.	95.6	95.7	95.7	95.7	95.7	95.7	55.7	95.7	95.7	95.7	95.7	95.7	95.7	95.7	95.7
GE 4900	97	97.6	97.7	97.1	97.1	97.7	97.7	97.7	97.8	97.1	97.7	97.6	97.1	97.1	97.1	97.8
1	9.8	98.6	98.7	7.86	98.7	98.7	7.86	98.1	93.7	98.7	98.1	98.7	1.86	7.86	98.1	7.80
6F 2500	98.4	ω m	98.6	98.9	98.9	98.9	98.9	98.6	98.9	98.9	98.9	98.9	98°9	98.9	98.9 99.0	98.9 99.0
l	8 5	99.0	1.	99.5		96.2	99.4	99.4		99.2	99.2	99.2	99.2	99.5	99.2 99.5	5°66
	98	3.66		4.66	h • 66	h • 66	4.06	h. 66		99.5	99.5	99.5	99.5	5.66	99.5	5.66
100	98.	66	h.99	99.5	99.5	99.5		99.5	99.5	9.66	9.66	9.66	9.66	9.66	9.66	9.66
6E 830	C 98.7	2-66	4.66	3.66	99.5	9.66	00		• •	99.8	6.6	8.66	99.8 99.8	99.8 99.8	99.8 99.8	9.66
69	93.	6	99.5	9.66		99.66	6		•	6.66	•	6.66	6.66	6.66	6.66	6.66
6£ 500	93.	99.3	3.66	9.66	9.65	99.8	8.66	99.8	99.8	6.66	6.66	6.66	6.66	6.66	6.66	6°56
	98.8	99.3	99.5	9.66 8.66	99.8	6.56	99.9	6.66	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	98		5.66	99.8	99.8	6.66	6.66	6.66	0	100.0	100.0	100.0	100.0	100.0	1.00.0	100.0
bE r	9.8.9	5.66	3.66	6.66	9.66	6.56	ò 66	6.66	6.66	100.0	100.0	100.0	100.0	100.0	100.0	100.0

and the state of the state of the state of the state of the state of the state of the state of the state of the

CEILING CEILING CEILING CEILING IN	ME: FT НИАСНИСА GE GE GE	VISIBILIT VISIBILIT GE 2 1 1/ 2 1 1/ 66.9 66. 76.8 76. 77.4 77. 77.4 77. 78.1 78. 85.7 85. 85.7 85. 85.7 85. 85.7 85. 85.7 85. 85.7 85. 87.2 87.	1 1 7 7 7 7 7 8 8 2 8 8 8 8 8 8 8 8 8 8 8 8	66.9 66.9 76.8 76.8 76.9 77.4 77.4 78.1 82.7 85.2 85.2 87.2 87.2	ERIOD OF HONIH: S 3/4 66.9 6 66.9 6 76.8 7 77.4 7 77.4 7 78.1 7 82.7 8 85.2 8 85.2 8 85.2 8	RECORD: EP HO 66 GE G 57 8 76 77 82 77 82 77 85	76-85 LRS (LST): 76-85 72 5/16 9 76-9 7 85-7 1 78-7 1 85-7 2 85-7 2 85-7 2 85-7 2 85-7	1200-14 GE 174 16.9 76.9 76.9 76.9 76.9 76.9 76.9 82.7 85.2 85.2 85.2 87.2 87.2 87.2	66.9 77.4 77.4 78.1 82.7 85.2 85.7
TLING TEET 10. 6E 6L CEIL 66.5 66.7 66.9 (20000 76.5 76.6 76.8 18000 76.6 76.7 76.9 16006 77.1 77.2 77.4 14000 77.8 77.9 78.1 12000 84.8 64.9 85.2 8900 85.2 8000 8000 86.9 87.0 87.2 87.0 87.2 8000 10000 86.9 87.0 87.2 87.		VISIBILLI GE 2 1 1/ 66.9 66. 76.9 76. 77.4 77. 78.1 78. 78.1 78. 85.7 85. 85.7 85. 85.7 85. 85.7 85. 85.7 85.	1 1/4 1 1/4	01E MILE 0E 1 1 1 1 1 1 1 1 1 1 1 1 1	2	6.9 66 6.9 66 6.9 66 6.9 76 7.4 77 76 77 76 78 76 76 78 76 7	URS(LST): 66.90 9 76.8 7 76.8 1 76.9 1 76.9 1 78.7 2 85.2 8 7.2 8 7.2 8 7.2 8 7.2 8 7.2 8 7.2 8 7.2 8 7.3 8 7.4		66.9 76.9 77.4 78.1 82.7 85.2 85.2 85.2
EET 5c 6c 6c 6c 6c 6c 6c 6c 6c 6c 6c 6c 6c 6c	66.9 66.9 76.8 76.8 76.8 76.8 77.4 77.4 78.1 78.1 82.7 82.7 85.2 85.2 85.2 85.2 85.2 85.2 87.2	66.9 66.7 76.9 76.7 77.4 77.4 77.4 77.4 77.8 85.7 85.8 85.7 85.8 85.7 85.8 85.7 85.9 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2	1 1 0 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	66.9 76.8 76.8 76.9 77.4 78.1 82.7 85.2 87.2 87.2	66.9 6 66.9 6 77.4 7 77.4 7 77.4 7 78.1 7 82.7 8 85.2 8 85.2 8 85.2 8	6.9 66 66.9 76 66.9 76 66.9 76 75 75 82 75 85 75 85 75 85 75 75 85 75 75 85 75 75 75 75 75 75 75 75 75 75 75 75 75	6 6 9 76 8 76 8 76 8 76 8 76 8 76 8 76 8	06.99 776.98 776.98 85.27 85.27 85.27 85.27	66.9 776.9 778.1 788.1 85.7 87.2
CEIL 66.5 66.7 66.9 5 5 5 5 5 5 5 5 5	66.9 66.9 76.8 76.8 76.9 76.9 77.4 77.4 78.1 78.1 82.7 82.7 85.7 82.7 85.7 85.7 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2	66.9 66. 76.8 76. 77.4 77. 77.4 77. 78.1 78. 85.7 85. 85.2 85. 85.2 85. 85.7 85. 85.7 85.	1 1/4 1 76.9 1 76.9 1 76.9 8 2.7 8 8 2.7 8 8 7.2 8 8 7.2 8 9 .4	1 66.9 76.8 76.9 77.4 78.1 82.7 85.2 87.2 87.2	5	55/8 1 6.9 66 6.9 66 6.9 76 7.4 77 7.4 77 7.5 7 82 5.2 85 7.5 8 85	66.99 9 66.99 1 76.98 1 78.71 1 78.71 1 82.71 2 85.2 2 85.2 2 85.2 2 85.2	17/4 176-9 176-9 176-9 177-4 185-7 185-2 187-2 187-2 187-2	66.9 76.9 77.4 77.4 78.1 82.7 85.7 87.2
CEIL 66.5 66.7 66.9 2000 76.5 76.6 76.8 1800 76.6 76.6 76.9 1600 76.6 76.9 1600 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.1 77.2 77.1 77.2 77.1 77.1 77.2 77.1 77.1 77.1 77.1 77.1 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77.1 77.2 77	66.9 66.9 76.8 76.8 76.9 76.9 77.4 77.4 78.1 78.1 85.7 85.7 85.7 85.7 85.7 85.7 85.7 85.7 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2	66.9 66. 76.8 76. 77.4 77. 78.1 78. 82.7 82. 85.2 85. 85.2 85. 85.7 85. 87.2 87. 87.2 87.	76.9 776.9 776.9 82.7 82.7 85.7 89.4	76.8 76.9 77.4 78.1 82.7 85.2 85.2 87.2 87.2	66.9 6 66.9 6 76.9 7 776.9 7 778.1 7 82.7 8 85.2 8 85.2 8 87.2 8 897.2 8	6.9 6.6 6.6 6.9 76 6.9 76 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4	9 66.99 11 77.4 12 82.7 13 85.2 14 85.2 15 85.2 16 85.2 17 85.2	76.98 77.44 77.49 77.49 885.27 885.27 885.27 885.27	66.9 776.8 776.9 778.1 788.1 82.7 85.7 87.2
CEIL 66.5 66.7 66.9	76.9 66 76.9 76 76.9 76 77.4 77 78.1 78 82.7 82 85.2 85 85.7 85 87.2 85 87.2 85 87.2 85 87.2 85 87.2 85 87.2 85 87.2 85 87.2 85 87.2 85 87.2 85	6.9 66.9 7.4 77.4 77.2 82.7 82.2 85.7 85.7 85.7 85.7 85.7 85.7 85.7 85.7	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 1 1 1 2 8 1 0 0 0	6.9 6 6.8 7 7.4 7 7.4 7 7.4 7 7.4 7 7.2 8 8.1 7 7.2 8 7.7 8 8.1 7 8.1 8 7.2 8 8.1 7 8.1 8 8.1 7 8.1 8 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	6.9 6.9 7 6.9 7 7 6.9 7 7 7 8 8 8 1 7 7 8 8 7 5 5 7 8 8 7 5 7 7 8 8 7 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 8 7 5 7 7 8 7 7 8 7 7 7 8 7 7 7 8 7 7 7 7	9 666 9 766 1 776 1 788 1 82 1 85 1 85 1 85 1 85 1 85 1 85 1 85 1 85	766- 776- 778- 822- 875- 871- 871- 871- 871- 871- 871- 871- 871	
20000 76.5 76.6 76.8 18000 76.6 76.7 76.9 1600 77.1 77.2 77.4 14000 77.8 77.9 78.1 12000 84.8 64.9 85.2 9000 85.3 85.4 85.7 8000 85.3 85.4 85.7 8000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 87.2 70	76.8 76 77.4 77 78.1 78 82.7 82 85.7 85 85.7 85 85.7 85 87.2 87 87.2 87 87.2 87 87.2 87 87.2 87	6.8 76. 6.9 76. 7.4 77. 8.1 78. 2.7 82. 5.2 85. 7.2 87. 7.2 87. 9.4 89.	766 82 82 87 87 89	27700	6.8 77.4 77.4 77.2 88.1 77.2 88.5 77.2 88.7 77.2 87.2 8	28-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	2 8 7 7 8 8 7 8 7 8 8 7	1991-810 INSI	A CONTRACTOR AND A CONTRACTOR
14000 77.1 77.2 77.4 14000 77.8 77.9 78.1 12000 84.8 82.4 82.7 8000 85.2 85.4 85.2 9000 85.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 86.9 87.0 87.2 7000 84.1 94.3 94.5 45.0 95.1 95.1 95.1	77.4 77 78.1 78 82.7 82 85.7 85 87.2 87 87.2 87 89.4 89	5.2 85. 5.2 85. 5.2 85. 7.2 87. 7.2 87. 7.2 67.	8 8 8 7 7 8 8 8 7 8 9 9 9 9 9 9 9 9 9 9	27762 887	20.11	2000 2000 2000 2000 2000 2000 2000 200	2 8 8 7 7 8 8 7 8 8 8 8 8 8 8 8 8 8 8 8	9 - 8 N 10 0	-0 10 min in in in in in in in in in in in in i
12000 84.8 84.9 85.2 90.0 85.2 85.4 85.7 85.0 85.2 85.4 85.7 80.0 85.2 85.4 85.7 80.0 85.2 85.0 87.0 87.2 60.0 88.9 87.0 87.2 60.0 88.9 87.0 87.2 60.0 88.9 87.0 87.2 87.0 87.2 60.0 88.9 87.0 87.2 60.0 89.2 87.0 87.2 87.2 87.2 87.2 87.2 87.2 87.2 87.2	82.7 82 85.7 82 85.7 85 85.7 85 87.2 87 87.2 87 89.4 89	8 1 78 2 2 7 82 4 5 5 7 85 4 7 2 8 7 4 8 9 6 9 4 8 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	27712	20.7 8 85.2 8 85.2 8 87.2 8 87.2 8 97.4 8	2 - 1 - 2 - 1 - 2 - 2 - 1 - 3 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	2 82 2 82 1 8 8 2 8 2 8 2 4 8 8 5 2 8 9 1 8 8 5 2 8 9 1 8 9	0 N N N N N N	anini linini
10000 84.8 84.9 85.2 800 800 87.0 87.0 87.2 6000 86.9 87.0 87.2 6000 88.9 69.0 89.2 8000 84.1 94.3 94.5 45.0 6000 97.5 95.1 95.3 4000 97.5 97.5 97.5 97.5 97.5 97.5 97.5 97.5	85.2 85 85.7 85 87.2 87 87.2 87 89.4 89	5.7 85. 5.2 85. 7.2 87. 7.2 87. 9.4 89.	8 8 8 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6	2 772 0	2.7 5.7 5.7 7.2 8 8 9.4 8	2 · 7 · 8 · 5 · 2 · 8 · 5 · 7 · 8 · 7 · 5 · 7 · 8 · 7 · 7 · 7 · 7 · 8 · 7 · 7 · 8 · 7 · 7	2 85 2 85 2 84 2 84 2 84		In lining -
100 84.8 64.9 85.2 85 85 85 85 85 85 85 8	85.2 85. 85.7 85. 87.2 87. 87.4 89. 94.6 94.	5.2 85. 5.7 85. 7.2 87. 9.4 89.	85. 87. 87.	57770	55.2 7.2 7.2 8 9.4 8	5.2 85 5.7 85	2 85. 7 85. 2 87.	- N W IV - N IO	10 N
SCD 56.9 87.0 87.2 87 87.0 87.2 87 87.0 87.2 87 87.0 87.2 87 87 87 87 87 87 87 8	87.2 87. 87.2 87. 89.4 89. 94.6 94.	7.2 87. 7.2 67. 9.4 89.	87.	6	7.2 8	7.7 R7	87.8	いたたは	ひにて
6000 88.9	89.4 89. 94.6 94. 95.5 95.	7.2 67. 9.4 89. 4.6 04.	89.	. 6	7.2 B	70	2 87	·~ lo	-
5000 94.1 94.3 94.5 94 4500 95.0 95.1 95.3 95	94.6 94.9 94.6 94.9	. 4.4 89.	89	Ď.	9:48	7.2 87		İσ	
450 1 95.5 94.5 94.5 94 450 1 95.3 95.1 95.3 95	94.6 95.59	70 9.11	70			9.4 89	•.68 h	•	0
4000 97.5 97.5		2.0	0 0	94.6	6 9	h6 9.4	76	3	. . .
35001 97.8 97.0 98.0 98.0 98	98.1 98	.1 98	.1 98.1	98.1	8.1 9	8-1 98	1 98	98.1	95.5
3000 98.1 98.2 98.6 9X	96 4 98	86 4.8	8 6	اه	8.4	8.4 98	4. 98	œ	6
	1.07	86 / 8	8	.	8.7 9	8.7 98	86 2	80	30
GE 2030 98.2 98.4 98.8 98.9	6°86 6°86	*86 6*86	6 86 6		8.9	8.9 98	98.	6.86	6.86
18UU 98.8 98.9 99.3 99	66 4.66	66 4.6	4 99.	4.6	7 0	66 7.6	7.66		7.66
1200 98.8 98.9 99.3 99	99.49	9.4 . 99.	4 99.	9.4	9.49	9.4 99	66	h • 66	7.00
	45 0.44	.66 9.6	66	9.6	6 9.6	66 9.6	• 66		(S
•8 95.9 99 •8 93.9 99	99.66 8.66	000	66	8 6	6 8.6	80	8 99.	6	8.66
E 80 1 98.8 98.9 99.5 99	66 8.66	9.8 99.	66	9.8	6.8	8 99	8 99	; ;	5 5
6001 93.8 98.9 99.5 99	66 8.66	9.8 99.	9 99.8	99.8	99.8	9.8 99.	8 99	8 66	99.8
F 5001 98.8 98.9 00 5	0						8 43.	Ď ,	•
E 400 98.9 99.0 95.6 99.	66 6.66 99.99	.8 99.	* 66 66	8 6	6 8 6	8 99	80 0	8 6 6 6	99.8
GE 2001 98.9 99.0 99.6 99.8	66	9 100	100	0.0	0 10	0 100	0 100	1 00.0	100.0
1001 93.9 99.0 99.6 99.	66 6.66	100	100	0000	0.0	100.	100	100.0	100.0
			• 001	7 0.00	0.0	•001 0•	. 100°	100.0	100.0
	6.56 6.66	99.9 100.0	100.0	100.0 10	00.0 100	0.0 100	0 100.0	O	
TOTAL NUMBER OF OBSERVATIONS:	r								•

Table Winder: 722735 STATION MARE: FT HUANCHUCA AZ HEATTI STATION WINDER: 722735 STATION MARE: FT HUANCHUCA AZ HEATTI STATION MUNICER: 722735 STATION MARE: FT HUANCHUCA AZ MARCHINES MARCHINE	
The color of the	1500-170
CELL GE	•.••••••
CELL 60.3	GE GE 6 1/4 0
CECL 60.3 60.3 60.3 60.3 60.3 60.3 60.3 60.3	• • • • • • • • • • •
Second 73.9	60.3 6.0.
	73.9' 7.3
12000 84.4 85.0	74.6
10000 84.9 85.0	80.1 80
STOOL STOO	0 85.0 85.0 6 85.6 85.6
Sun String Stri	87.2 87 87.2 87
Second 95.8 95.5 95.5 95.6	06 1.06 1
10 10 10 10 10 10 10 10	6 95.6 95.6 1 96.1 96.1
String 98.6 98.8 99.1 99.1 99.4	97.9
25 0 ft 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.7	66 h.66
1500 99.0 99.2 99.5 99.5 99.7	6 99.6 9.9.6 7.99.6 T
120c	99.7 99.7
1 1 2 2 2 2 2 2 2 2	1.66
800 99.0 99.2 99.5 99.5 99.9 99.9 99.9 99.9 99.9	7 99
£UN 99.0 99.2 99.9	6 6.66 6 6 6.66 6
5Dr 99.0 99.2 99.5 99.9	6 6.66
300 99.6 99.4 99.6 99.6 100.0	6.66 6.66 6
108 99.5 99.4 99.6 95.6 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.	100.0 100 100.0 100
E 3 99.0 99.4 99.6 99.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	100.0 100
	0 100:0 100:0
SERVATIONS: 779	

										-	چست تسک				بور مردود نتيونز مسلب	a again	4	د درج. سستر							************************	,	
							,			-										,							
		00	•	GE O	********	8 - 49	78.7	79.0	83.7	89.5 90.2	91.7	h.	96.3	98.1	h • 66	99.5	1.66	1.66	99.8	9998 100.0	IOO.O.	100.0 100.0	100.0	100.0	100.0		
	, .	1800-2000	• • • • • •	174 174	• • • • •	8.49	78.7	79.6	83.7	89.5 90.2	91.7	92.5	96.3	98.1	h • 66	99.5	7.66	1.66	99.66	100.0	100.0	100.0	100.0	1.00.1	1 00 0		
 - 		D: 76-85 HOURS(LST):		5/16	÷.•`•.•••	64.8	78.7	79.0	83.7	89.5 90.2	91.1	92.5	96.3	98.3	h 66	99.5	1.66	1.66	l .	100.0	!	100.0	100.0	99	100.0		
BILITY	l	CORD: 76. HOURS	• • •	172	• • • • • • • • • • • • • • • • • • • •	8 h 9				,	91.7	92		98.1		66	7.º 66 7.º 66	66		100.00			100.0	1.00.0	100.0		
VERSUS VISIBILITY	1	D OF RECORD: H: SEP HO	:	. GE 5/8		8.49		79.0	,	99.5			96.3	1			99.7			99•8 100•0	1	100.0	1	100.	100.0		
1		PERIOD MONTH:	s			8 + 4 9		79.0		89.5		ľ		86	66	66	1.66 1	66	66		100.	1	100.0		0 100.0		
OF CEILING RVATIONS		4	ATUTE MILE			8 64.8	78	-		5 89.5 2 90.2			3 96.3	1 98 ·	•66	66	1.66 T	66	66	100	100	100.0	l	1	100.		
NCE 08 SE	<u></u>		IN ST	1, 1/	•	8 64.8	1-1-	97	8		7 91.7	1	9 9	1 98.	66	5 99.	7.99 T.	6		8 99.8 0 100.0		l	77	1	0.001 0.		
OF OCCURRE			SIBILITY	2 1 1		8 64.	7 78.7		-	89. 90.	91.	92.	96	98.	66	.5 99.	66	66	.8 99.	8 99.8 0 100.0		0.0	100		.001 3.		
FRECUENCY		ICA AZ	FA.	2		8 64.	7 78	5 79	ٔ ها	5 89.5 2 90.2	00	0	3 96.3	6 0	6	66 1	66 9	66 9	66 1	7 99 3 100	3 100	8 100 8	,	200	8 100		
	•	т ниасниса		E 6E	:	· 8 · 54 ·	.0 79:	97 0 5 79	-	.5 89.5 .2 90.2		5	3 96 3 96	96	2	.66 4.	សូស	S	.7 99.	.9	_	9.66 8			8 99		
PERCENTAGE		NAME: FT		E 6E	• • • • • •	19 8.	8.7 78 9.0 79	79	83	9.5 89 0.2 90	91	92	3 96	98 2	66 1:	9.9 99	66 66	66	66 2	66 7°	66 4	66 h.6			66 h	30	
		STATION N		GE G	•	19 8.	7	9.5 79	8 /	2.2	2.1 92	.5 9	6.3 96	1 9	6 1	6 6	6 0.0	6 0.		66 7°6	6	6 7	6 0	6 7	66 h		
BRANCH	Z/HAC	722730 51		3E 6	•	h9 8°h	8.7 78 9.0 73	7	8	89.5 89 90.2 90	60	6	96.3 96	6 0		8.7 98	6.6	6.	66 0.66	6 6	٥	99.2 99	2 0		9.2 99	ERVATI	
CLIMATOLOGY BRANCH C	SERVICE/HAC	NUMBER: 72		GE G	:	9 8.4	78.7 7	1	1	89.5 90.2			96.2 90			8.6 98	3.7	8.7		0. C		6 0.66			66 0.6	96	
GLUBAL CLIMA USAFETAC	WEA THER	TATION NUM	ILING			CEIL 6'	0000 80001	10009	20001	10000	ı	1	9 1003h	1	1	25001 9	00	5	5 10001		ļ	9 (00)	!	1	66 10	NUMFE	
GLUB USAF	AIR	STAT	CEIL			NO C	M FI	6E 1	u u	6E 1	l	1	30	1	1	6.E			0 0 0			:9 39	966	<u>.</u> 9	GF	TOTAL	
																				p., ga						7	

The column The	USA	FETAC WEATH	ER SFR	USAFETAC AIR WEATHER SFRVICE/HAC					FROM	HOURLY	OBSERV	ATIONS						. 128
16 16 16 16 17 17 17 17	STA	TION N	UMBER:	722730	STATI	ON NAME	FT	<u> ИАСНИСА</u>	AZ				PERIOD MONTH	OF S	76 JURS	5 ST):	100-230	
161 162 164 164 165	(F2)	N.S.						• • • • • • • • • • • • • • • • • • • •	ISIA	ılırÿ	TS NI	E HIL	ES	•	•	•		
1	1 L		10				GE 3	2 -	1 2	GE 1 1/2	1 GE	GE		₩ \	. GE 1/2	GE 5/16		ਘ ^ I
1. 1. 1. 1. 1. 1. 1. 1.	:								:	:				•	• • • • • • • • • • • • • • • • • • •	• • • •	• • • • • •	• • • • • •
10 13.5 13		CEIL 1	76.1	76.1	76.1	76.1	76.1	76.1	9		9	9	9		9	76.1	76.1	٠ O
Color Colo	երա	2000 nl	83.5	M M	83.5	83.5	83.5	83.5	IM M	mm	mm	3 3	83.5	MM	100 M	83.5 83.5	83,5 83,5	83.5 83.5
10 10 10 10 10 10 10 10	լեյլ	160001	83.5	MM	83.5	93.5	83.5	83.5	100 K	10° 10	33	W W	83.5	mr	MM	83.5	83.5	83.5
10 10 10 10 10 10 10 10	نباد	120001	85.7	າໄທ	85.7	85.7	85.7	85.7	ואו	2	S)	2	85.7	ilico .	ilo	85.7	85.7	85.7
1001 92.4	LU L	100001	90.6	90.6	97.6	90.6	90.6	96.6	96.6	ᄓ거	90.6	90.6	90.6			90.6	90.6	13.4
10 10 10 10 10 10 10 10	ı lu tı	8006	92.4	92.4	92.4	92.4	92.4	92.4	92.4	10 N	92.4	92.4	92.4			92.4	92.4	N:N
10 19 15 19 15 19 15 19 15 19 19	: 44	90009	94.3	94.3	94.3	94.3	2.46	94.3	94.3	1137	94.3	94.3	94.3	1 .	1.0	94.3	94.3	3
10 10 10 10 10 10 10 10	GE	5009	98.3	98.3		98.3	98.5	98.3	100 00	98.3	98.5	1	80 80	98.3	98.3	1	98.3	80 80
10 10 10 10 10 10 10 10	0.0 0.0 0.0	4000	93.5	98.5		98.5	98,5	98.5	8 6	98.5	98.5		80	98.5	98.5		98.5	8 6
10 99.8 99	CE	30001	99.8	8 66		8.66	9.66	9.66	10	99.8	8.66		6	8.66	99.8	•	8.66	6
Second S	. 9 9 9	250nl 2500l	99.8	99.8	99.8	99.8	99.8	99.8	99.8	100	99.8	99.8	99.8	99.8	99.8	99.8	99.48	99.8
200 99-8 99-8 99-8 99-8 100-0 100-	90 0	1860	99.8	8.66	99.8	9.66	99.8	99.8	100.0	66	0 D	100.001	100.0	99.8	99.8	99•8 100•0	99•8 100•0	99.8 100.0
100 99.8 99.8 99.8 100.5 100.5 100.0 1	GE	12001	8.65	99.8	99.8	8.66	100.0	100.0	100.0			100.0	100.0	100.0	100.0	100.0	1 00 0	100.0
830 99.8 99.8 99.8 103.0 100.0	9E	00	99.8	99.8	99.8	99.8	100.0	100.0	100.0	00	100.0	100.0	100.0	100.0	00	100.0	100.0	100.0 100.0
601 99.8 99.8 99.8 99.8 100.0	11 E	830	99.8	99.8	99.66	99.66	100.0	100.0	100.0	00	100.0	100.0	100.0	100.0	90	100.0	100.0	100.0
10c 99.8 99.8 99.8 99.6 100.0 100.	GF	10 G 9	3.66	99.8	8 • 66	99.8	100.0	100.0	100.0	8	100.0	100.0	100.0	100.0	90	0.001	100.0	100.0
3301 99.8 99.8 99.8 100.0 100.	65 66	1004	99.8			00	100.0	100.0	100.0	100.0	106.0	100.0	100.0	100.0	88	100.0 100.0	100.0	100.0 100.0
130 99.8 99.8 99.8 100.0	10 0 0 0 0 0	330	99.8			00	100.0	150.0	100.0	100.0	100.0	100.0	100.0	100.0 100.0	88	1:00.0 1:00.0	100.0, 100.0	100.0
C 99.8 99.8 99.8 100.0	GE	130	8.66	1 .		0	100.0	100.0	100.0	100.0	100.0	100,0	109.0	100.0	8	100.0	100.0	100.0
HUMPER OF ORSERÝATIONS: 4156	GE	2		8.66		9.8	100	160.6	107.6	00	00	100.0	160.0	100.0			100.0	100
	101		1	ORSERVA	TIONS	416												,

A R G T H H K S R H H C Z T T D S T A T D H H K C H C A T D T T T T T T T T T T T T T T T T T	GE(US	JEAL CLIMAT	OLOGY BE	BRANCH	g.	PERCENTAGE	FREG	UENCY OF FROM	HOURL	Y OBSERVA	ATIONS	, VERSUS	AISTRICTA O			,	
The number Table	AIF	REATHER S	FRVICEZI	1A.C										,			
	ST	ATION NUMBE		1	TON NAME		ОАСНИСА	AZ				PERIOD MONTH:	SE	HOURS (ALL	
1	CE					•	•	VISI	ILITY	S	F. HIL	5					
1500011 75.0 75.0 75.1	ů.		9	79		GE 3	1	GE 2	$\omega \sim$	GE 1 1/4	GE 1	6E 3/4	6E 5/8	.6E : 1/2	. GE 5/16	GE 1/4.	á
100 10 10 10 10 10 10 1	:						:					:	:	• • • •	• • •	*	
	NO	CEIL 70		7.0	7.0.7	7.07	7007	70.7		1 .		o	7.07	7.07	7.07	7. O.T	70.7
	6.E	100002			1	79.7	79.7	79.7	19.7	79:7	79.7	79.7	79.7	79.7 80.0	79.7. 80.0	79.7 80.0	79.7 80.08
1000 64.5 64.6 64.6 64.1	0 0	160001				80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1 80.9	.80 • 1 80 • 9	80.9	80.1. 80.9.
1000 25.7 25.6 25.7	GE	120001				84.7	84.7	84.7	841(7	84.7	84.7	84.7	84.7	84.7	84.7	84.7	1. F. H.B.
Sunt Solid	30	100001	1	1	1	89.1	88.5	88.5	88.5	89.1	88.5	88.5		1000	88.5	88.5 89.1	88.5 89.1
Suc 95.1 92.2 92.3 92.4 9	96	8000			1	7.06	7.06	7.06	7.06	90.0	5.06	90.7		00	6.06 90.9	6°06	6°06
Second 95.6 95.7 95.6 95.9	GE	10009			1	45.4	92.4	92.4	92.4	92.4	92.4	92.4		N.	92.4	92.4	h•.26
400 94.5 94.6 94.0 9	O.E.	10005		95	1	lin v	95.9	lin c	95.9	പ്രഹ	95.9	95.9	95.9	95.9	95.9	95.9	95.9
3500 97.9 98.1 98.2 98.3 98.3 98.5	GE	4000		7.6		olα	0.76	ioo e	98.0	lioo (98.0	98.0	98.0	98.07	98 .0	98.0	98.0
250C 98.6 98.9 99.0 99.0 99.1 99.2 99.2 99.5 99.5 99.5 99.5 99.5 99.5	6E	35001	0 10	98		20 00	99.0	מומ	99.0	-סומ	99.1	99.1	99.1	99.1	99:1	99.1	99.1
15.0 94.5 99.1 99.3 99.5	99	25001 9	ي ي	.66		99.2	99.2	99.2	0.0	99.2	99.3		99.3	99.3	99.3	99.3	99.3
15301 98.9 99.1 99.3 99.4 99.6 99.6 99.6 99.6 99.6 99.7 99.7 99.7	30	18001		66	1	99.5	99.5	99.5	6	99.5	99.5		99.5	99.5	99.5	99.5	9.9.5
1000 98.9 99.1 99.4 99.5 99.7 99.7 99.7 99.7 99.7 99.8 99.8 99.8	39	12301 9	.	99.		93.66	9.66	99.66	. 6	9.66	99.7		1.66	7.66	1.66	1.66	1.66
FUL 98.6 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.8 99.9	0.5	10001 99	0.0	66			7.99 7.20	7.66	0 0	7.66	1	99.8	99.8	1	99.8	99.8	99.8 99.8
6UC 99.0 99.2 99.5 99.6 99.8 99.8 99.8 99.9 99.9 99.9 99.9	100	86 1008		66			99.8	8 66	100	99.8	1.0	99.66	99.8		99.8	99.8 99.9	6°66
5001 99.6 99.2 99.5 99.6 99.8 99.8 99.8 99.8 99.9 99.9 99.9	9	66 1009		66			8.66	99.8	0	8.66	1 .	6.66	6.66		6.66	6.66	6.66
300 99.6 99.3 99.5 99.7 99.9 99.9 100.0 10	0.0	5001		66		99.	99.6	99.8	99.66	99.8	6.66	6.66	1	6.66	6.66	99.9	99.9
The state of the s	96	300		99.		66	6.66	6.66	100.0	100.0	150.0	100.0	00.	100.0	100.0	100,0	100.0
3 6 6 6 6 6 6 6 7 6 6 7 6 6 6 6 6 6 6 6	10	ייים ו		99.		66	6.66	6.66	100.0	100.0	100.0	100.0	00	100.0	100.0	100.0	100.0
	29	lu	.66	3	56	6.56	6.65	6.66	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
							•1										

The color 1, 1, 1, 1, 2, 1, 2, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATH'R SERVICE/HAC	LIMATOL H'R SER	OGY BRA VICE/HA	S C	13 d	PERCENTAGE	FREQUEN	NCY OF FROM	OCCURRE HOURLY	OCCURRENCE OF CEILING HOURLY OBSERVATIONS	CEILIN	3 VERSUS	S VISTBILIT	(LITY	, ,		
11 15 15 15 15 15 15 15	STATION	NUMBER:	- (1		ON NAME:		IACHUCA					PERIOD MONTH:	90	RD: 76- HOURS	57);	160-080	-
CELL 170 St. CELL CE	IL ING	•	•	• • • • • •				VISI	ILITY	STAT	E HILE	S					
CELL 77.3 77.4 77.4 77.5	IN FEET	75E	w {		u.t	W I	GE 1/2	GE.	7 5	3 7	GE	GE 374	GE 5/8	6E 1/2	5/16	GΕ 1/4	
CELL 77.3 77.4 77.4 77.4 77.5	:	•		•	:	•	•	•	•	•	•	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	
100000 84.7 84.6 84.6 84.6 84.6 84.6 84.6 84.6 84.6 84.6 84.6 84.6 84.6 84.8	ı	77.	77.	1:	-		-	77.6	77.6	i •		17.6	77.6	1 0 '	77.6	77.6	17.9
14000 65.0 85.1 85.1 85.1 85.0 85.0 85.0 85.0 85.0 85.0 85.0 85.0		w 20	8.48	4.	84.8	13 ហ	3 0	84.6	84.6	84.6	84.6	84.6	85.0	84.6 85.0	84.6	84.6	84.8
1200C 18c. 2 8c. 3 8c. 3 8c. 4 8c. 5 8c	•	(2) W	84.8	± 10	84.8	in n	5 5	85.0 85.2	85.0 85.2	85.6 85.2	85.U 85.2	85.0	85.0 85.2	85.0 85.2	85.U 85.2	85.U 85.2	85.5
1000 89-9 89-1 89-1 89-1 89-2 89-5 89-5 89-2 89-2 89-2 89-2 89-2 89-2 89-3	1	۳	86.3	9	86.3	100	فا	86.4	86.4	86.4	86.4	86.4	h • 98	86.4	86.4	86.4	86.7
60001 69-0 69-1 69-1 69-1 69-1 69-2 69-2 69-2 69-2 69-2 69-2 69-2 69-2	li u	87	88.1	88.5	86.1	88.6	88.2	88.6	58.2 88.6	88.2	88.6	88.2	88.2	88.2	88.5	88.2	88.5
SOURT Style Styl	עו עו	59	89.1	89.1	89.1	89.3	89.3	89.3	89.3	89.3	89.3	89.3	89.3	89 .3	89.3	89.3	89.5
Second S	lu	68	h•68	89.4	83.4	89.5	89.5	89.5	89.5	89.5	89.5	89.5	89.5	89.5	89.5	89.5	8.68
3500 91-7 91-9 91-9 91-9 91-10 9	E 500	8 -	1	90.1	96.1		90.2	90.2	90.2	90.2	90.2	90.2	90.2	90.2	90.2	90.2	90.5
SCORI 92.6 92.8 92.9 92.9 93.2 93.2 93.3 93.3 93.4 94.0	E 400	6 5		90.9	9.06		91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	9163
2503 93.2 93.3 93.4 93.4 93.7 93.7 93.8 93.8 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0	500	5		92.9	92.9	1.	93.2	93.3	93.3	93.3	93.4	93.4	93.4	93.4	93.4	93.4	93.1
1505 95.6 95.7 96.0 96.2 96.4 96.4 96.5 97.0	250	93.	m 10	.	93.4	IN 40	1M 0	93.8	93.8	93	94.0	94.0	94.0	94.0	94.0	94.0	2.46
120n 96.0 96.2 96.8 97.0 97.0 97.2 97.2 97.2 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.3 97.4 97.4 97.9 97.9 98.0 98.0 98.0 98.0 98.1 98.1 98.3 98.3 98.1 98.3 98.3 98.5 99.5	180	95.	6.5		96.0	io o	100	96.9	96.9	96.9	96.5	96.5	96.5	96.5	96.5	96.5	96.8
1000 96.C 96.2 97.C 97.0 97.4 97.4 97.9 97.9 97.9 98.0 98.0 98.0 98.1 98.1 98.3 89.0 90.0 98.0 98.0 98.0 98.1 98.3 89.3 89.0 98.0 98.0 98.0 98.0 98.3 89.3 89.3 89.3 89.3 89.3 89.3 89.3	120	96	56.2	1 -	96.8	11-	97.0	97.2	97.2	97.2	97.3	97.3	97.3	97.3	97.3	97.3	97.6
800 96.4 96.6 97.4 97.4 97.9 97.9 98.3 98.3 98.4 98.4 98.4 98.4 98.5 98.5 98.7 98.8 720 96.5 96.8 97.6 97.6 98.0 98.0 98.4 98.4 98.4 98.5 98.5 98.7 98.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.	10	8 8	96.2 96.2	97.E 97.E	 	97.4 97.4	97.4	6.79	97.9	97.9	98.0	98.0	98.0	98.1	98.1	98.3	98.5
6UC 96.5 96.8 97.6 97.6 97.6 98.0 98.4 98.4 98.4 98.4 98.5 98.5 98.5 98.7 98.8 99.1 99.1 19.1 96.5 96.5 96.8 97.6 97.6 98.0 98.1 98.4 98.4 98.4 98.8 98.8 98.8 98.8 98.9 99.1 99.2 30.1 96.5 96.8 97.7 97.7 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 20.1 96.5 96.8 97.7 97.7 98.1 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 19.1 99.5 10.1 96.5 96.5 96.5 96.8 98.8 98.8 99.1 99.1 99.5 10.1 96.5 96.5 96.5 98.8 98.8 98.8 99.1 99.1 99.5 10.1 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5 10.1 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5 10.1 96.5 96.5 98.5 98.8 98.8 99.1 99.1 99.5 10.1 9	8 7		9 • 96	97.4 97.6	-	97.9 98.0	97.9	98.3	98.3	98.3	98.4	98.4	98.4	98.5	98.5	98.86	99.1
FUCI 96.5 76.8 97.6 97.6 98.0 96.0 98.4 98.4 98.7 98.7 98.7 98.7 98.7 99.1 99.2 40.1 96.5 96.5 96.8 98.8 98.8 98.8 99.1 99.2 99.2 30.1 96.5 96.8 97.7 97.7 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.2 30.1 96.5 96.8 97.7 97.7 98.1 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 10.1 96.5 96.8 97.7 97.7 97.7 98.1 98.1 98.5 98.5 98.8 98.8 98.8 99.1 99.5 10.1 96.5 96.5 96.5 98.8 98.8 98.8 99.1 99.1 99.5 110.1 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5 110.1 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5 110.1 WHYER OF OBSERVATIONS: 745		5	8.96	91.6	~	98•3	98.6	98.4	98.4	98.4	98.5	9.8.5	98.5	1.86	1.86	98.86	7.66
3Gnl 96.5 96.8 97.7 97.7 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5 2UFl 96.5 96.8 97.7 97.7 97.7 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 10fl 95.5 96.8 97.7 97.7 97.7 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 10fl 96.5 96.8 97.7 97.7 97.7 98.1 98.1 98.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.5 98.5 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.5 98.8 98.8 99.1 99.5 110fl 96.5 96.5 98.5 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.5 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.1 99.5 110fl 96.5 98.5 98.8 98.8 98.8 99.8 99.8 98.8 99.8 98.8 99.8 99.8 98.8 99.8 98.8 99.8 99.8 99.8 98.8 99.8		96			97.6	(co co	98.1	80 80	20 00	98.5	1	80 8	1.	98.9	98.9	Ĺ	39.66
100 95.5 96.8 97.7 97.7 98.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5 11.0 10.0 10.0 10.0 10.0 10.0 10.0 10		96	1.		7.79	OD a	98.1	80 0	80 0	98.5		00 0		1.66	1.66	ر ما	0.001
FI 96.5 96.6 97.7 97.7 93.1 96.1 98.5 98.5 98.5 98.8 98.8 98.8 99.1 99.1 99.5		95.			1.19) (a)	98.1	00	ماه	98.5	• •	0 00	• i •	1:66	1.66		100.0
NIMER OF OBSERVATIONS: 745		96	3 :	-:	r •	83	6.1	98	80	8	80	8	8		6	5	
		1 1	1 1	A T I ONS:	5 11 5												
													,				٠

15 B L L L L L L L L L L L L L L L L L L	ST/	AFETAC	11410L0	CLIMALULUST BRANCH	CH	PE	PERCENTAGE	E FREQUEN	ENCY OF From	OCCURRENCE HOURLY OBS	SERV	CEILING ATIONS,	S VERSUS	ΙΛ	SIBILITY	•		. ,	, '
HATTING HATTING STATION NAME: F HUACHUICA AZ HOUTING STATION HOURISTICS CONTINUE	ST,	К ЖЕА ГНЕ	R SERV	ICE/HAC		•					Į .						:		
	• 100	, ,	ивек:	722739	STATI		F	ИАСНИСА	AZ		t.		ERIOD MONTH	OF RE		٠. ا	00-11	ļ. ´	
CELL 11.0 6. 6. 6. 0. 0. 0. 0.		•	•	•	•	:		• • • • •	VISI	ILITY	N STAT	TE MIL	S			•	•		
CELL 77.0 77.9	ī	IN I	טנ פר	39 9		7. 4.	3 2	E CE	لدا	6E 1/2	GE 1 1/	۳ س		6E 5/8	GE 1/2	30 T	. GE 174	w	ľ
CELL 77.9	٠				:				:										
10000 85.1	ON	CEIL	77.9	77.9	i •	77.9	6.17	5.17			-	1	7-	7.		• '	.1′•	1 .	
10000 55.1 85.1	67. 6E	26009 18009	85.1 85.1	85.1 85.1		85.1 85.1	85.1 85.1	85.1 85.1	85.1 65.1	រប ប	വ വ	ດິທ	വവ	W .M	S S	85;1 85;1	85•1 85•1	S	
12000 06.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.7 86.8 86.3	GE GE	100041 14000	85.1 65.1	85.1 85.1		85.1 85.1	85.1 85.1	85.1 85.1	85.1 85.1	വ	S	2	IN N	ညြေ	2 2	85.1 85.1	85•1 85•1	S.S	
1070 89.1 88.6 88.6 88.6 88.9 89.8	39	120001	86.7	86.7	۱.	86.7	56.7	86.7	86.7	0	.	9	9	တ		86.7	86.47	9	
STATE STAT	0 CE	0000	88.1	88.8	ထြော	88.28 8.98	68.3 83.9	88.3	Ι ω α	(a)	100 00		100 00	100 00	00 00		1	ျထာဇ	
STATE 1912 1913 1914 1915	6.E	i	89.5	968	10.0	89.6	89.7	7.68	0 0	6	100		100 0	100		89.7	• •	100	,
Second 91.0 91.1 91.1 91.2	99	1	89.8	90.6	· IO	90.0	90.1	90.1	۱a -		10	• •	· 10	, IO		90.1	• •	סוי	
3500 94.5 94.6 94.6 94.6 94.7 94.8	65 65 75 75	10034 450Cl	91.0	91.1	91.1	91.1	91.2	91.2	91.2	91.2					91.2	91.2	· red red		,
35001 94.6 94.7 94.7 94.7 95.0 95.0 95.2 97.2 97.3 <t< td=""><td>3 E</td><td>1200h</td><td>92.9</td><td>93.0</td><td>93.0</td><td>93.6</td><td>93.1</td><td>93.1</td><td>93.1</td><td>93.1</td><td>12</td><td></td><td>m M</td><td>m r</td><td>93.1</td><td>93.1</td><td>1 M</td><td>W-1</td><td> </td></t<>	3 E	1200h	92.9	93.0	93.0	93.6	93.1	93.1	93.1	93.1	12		m M	m r	93.1	93.1	1 M	W-1	
Self 95.6 95.6 95.7 96.9 96.0 96.0 96.0 96.0 96.5 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 96.3 97.4 97.4 97.5	39	30001	9.46	1.46	2.46	1.46	95.0	95.0	95.0	95.0	2	• •	100	ů.	95.2	95.2	าไเก	าเด	
Second 96.4 96.6 96.7 97.1 97.1 97.1 97.1 97.1 97.2 97.3	65	2530	95.4	95.6	S	[ಬ	96.9	9	6	િ	9		96.3	٥	١.	فا	٥	96.3	
150 150	96	20001	96.4	36.6	\ 0 \	9	97.1	1		· [-		• • •	97.3		• • 1			97.3	
1200 97.0 97.4 97.5 97.5 97.9	OE GE	15001	96.6	96.8	၁ ပ	ا م ه	97.1 97.3		7.	7			97.3					97.5	
1020 97.3 97.9 98.0 98.1 98.8 98.8 98.8 98.8 98.8 99.1 99.1	G F1	12001	97.1	4.16	<u>ب</u>	~	97.9	-	•	1	7.	•	98.1	æ	•	80	ω ω	98.1	
PCDI 97.3 97.9 98.C 98.1 98.8 98.9 98.9 98.9 99.2 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.5 <th< td=""><td>6 E</td><td>1004 1006</td><td>97.3</td><td></td><td>93°6 98°C</td><td>ကေထ</td><td></td><td>8 8</td><td></td><td>ω ω</td><td>8 8</td><td></td><td>66</td><td>66</td><td>66</td><td></td><td>6 6</td><td>0.0</td><td>·</td></th<>	6 E	1004 1006	97.3		93°6 98°C	ကေထ		8 8		ω ω	8 8		66	66	66		6 6	0.0	·
EURI 97.3 97.9 98.0 98.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.4 99.9 <th< td=""><td>99 19</td><td>1004 7001</td><td>97.3</td><td></td><td>3.86 98.0</td><td>ထြသ</td><td></td><td>သက</td><td>ထေထ</td><td>ω ω</td><td>8 8</td><td></td><td>6 6</td><td>66</td><td>66</td><td></td><td>6.6</td><td>80</td><td></td></th<>	99 19	1004 7001	97.3		3.86 98.0	ထြသ		သက	ထေထ	ω ω	8 8		6 6	66	66		6.6	80	
5Unl 97.2 98.1 98.2 98.5 99.3 99.3 99.5 99.5 99.5 99.9 99.9 99	39	lu () Э	97.3	•	J.86	ıω	i .	30	6	6	6			6	6	•	6	6	
30rl 97.3 98.1 98.2 98.5 99.3 99.3 99.5 99.5 99.5 99.9 94.9 99.9 99.9 99.9	. 9 6	100h 1001	97.3	98.1	60 00	ا شا	99.3		00	00	66		6.6	99.9		6.66	6.66	66	-
$\frac{241}{106}$ $\frac{27.5}{97.3}$ $\frac{28.1}{98.4}$ $\frac{98.6}{99.4}$ $\frac{99.6}{99.6}$ $\frac{99.6}{99.6}$ $\frac{99.6}{99.6}$ $\frac{100.0}{100.0}$ $\frac{100.0}{100.0}$ $\frac{100.0}{100.0}$ $\frac{100.0}{100.0}$ $\frac{100.0}{100.0}$ $\frac{100.0}{100.0}$	ט ט	3000	97.3	98.1	00 0	ا شا	99.3		0	6	6		99.	64.6	99.	66	66	66	
El 97.3 95.1 98.4 92.6 99.4 99.6 99.6 99.6 100.0 100.0 100.0 100.0 100.0 100.0	95	100	97.3	98.1	o la	00	49.44	• ! •	99.66			•! •	00	100.0			818		
	GE	<u>-</u>	m :	98.1	98.4	98.9	4.66	h*66	66	9.66	9.66	9.66	6	0.0	100.0	100.0	100.0	100.0	

7.5

	-		5 5/16 1/4	••••••	1 71.1 71.1 71	1 61.1 0	1 81:1	6 83.8 83.8	90 K-98	67.1 67.1	1.66.1	91.6	1:50 1:50 0	0 97.0 97.0	9.39 3.89 3.09 3	9.60 9.60 9	1.60.1.66.1	2 99.2 99	2 99.2 99.2	3 99:3 99:3	000 0000	1 100:0 100:0	1 100 0 100 0 1	0 100.0 100.0 100.0
s Visibility	OF RECORD:	• • • • • • • • • • • • • • • • • • • •	GE GE 5/8 1/		11.1	36	1:1	3.5 83	06.1 86.			-4-4	3.7-93	7.0	16 9	9.6	9.1	2 99		6.3 49	66 0.66			0.001 0.001
ING VERSUS S	PERIOD MONTH	1 C S	_		1:14				1 86.	b a				2.4	9.86 9	E	00	2 66 2	69 09	99	66	100.0	100	100.0
COF CEIL		STATUTE H	6L 6E 174	• • • • • • • • • • • • • • • • • • • •	71.1	1.1 81.	1.1 01.	3.5 83.	6.1 86.	7.1 07	6.3	1.1 91	20 20	7.6 0.7	7.8 97. 8.6 48.	6.6 96.0	9.1.00	9.2 99.	96.2	6.3 00.	9.6	66 6		66 6.6
OCCURRENCY HOURLY OB		JLITY IN	GC 1 1/2 1	• • • • • • •	11:11	81.1 B	=======================================	3:3	86.1 8		5.3	91.1	2:3	7.u.	6 9.86	8.6	1,6	2.6	6 2166		۽ ۾	1000	, , , , ,	4.66
UENCY OF FROM	7.4	Visib	6E 2	• • •	11:11	81.1			98	67	80	91.		, , ,	7 6 8 7	600	66	99.2	6 6	6	99	i i	6.0	9.66
TAGE FREQUEN	т ниасниса	• • • • • •	E GE 3. 2 1/2		.1 71.1	8 8				- =	3	- 0	-0	0	.5 98.	8 9 8	.96 6	1 99.	.1 99.1	36. 2	66	66 1	66	h . 66
P ER CENT AGE	NAME:		GE GE		71.1	1.1 51		3.5 83	6.1 36	87.1 87	8.3 68	1.1 91	93.1 93	7.0 9.7	79 6.19	8,5 98	3.6 98	66 6.	66	66 1.	200	66 5 6	6.3	h. 66 8.49
1CF	STATION		6E 5	, .	71.17	1:1	81.1	3.5	6.1	87.1	8.3	1.6	93.1	7.0	œ tō	2 5	ລຸດ	2.0	0 -	0.	2.6	CJ .	3164	2.06
CLIMATOLOGY BRANCE C THER SERVICE/HAC	: 722750	•	30 9	• • • • • • •	71.1	81.1	81.1	33.5	36	87.1	96	91.1	93.1 94.9	8.96	97.7	G G	i ∤20	90°6	ω α	(C)	00	09.1	. 0	7.66
l ala	ยหมห พ		1 GE	٥	11 / 71.1	100001 81.1 180001 81.1	8 1	53	00JF1 85.8	10 X	0	91.	6.50 92.9 500 94.6	.9A	5.10 97.3 0.76 1000	800 97. 500 89.	enci se.	9501 93.4	001 98.	JO 5 R.	30 93.	300 98.6	3c 98.	0.86 lJ
GLOBAL USAFET	17	CEILING	18 ee t		NO CE	GE 20 GE 18	u w	L	E I		16,	j	נגן נגן	L	20 20 20 20 20 20 20 20 20 20 20 20 20 2	и и п		6E 1				. G.		67

	5711 1500-1700		01. 174	.9 B.67 B.6	81.4 81.4 81.	2.3 82.3 02	19. 1. (1)	87.2 87.2 87.2	18 7 ES	og. I.og.	6.26 6.2	0.00	٨:٤	98.6 98.6 98.	0 0 0 F 0	64	3.06 3.66 5.66 3.66 3.66	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4.12	100.0	0.001	מפגייים בשניים.	1 0.5	Toward and Parish of State Section of State Section Se	THE WORLD IN STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, S	
151816177	CCORO! 16-8	• • • • • • • • • • • • • • • • • • • •	61. 172	9.00	4.16 91.4	81.4 82.3	63.7	87.2	88.7	1.06	92.9	95.3	1.64	93.66	9:00	- 49:3	9.00	1.64	- \$. \$¢	on a	100.0	1.00.i.	100.0	A RANKE M. O. L.	· 100 · 100	
VERSUS VIS	RIOU OF R	•	3/4 S/		1.8 H.	01.	. 7 8 3.	7.2 87.2	8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	06.1.0	200 020	200	7.5 07.	97.6 97.6	5 5	26	[O	06 2 00	66.2.6	901 0	ا ء د	o_rou.	h:	# 1 · up · ·	F F C 4	
A 1 10NS		UTE HILE	() C	ə •	81.4 6. 81.4 8.	± ₽1		87.2 B			7,2	98.39	12	را	2.0	12	99.5	250	5.0	8.66	200	1 0 0	130.0 100		E Birth on - ANAN +	
URLY OBSERV		TY IN STAT	1 1/4	ສຸດວຸ ສຸ		81. 82.	63.	2 27	3 68.	1 00:	00	200	200	66 9 86 9	200	140	0.66 0.66	200 200 200 200	5 - 50	8 49. 0 100.	0 100.0	מת_יים	0 100 0	* 1		·
TEON HO	2		6L 6	9.8	81.4 41 81.4 81	1.4 B1 2.3 B2	3.7 63	87.2 87. 87.2 87.	د. 9 د	1:	200	က ပ	20 5	97.6 97.	٠, -		99.4	1 40	46 h	100	01	. y I'uu	99.9 100.			
	CHUCA		0E 2 1/2	8.69	01.4 81.4	81.4 82.3	83.7	87.2	88.3 86.7	1.00	92.9	95.3	5.4.6	97.6	n • 86	0.66	99.3	99.3	99.3		5.66		95.5			
	HE: FT		4 GE	69	.u 81.u .u 81.u	82.	83.	.2 87.2 .2 87.2	88	90	9 92	.3 95.3	5 97.	4 98.4	8 6 6	96	66	99	66	3 99.	200	3 66	3 66 8	75		
	TATION		6E 6	69.8 69.8	.4 81	1.4 81 2.3 82	3.7 83	7 8 5	8.3 86 8.7 88	0.1 90	3 9 5	5.2 95 6.0 96	7.3 07	97.4 97.6	8.1 9	9 9	98.9 99.	6.9	5.0	5.60 U	3 U	16 7	99.11 99.			
SERVICE/HAC	722730		6E 6	œ.	ತ ಶ್ರ	a n	٠.	87.2 E	8.7	0.1	92.9	5.5 C.0	7.3	97.4	0 10	3	و و	9 · 6	9.6	0 80	2 E	B . B	୯ ଓ ଓଡ଼	SERVAT		
ETAC NEATHFR SERVICE	มเทคยธิล:	9	10	63.	.ccor! 81.4 80col 81.4	<u> </u>	ກ	87	ສ ສຸສຸ	5.5	ţ	9.6	14	Jn(97.3 Uni 97.0	76 U	56 10	98.5 96 98.5	Jr. 98.	10 98°	001 98.5 001 98.5	ر 194. د 93.	. 40 m	rl 98.5	7 ÷ E		
USAFET AIR NE	TATIO	• 21	FEET	۱	GE 720		_	GC 10000 GF 9000		i	6E 5000	GE 40	L	05 25 65 20	r 13	13	GE 10:	a r-	E G	6F 51	2 3	1	GE	נינאר		

CH PERCENTAGE FREQUENCY OF OCCUMENTED OF STATION HAME; FT HUACHUCA AZ STATION HAME; FT HUACHUCA AZ T4.3 74.3 74.5 74.5 74.5 74.5 74.5 74.5 74.5 74.5	en en en en en en en en en en en en en e	VISIBILITY		r RCCORD: 76-85 oct แบบครุ∢(เรา): 18∪0-20กู0		L. 95 1.		74.6.74.6.74.6.74	62.9 42.9 62.9 42.9 62.9 62.9	83.4 83.4 83.4 83.4 83 84.2 84.2 84.2 84.2	K6-1 00-1 00-1 00	90.0 90.0 90.0 90.0 90.0	9.06 9.08 6.09 6.0 0.09 9.09 9.09	0 2 01.8 01.8 01.8	2 0 2 0	\$ \$10 \$ \$10 \$ \$10 \$ \$10 \$10 \$10 \$10 \$10	7.8 97.8 97.6 97.6	98.5 98.3 98.3 98.3 98.6 98.6 98.6 98.6 98.6	8.	86 1.06 1.86 1.86 1.8	ከ-66 ከ-55 ከ-66 ከ-66 ከ-66 ከ-66 ከ-66 ከ-66 ከ-66	9.6 99.8 99.8 49.8 9.0 99.5 99.5 99.6	9.15 99.3 99.11 99.5	99.7 99.7 99.7 99.7 00.0 100.0 100.0	00.0 100.0 100.0 100.0 100.0 100.	60.0 100.0 100.0 100.0 100.	
STATION RAME: FT HUACHUCA AZ STATION RAME: FT HUACHUCA AZ T4.3 74.5 74.5 74.5 74.5 74.5 74.5 74.5 74.5	e mage i skulp delse (* de degree e des des des des des des des Casa Casa	CEILING VERSUATIONS		R100 0		0 t 0 t 1 3 t u		.5 74.9	.9 82.9	1 03 1 2 84 2	1 05.1	0.3 90.	0.6 9.0	1.5 91.	3.9	20°	6 B.Y	8.5 98.	8.6 78. 8.7 98.	8 · 7 · 9 · 8 ·	•66 h•6	9.50	5.5 TO	99.7 99.7	00.0 100.00	เอ.บ. โยก.บ	
CH PERCENTAGE FREQUENCY FREQUENCY CH STATION MAME: FT HUACHUCA AZ T4.3 74.5 74.5 74.5 74.5 74.5 74.5 74.5 74.5	40. Videologisch die Hörspelanungs- defendation gester	F OCCURRENCE OF			IBILITY IN STAT	6E 6E 1 1/2 1 1/4		74.5 74.	82.9 42	83.4 63	86.1 06	90.0 90.	90.0	16 5.16	93.9 93.	. 94.89 95.99	97.8 37.	3 98.3 98.	6 98.6 98. 7 98.7 98.	7 90.7 90.	66 h.66	66 5.66	99.5	0 100.0 100.	0 100.0 100.	0 100.0 100.	
CH PER CH CH CH CH CH CH CH CH CH CH CH CH CH		FREGUENCY			• • • • • • • • • • • • • • • • • • • •	6£ 6	••••••	74.5	82.9 8	84.2	86.1 8	90.0	06 9.06	91.5 91	7 93.7 93 9 93.9 93	56 6°56 6	6 97.8 97	1 98.3 98. 4 98.6 98.	4 98.6 98.8	6 98.7 98.	2 99.4 99	66 5 66 n	66 5:66 h	5 99.7 99. 5 99.7 100.	5 99.7 100.	5 99.7 100.	
	es bessele de le transmisse de de décide especie .	E E		HAME: F		30 30	• • • • • • • • • • • • • • • • • • • •	74.3 74.	6 82.8 82 6 82.8 82	2 83.2 83 0 84.0 84	9 85.9 86	8 89.8 9	6 h.06 h	4 91.4	6 93.6 9	6 4.7 9	3 97.3 9	97.8 9	96.1 9	9 6.3	66 6.86 6	1 99.1 90	1 09.1 99	1 99.2 99	1 99.2 99	1 09.2 99	
Manual derivation of the factor of the facto		1	SERVICE/HAC	22730 S	•	399	• • • • • • • • • • • • • • • • • • • •	4.3 74	72.8 82 82.8 82	33.2 83	85.9 85	59.8 U	90.4	91.4	93.6 93	95.79 95.60	97.2 97	97.5 97	97.8 98 98.0 98	98.0 98	06 h 86	98.6	06 9.80	98.6 99	98.6 99	66 9.86	

81.8 81.8 86.5 86.5 86.5 86.5 86.5 86.5 86.5 86
STATION NUMBER: 722730 STATION NAME: CEILING

BER: 722730 STATION NAME: FI HUACHUCA AZ JABER: 722730 STATION NAME: FI HUACHUCA AZ JOE DE <t< th=""><th>11/2 1 1/4 1 1/2 1 1/4 74.9 74.9</th><th></th><th></th><th></th><th></th><th></th></t<>	11/2 1 1/4 1 1/2 1 1/4 74.9 74.9					
SELLING	LITY IN STATU	1 1	U OF RECORD: H: OCT HOU	76-85 IRS (L'ST	ALL	
	6E 6E 1/2 1 1/4 74.9 74.9	TE HILE	•••••			. 1
E 2000n 83.2 83.3 83.3 83.4 83.4 83.4 83.4 83.4 83.4	6 h £ 6 h £		.6L 5/8	66. 0	1/4	30
E 200001 83.2 83.3 83.3 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.4 83.5	11 6	• • • • • • • •	• • • • •	•	•	• • • • • • • • • • • • • • • • • • • •
E 100001 83.2 83.3 83.3 83.3 83.3 83.3 83.3 83.4		9.44 9.44.9	74.9	74.0		3
E 16000 83.4 83.4 83.4 83.5 83.5 83.5 83.9	23 23 23	63.3 63. 63.4 83.	3 03.3 4 83.4	83.3 83.4 83	13.4 83.4 13.4 83.4	1.00 1.00 1.00
E 120000 68.4 85.4 85.4 85.5 88.5 85.5 85.5 85.5 8	5 63. 9 83.	83. 83.	8 83.	200	20	אורש בי
100000 84.2 84.3 88.3 88.3 88.3 88.5 88.5 88.5 88.6 88.5 88.5 88.5 88.6 88.5 88.5 88.6 88.5 88.6 88.5	.5 85.	8 2 •	85.	2.2	20	60.0
9000 88.4 88.5 88.5 88.5 88.5 89.8 89.8 89.8 89.8	98.3 88.3 88.5	88.3 80.3	38.5	88.6 88	.3 88.5 .6 88.6	08.4 80.7
TUDON 199.4 199.5 199.5 199.6 199.6 199.6 199.6 199.1 190.2 190.	68 5.5	3 89	6	6.0	9	90.7
5000 91.9 92.1	9.6	06	06	06		5.06
50001 91.9 92.1 93.1 <t< td=""><td>3</td><td></td><td></td><td>Í</td><td></td><td></td></t<>	3			Í		
4500 93.5 93.6 93.7 93.7 93.7 93.7 93.7 93.7 93.7 93.7	26 85	92.4 92.	1 92.1	92.4 92	2.4 92.4	92.5
3500 94.3 94.4 94.4 94.4 94.4 94.5 34.5 94.5 3000 94.3 94.4 94.6 96.0 96.1 96.2 96.2 3000 97.2 97.4 97.6 97.7 97.8 97.8 97.8 97.8 1800 97.2 97.4 97.6 97.7 97.8 97.8 97.8 97.8 1500 97.2 97.4 97.6 97.7 97.8 97.8 97.8 97.8 97.8 97.8 97.8	5 94	93	5 6 7 8	0	16 S.	7.3
250° 96.2 96.4 96.5 96.6 96.7 96.8 96.8 96.8 96.8 96.8 96.8 96.8 96.8	.2 96.	36	26		36 5:	96.3
E 2000 97.2 97.4 97.6 97.7 97.8 97.8 97.8 57.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 9	6.8 96.	96 8.9	96	•	96	ء ما
E 180n 97.2 97.4 97.6 97.7 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8 98.2 98.2 98.2 98.2 98.2 98.2 98.2 98.4 98.5 98.6 98.6 98.6 98.6 98.6 98.6 98.6 98.6 98.6 99.0 99	7.9 97.	8.0 98	980			: :
120r 97.6 97.9 98.1 98.2 98.4 98.8 98.4 98.8 98.6 98 E 1000 97.8 98.1 98.4 96.5 98.8 98 E 900 97.9 98.1 98.6 98.8 98.8 98.9 E 800 97.9 98.2 98.6 98.9 98.9 99.0 9	98.3 98.3	90.3 98.	3	98.4 98	98.4 98.4	400
E 1030 97.8 98.1 98.4 98.5 98.8 98.8 98.8 98.8 E 900 97.8 95.1 90.4 96.4 98.8 98.8 98.8 98.8 98.9 <td>8 . 5 . 9 8</td> <td>8.5 9.8</td> <td>9 6</td> <td></td> <td></td> <td>9.0</td>	8 . 5 . 9 8	8.5 9.8	9 6			9.0
E 800 97.9 98.2 98.6 98.9 98.9 99.0 99.0 7.101 97.9 98.3 98.6 98.6 98.9 99.0 99.0	0.99 U.99	66 O	0.66 0	66 0°66	99.0 99.1 99.0 99.1	1.66
7 7JU 97.9 98.3 98.6 93.6 98.9 97.0 99	66 1.6	6 1.6	66 C	2.6		200
8 0.89 0.89 7.9 98.6 9.89 9.79 10.89	9.5 99	66.2.6	56 2	5:3		2.64
F 4101 98.0 98.3 98.7 96.8 99.2 99.2 99.	66 h.6	.66 5.66	99.	30	9.66 9.6	1.66
c 40r 98.0 98.4 98.7 98.9 99.2 99.3 99.	9.6	200	66	B	99	2.00.2
300 98.0 98.4 98.7 98.9 99.5 79. 320 00.0 00.0 00.7 08.9 99.5	2.66 1.66	~	8 99.B	6 0	99.	100.0
92.0 98.4 98.7 98.3 99.3 99.3	4:1	66k.	6.6	6 8 •	8 99.	100.0
GE 01 99.0 99.4 98.7 98.9 99.3 99.3 99.6	1.66 1.66	.66 7.66	8 66 B	66 8.66	6.66 8.	0.001

	ST): 06		5/16 1/4		.2 81.2 81	86.2 86.2 86.4 86.4 86.4 86.5		୫୫ ୧୫ ୧୫	90.2 90.2 90.4 90.2 90.2 90.4	91.4 91. 91.7 91.	95.6	93.6 93.6 93.7 94.0 94.0 94.2	6.44.9 8.39.3	5.36 5.9	7.1 97.1	98.	8.3 98.3 98.	99 1 99 1	5.66 h.66 h.66	6.6 h.66 h.	5 99.5 99	001 8.99 8.00 8.00 8.00	8 99.8 100	0.001 8.66 8.66	
-	76- URS (:	1/2	• • • • • • • • • • • • • • • • • • • •	81.2	86.2 86.4	9	5	90.2	91.4	95.6		6.46		P- P-	0.86	0 00		99.2	5	ിഹ ഗ	7.60	> O <	7.66	
	OF REC		33		81.0	86.1 86.2	9	6	00	91.3	2	93.4	5 "		3.	97.9	داء	l ∞ (1.60	10	60	9.00		99.6	
>	PERIOU Month	ES	⊿ ∼ l	•	81.0	86.1 86.2	و ما		100	91.3	~	mm	94.8		5	97.9	- 6	١٥٠	1.00	10	60	99.5	, 6	3 6 6	
ATIONS		UTE HIL	6£ 1	•	81.0	86.1	86.2	H 88		91.3		1000	94.8		96.	6.79	96	98	1.66	66	66	66	99	99.5	
OBSERV		IN STAT	GE 1 1/4	• • • • • •	81.0	86.1	86.2	80.4	000	91.3		93.	200	96	0.5	6.46	8 6	9.6	99.1	66	66	1066	66	h 66 h	
שלים מככחונים מחול מחול מחול מחול מחול מחול מחול מחול		ibility	6E 1 1/2	• • • • • •	81.0	86.	86.2		.06	91.3	26	93.	16	96	96	16	97	98.	99:1	99.	66	h 66	00	66 2	
DENCY OF FROM	A A 2.	STA	ى ت		81.0	86	96.2	3 3	90.	91.3	92.	93.	94.8	95.	96	16		9.6	9 98 9	98	66 6	66	99.	1 99.	
GE FREGU	FT HUACHUC	:	6E 2 1/2		80.9		86.1			1.16				2 96.2			98.0	2	6 78 B	و د	9 6	6 6	60 6	66	
PERCENTAGE			10		80.9	1	86.1		68	91.1	92	93.	\$ 25.	96	96 9	5 97	5 97:7	3 98.	5 48	5 98. 5 98.	5 43	5 98	5 98	86 9	653
۵.	TATION NAME:		3 2 3		9 AC.9	100	1 86-1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	80	1 91.1	6	6	94	0	96	97.	.5 97.	9 6	5 98.	86 S	86 3	8 6 5 5	. 98. 5 94.	86	
ANCH	S		del.		7 80.9	85.	86.	866 83	7 89.	91.	3 91. 2 92.	٦		7 96.0	١	97	76	9 8	6.0 98. 8.0 98.	98	86 0	9 9 9	86 D	.0 98.	OBSERVATIOLS
CLINATOLOGY BRANCH C THER SERVICE/MAG	1: 722730		39		7 83.			1 38.1	89.	91.	91.	93	7 93 2 94	76 5	~		97.1	6	36 <u>7</u>		86 2	7 98	7 78	86 L.	F.
GLUBAL CLINATOLOGY BRAN USAFETAC ATR WEATHER SERVICE/HAC	STATION NUMBER:		GE C		63.	95	a la	0r 89.1		- 1	70001 91.7 60001 92.2	- 1	0/2	35001 94.	100	2/2	15391 96.8	16	16 17	16	ر ا	200	3001 97. 1001 97.	76 Ju	NUMPER
GLUBAL USAFET! AIR WEA	STATION	11111	1111	١.	NO CEIL	L	աև	6E 14000	W W	սա	GE 70	l _w		GF 35	i	LJ L	GE 15	ı	'	GE			1 U U		TOTAL

11 Y	0: 76-85 HOURS (1 ST): 0000-11000		36 GE GE GE GE GE 174 D	• • • • • • • • • • • • • • • • • • • •	77.9 77.9 77.9 77.9	1 83	3.3 83.3 83.5	5.0 85.0 85.0 85	7.9 87.9 87.9 B7.	88 2.88 2.88 2.8	0.6 90.8 90.2 90.	2.5 92.5 92.5	3.6 93.6 93.6 93.6	6.6 96.6 96.6	.2 . 97.2 97.2	86.5 98.5 98 V8.5 V8.5	1 99.1 49.1 99.	66 9.66 9.66 9.	0 100.0 100.0 100.0	190	0.0 100.0 100.0 100	0.0 100.0 100.0 100	0.0 105.0 100.0 100.0	0.0 100.0 100.0 100	0.00 100.0 100.0 100.0
SUS VISIBILIT	DD OF RECOR		GE 4 5/8	•••••••	7 77 7	83.0	83.1	5.48	87.8	0 7.68	90.7	92.3	93.5.	96.5	1.16	98.4	99.66	5.46	6.66	99.	99.9 10	99.9	99.9	99.9 10	99.9 100
CEILING WER TIONS	PERI	TE MILES	GE GE 1 3/	• • • • • • • • • •	17.7 7.77	83.0 83.0 83.1 83.1	3.1 83	19 6.4	7.8 87.	89.4 89.7	0.7 90.	2.3 92.	93.5	6.5 96	7.1 97	486 h 86	66 0.6	9.5 99.	66 6	9.9	.66 6.6	9.9		. 66 6.6	6.66 6.66
URRENCE OF RLY OBSERVA		Y IN STATU	2 1 1/	• • • • • • • • •	1.11	0 83.0 1 83.1	83	9	8 87	# 89 · #	7 90.	92.	5 93.5	96	97.	3 8 6	99.	99.	6.66 7	66	66	99.	7 99.9	٠ ٧	6.66
NCY OF OCC FROM HOU	A 2	VISIBILIT	2 1	• • • • • • • • • • • • • • • • • • • •	77.7 77.	83.0 83. 83.1 83.	3.1 8	8 6 1	7.8 87	89.4 89.	06 2.0	2.3 92.	5 93	6.5 96.	7.1 97.	4 98	8.7 98.	9.2 99.	66 9	66 9.6	9.6	9.6	66 9	9.6 99.	7.66 9.66
FAGE FREQUE	FT HUACHUCA	• • • • • • • • • • • • • • • • • • • •	3 2 1/2	•	7 77.7	0 83.0 1 83.1			88	4 89.4	06	3 92.	5. 93.5	5 96	97.	2 98.2	98	66	5.66.5	66	99.	96.	66	, ,,	5 99.5
PERCENTAGE	STATION HAME: FI	•••••••	39 4	•	77.6 77.	82.9 83.0 83.0 83.1	3.4 B	8 8	7.7 87	89.3 89.	0.6 9.0	2.2 92.	93.3 93.	6.4 96.	7.0 97.	96.1 98.	6.5 98.	66	99.1 99.	66	9.1 99.	9.1 99.	99.1 99.	• 66 7• 6	99.1 99.5
3RANCH 7HAC	3 1	* *	95	•	5 77.6	8 82.9 9 83.0	60 EO	ħ Ģ	87.	89.3	90.	92.	93.2	.96	96	98.0	9.8	98.9	7.66	٥٥٠٢	99.	56	3.00	;	3.66
IOLOGY Service	HBER: 722730	• • • • • •	5E 6E 10	•	77.	82.8 82.8 82.9 82.9	3.3 83.	4.7 84.	87.5 87.5 87.8 87.8	89 89	06 h	91.7 91.7 91.8	76 E	26 2	96 4	97.5 97.6	9 98	2 98. 2 98.	98.2 98.4	8.2 98.	86	2 98	18.2 98.4 18.2 98.4	7.0	1.86 2.8
USAFETAC AIR WEATHER	STATION NUMBER:	CEILING	FEET		CEIL I	GE 2090'N GE 1800'C	14000	120001	GE 100001 8	E 8000	6000 B	65 50001 9	5 4600	E 3000]	F 25001	Į.	12001	6 1000 30	F 9001	E 600	<u> </u>	300	200		, III

STATION NUMBER: 722730 ST CEILING IN GE GE GI FEET I IC G	1 1			FROM	HOURLY	BSERVA	TIONS						
GE GE G 1C G	STATION NAME:	FT	нилснисл	AZ			d	ERIOD Month:	OF RECORD: Nov Ho	80: 76-8 HOURS (L	ST):	1200-140	00
GE GE GE GE GE GE GE GE		•	•	BISIV	11.17	TATU	TE MILES	• :		•	. î	:	• • • • • • •
EIL 75.2 76.2 76	6E GE 5 4	GE 3	6E 2 1/2	. E	GE 1 1/2	3E 1/4	6£ 1	1 1	GE 5 / 8	6E 1/2	GE 5/16	ш ∼	:
1 75.2 76.2 76		••••••	••••••	•••••	•••••	• • • • • •	• • • • • • •	• • • • • •	• • • • •	•••••	• • • • • •	• • • • • •	•••••••
	5.2 76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2	76.2
2.6 82.6 52 2.9 82.9 82	.6 82. 92.	82	110	,	200	20	2.0	82.9	82.6	82.6	82.6	82.6	N 50
82.9 82.9 82 83.4 83.4 83	9.0	83.4	82.9	62.9	82.9	82.9 83.4	82.9 83.4	82.9	82.9	82.9	83.4	82.9	82.9
85.1 85.1 85	.1 85.	85	S.	S	5	5	2	kn	85.1	į.	TO .	85.1	រូប
88.U 88 4 88.4 88	98 5	88	88.U 88.4	88 • U 88 • 4	20 20	8 3		88.0 88.4	88.0 88.4	88 • C	88.4	88.4 88.4	98.4 88.4
89.7 89.7 89 89.9 89.9 89	7.7 89.7	89	89.7 89.9	89.9	89.7	89.9	89.7	89.7	89.7	89.9	89.9	89.9	89.9
06 4.06 4.69	9.	90.	9.06		0	0	•		9.06	9.06	9.06	9.06	9006
91.3 91.3 91	.4 91 .6 91	91.4	91.4		91.4	91.4	• •	91.4	91.4	91.4	91.4	91.4	91.0
2 45.4 92.4 92 7 97.3 93.3 93	2.8 92.8 3.8 98.0		92.9	92.9	92.9	92.9	KN 3	92.9	N J	i • •	92.9	94.1	92.9
96 5.56 5.56 10	96 0		96.2	9		• •	9	96.2	1-20		2.96	36.2	2.96
96 6.		97.5	97.6	97.6	97.6	97.6 98.6	97.6 98.6	97.6	97.6	97.6	97.6	97.6	97.6 98.6
36 97.4 97.9 98	90	98.	98.6	8 8	3 6	(C) C	98.6	98.6	98.6	(CO CC	20 a	98.6	98.6
Uri 97.9 98.5 99	.1 99	66	h•66	6		10	h • 66		4.66	0	XX-	b • 66	h • 6 6
0 98.0 98.6 99	1	99.	99.66	9.66	99.66	94.6	1	1	98.6	99.6	9.66	99.66	99.6
66 9°86	= =	99.66	99.7 99.7	6	6.66	0 0	p 0	00	1	0.001	100.0	100.0	100.0
66 9°86 0°86 15	7	66	1.66	5		6	e	0	i i	1	נסמים	1.00.1	rone
98.0 98.	.66 h	99.	99.7	6.66	6.66	99.99	1	100.01	100.0	100.0	100.0	100.0	100.0
0.89.0 98.6	56 h	66	7.66	0 0	60.66	6.6	00		00	İ	100.0	100.0	100.0
0.86 7.86 17	66 1	66	1.56	6	6.66	6	þ	1	P	1	190.0	1.00.0	מפים
8.0 98.6	.66 h.	•66	1.6	66	1-	6.6	0.00	0000	00.00	0.00	0000	100.0	100.0
TOTAL NUMPLE OF OBSERVATIONS	0HS: 79	ħ											

	GLOBAL CLIMATOLOGY USAFETAC	OLOGY B	BRANCH	PE	ERCENTAG	E FREQUENCY F	ENCY OF FROM	OCCURRE HOURLY	NCE OF OBSERVA	CEILIN TIONS	G VERSU	S VISIB	ILITY		,	
The color The	M AEM INCH	ERVICE/	ŀ				1				17	100	ì			
The color of the	NOT 1 W	1221	20 20	1	-	ОАСНОСА	,				MONTH	NO .	URS URS	LST):	500-17	i
No. 1, 1, 1, 1, 1, 1, 1, 1	EILIRG	:		:	:	•	VIS	ILITY	N STAT	TE MIL	ES	•	•		• • • • •	
CELL 75.6 75.6 75.6 75.8	IN 1 GL FEET 1 1	39	95	9.5	6£ 3	39 7	2 E	ה ה	3 7	٠ ـــا	37 37	₩ \	w -	GE 7	. 0E 1/4	التا
10000 844 8 84.6 84.6 84.8 84.8 84.8 84.8 84.				:											•	••••••
100.00 84.6	O CEIL 75.	8 75.	8 75.	75.	•	5	lr.	5	S.	5	5	5	5	. O	5	5
1900 65.1	E 200001 84.	8 84.	8 84.	78 78	3 3	3 3	84 • 8 84 • 8		3 3	3 3	3 3	2 2	33	8 - 18 1 - 18	33	33
100.00 66.76 66.8	E 1500F 85. F 14000 85.	3 85.	1 85. 3 85.	8 8	KU RI	N W	85.1 85.3		N S	y u	N W	2 %	2 2	85.1	ממ	5.1
100 63.4 6	E 120001 86.	•96 3	8 86.	86	10	5	86.8		9	٥	6	5	9	86.8	įΦ	9
STOOL 97.5 91.4	E 100001 83.	4 38.	# 88.	8 8	88.4 89.4	98.4	100 0	100	88.4	800	80	80		1	988 2004	100 0
7001 91.0 91.0 91.0 91.0 91.4 91.4 91.4 91.4 91.4 91.4 91.4 91.4	E 30001 90.	5 90.	5 93.	90	90.5	90.5	·io	٠lo	90.5			6			\$0.5	٠b.
Second Street S	E 70001 91.	0 91.	91.	91	91.0	91.0	~1	~	67.37		-	-1	• 1	•	91.0	
Second 92.6	E 65501 91.	4 91.	4 91.	91	91.4	91.4	⊣ ∣	-	91.4	-	:	-	•	•		-
1	E SPOOI 92. 5 450Cl 93.	6 92 0 93	6 92. 0 93.	92 93		3.5	35	2.	35	35	35	35			35	35
3010 96.1 96.1 96.2 96.2 96.4 96.6 9	E 35001 94.	8 9 9 W	8 34.	7 7		. տ	 ភហ		÷ ₩		3 E	ລະທ •-•			÷ 10	3 IS
2500 97.2 97.3 97.4 97.4 97.4 97.4 97.6 97.8 97.8 97.8 97.8 97.8 97.8 97.8 97.8	30 30 96.	1 96	1 96.	96		9	9		ان	9	9	9	•		مُا	6
	E 25001 97.	76 5	3 97.	97.		F &	÷ a	~ a	~ ~	- a	٠. «	÷ &	- 0	- B	- 4	- a
120 98.3 98.4 98.5 98.6 99.1 99.2 9	E 18UC 97.	16 9	7 97.	97.		.	6	8 .	8	6	6	800	80 0	80 0	œ .	30 :
100 98.4 98.5 98.7 96.8 98.8 98.9 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.3 99.5 99.6 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.7 99.5 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.6 99.7 100.0 100	120rl 98.	3 98	4 98.	96	• •	0 00		0		• ¹ • O∵⊅						2
AUC 99.4 96.5 93.7 94.6 99.7 100.0 100.	1005 98.	4 98 4 98	5 98.	96	8 8	85	6.0	i	60	6.6	6.6	00	99.2	00	99.3	100
5UT 98.4 98.5 98.7 99.5 99.5 99.6 99.6 99.6 99.6 99.6 99.6 99.7 100.0	735 98.	4 98	5 93	95.	w &	5 6	0 0		6	6 6	6	0 5	9 66	ć. o	9.66	12-0-
E 50f 98.4 98.5 98.7 92.9 93.9 99.1 99.5 99.6 99.6 99.7 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 E 400 98.4 98.5 98.7 92.9 98.9 99.1 99.5 99.6 99.6 99.7 100.0	·86 009	65	5 98.	96	ι α	6	0		0		6	6	1.66		1.66	:0
F 309 98.4 98.5 99.7 95.9 98.9 99.1 99.5 99.6 99.6 93.7 100.0 100.0 100.0 100.0 100.0 100.0 100.0 E 20.1 93.4 93.5 98.7 98.9 98.9 99.1 99.5 99.6 99.6 99.7 100.0 100.0 100.0 100.0 100.0 100.0 E 20.1 98.5 98.7 98.7 98.7 100.0 100.0 100.0 100.0 100.0 100.0 100.0 E 20.1 98.4 98.5 98.7 98.7 98.7 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	E 500 98.	96	5 98 5 98	36	800	99.1		66	66		800	000	99	188		100:0
E 1001 93.4 78.5 98.7 98.9 98.9 99.1 99.5 99.6 99.6 99.7 100.0 100	3001 98.	4 98	5 99	96	œ .	99.1	1 •	0.0	0.0	•	00	000	98	6		0.001
5 5 98.4 98.5 98.7 96.9 98.9 99.1 99.5 99.6 99.7 100.0 100.0 100.0 100.0 100.0 100.0	E 1001 98.	4 78 4 78	5 98	98	0 0	99.1	• •			• •	35		8			100.0
	ç 81 98.	96 h	5 98.7	6.49	98.9	99.1	66	9.66	93.6	7.66	100.0	100	0.00	100.0	100.0	100.0

The standing service can be considered by the standing service can be	IR WEATHER Tation numb	ВКАИСН	P ER	CENTAGE	E FREQUENCY F	ROF	OCCURRE HOURLY	NCE OF OBSERV	CEILING ATIONS	VERSU	S VISIB	ILITY	,		,
	TATION NUMBER: 7														
Column C		STATIO	LAME	1	JACPUCA					ERIOO Honth	ا ا	ORD: 76 Hours		1800-20	00
CCCIT CG. CG	EILING					VISIB	ILITY	STAT	E MIL	\$		•		• • • • •	
Control Cont	IN GL GE FEET 19		GE 4	GE 3	(S)	2	GE 1 1/2	6E 1/4	GE 1	GE 3/	GE 5/8	6E 1/2		GE 1/4	ill 1
Court Columb Co			•	,		:	•	•	•	•	•	•		•	• • • • • • •
E 200001 85-9 89-9 89-9 89-9 89-9 89-9 89-9 89-9	CEIL 86.3 86.	6	3	6		9	86.3	9	5	9	9	9	i •	6	9
E 1800 (90.1 90.1 90.1 90.1 90.1 90.1 90.1 90.1	5 200001 89.9 89 E 180001 89.9 89	89.9	00	89.9	89.9	00	89.9	89.9	89.9	100	6 6	89.9	89.9	89.9	89.9
E	E 16036 90.1 90 E 14036 90.1 90	90.1	トコロ	90.1	90.1		90.1	90.1	90.1	10 O	60	90.1	90.1	90.1	90.1
E	E 12000/ 90.7 90	1.06	10	2.06	7.06		90.7	1.06	7.06	10	6	F.06	1.06	90.7	1.06
E GOOOD 93.4 93.1 93.1 93.1 93.1 93.1 93.1 93.1 93.1	E 10000 91.7 91.	1- N	1~ N	- 2	1- N	120	1-N	2.5	1-C	- N	17.	1-0	1~ N	91.7	J-N
E GCGG 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1	E 8500 93.1 93.	W1 W	10 %	M 1	W 4	m M	1 m	W 14	M W	M 1	W .	MM	100 6	93.1	M 14
E 500 54.9 94.9 94.9 94.9 94.9 94.9 94.9 94.9	E 60001 94.1 94.	113	113		ישלו	13	バナ	2	1 3	יבוי	1) 	113	94.1	113
E 3000 97.5 97.6 97.5 97.5 97.5 97.5 97.5 97.5 97.5 97.5	E 50001 94.9 94.	3 5	2 2	33	37.27	3 3	3 3	3 3	3 3	3 3	3 3	37.37	6.46	6.46	133
E 2500 97.5 97.5 97.5 97.5 97.5 97.5 97.5 97.5	E 4000 95.3 95.	5 2	သြ	6 2	5	5	2	5.5	2	2	5	5	95.8	95.8	2
E 25101 97.5 97.5 97.5 97.5 97.5 97.5 97.5 97.5	E 3000 97.3 97.	-	1			-	-	-	-		-	-	.61.3	97.3	
E 1500[98.7 98.8 98.8 98.8 99.0 99.0 99.0 99.0 99.0	E 2500 97.5 97.	1. 8	L 33	1.00	97.5	1∼ ∞	r 20	120	2.8	1. 8	7.8		97.5	97.5	98.3
E 1200 96.5 96.5 96.6 98.8 99.8 99.0 99.0 99.0 99.0 99.0 99.0	E 1500 97.8 97.	8 8	သြားဆ	8 6	98.3	100 0	800	8 6	8 6	ω 6	8 6		98.3	98.3 99.0	98.3
E 100[98.7 98.7 99.2 99.2 99.3 99.3 99.5 99.5 99.5 99.5 99.5 99.5	E 1200 98.5 98.	œ	l∞	0	0.66	0	6	10	6	6	6	1.0	0.66	0.66	0.66
E 800 93.7 98.7 98.7 99.2 99.2 99.3 99.5 99.5 99.5 99.5 99.5 99.5 99.5	E 100Cl 98.7 98.	6.6	00	60	99.3	00	00		99.3	6.6	66	66	99.3	99.3	99.3
E 600 98.7 98.7 99.2 99.2 99.3 99.5 99.5 99.5 99.5 99.5 99.5 99.5	E 2001 93.7 98. E 7001 98.7 98.	0.0	5	6	99.3	00	6		99.5	6 6	6	0 0	99.5	99.5	3.66
E 50C 98.7 96.7 99.2 99.2 99.3 99.5 99.5 99.5 99.5 99.5 99.5 99.5	E 600 98.7 98.	6	2	6	99.3	10	6		99.5				99.5	5.66	5.66
E 3JC 78.7 98.8 99.3 99.5 99.5 99.7 99.7 99.7 99.7 99.7 99.7	E 5001 98.7 96.	6.6	2.0	00	99.3	6.6		66	99.5	00	99.5	7.66	99.7	99.7	7.99 7.99
E 10n 98.7 98.8 99.3 99.5 99.5 99.8 99.8 99.8 99.8 99.8 100.0 100.	E 30r 78.7 98.	6 0	0 5	6 0	99.5	6 0	l •	6 0	99.7	0	7.66	66	99.8	66	660
E 0 98.7 98.8 99.3 99.3 99.5 99.5 99.8 99.8 99.8 99.8 99.8 100.0	E 100 98.7 98.	0	0	0	99.5	6	• i •	6	8 66	10	8 - 5 6	8	100.0		100.0
OTAL WUM4EP OF ORSERVATIONS: 593	86 1 98.7 98.	6:	6	66		66	6	99.8	66	99.8	8.66	100	0.00	100	0.00
	OTAL NUMMER OF OR	11045:	53		ł		1								,

STATION NUMBER: 722733 STATION LAME: FT HUACHUCA AZ CEILING LIA 6L 6E 6E 6L 6L 6E 6E 6E		URLY OBSERVATION	ILING VERSUS	S VISIBILITY	ITY		,
GE GE GE GE GE GE GE GE	<u>Z</u>	ı		1		,	
GE GE GE GE GE GE GE GE			PERIOD MONTH:	OF RECOR : NOV	76- JRS (12-85 1 2100-23	l I
GE	VISIBILITY I	N STATUTE M	ILES	•	• • • • • •		• • • • • • • •
CEIL 86.5 86.5 86.5 86.5 86.5 86.5 8 8.5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	6E 2 -1 1/2	GE GE 1 1/4	1	GE 5/8	2		פב ס
CEIL 86.5	•	• • • • • • • • •	• • • • • • •	• • • • • • • •	• • • • • • • • •	• • .	• •
2000n 90.2 90.2 90.2 90.2 90.2 90.2 90.2 90.2	86.5 86.5	86.5 86.	5 86.5		ŀ		86.5
1600 ft 90.2	90.2 90.2	90.	2 90.2	90.2	90.2 90.2	2 90.2	90.2
12030 90.8 90.8 90.8 90.8 90.8 90.8 90.8 9 90.8 9 90.8 9 90.8 90.8	7 2	06 2	7 7			İ	90.2
E 100001 92.5 92.5 92.5 92.5 92.5 92.5 92.5 92.5	ω	906 8	9				90.6
2 0 0 1 n 0 n 0 n 0 n 0 n 0 n 0 n 0 n 0 n	92.5 92.5 92.5 92.5	92.5 92.	.5 92.5 .5 92.5	92.5	92.5 92.5	5 92.5	92.5
**************************************	3.4 93.	3.4 93					43.4
E 600C 93:4 93.4 93.4 93.4 93.4 93.4	3.4 93	3.4 93			ŀ		93.4
50001 94.5 94.5 94.5 94.5 94.5 94.5	94	16 5	76		946	ł	0 + 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
9 4	96.6 96.6	96 9	96.6	96.6	96.6 96.	9.96 9.	9.96
3000 97.1 97.1 97.1 97.1 97.1 97.1	1 97	1 97	46		6		97.1
5001 97.4 97.4 97.4 97.4 97.4 97.4 0101 98.0 98.0 98.0	97.4 97.4 98.0 98.0	97.4 97. 98.0 98.	40	97.4	97.4 97. 98.0 98.	.4 97.4 .0. 98.0	97.4 98.0
1847 98.0 98.0 98.0 98.0 98.0 3.0 3.0 3.0 3.0	86 0.	8 0 98	86 0	8.0	8 8		0.86
1200 99.1 99.1 99.1 99.1 99.1	1 99	. 66 T.	1 99	9.1	66		. I.66
1030 99.4 99.4 99.4 99.4 99.4 99.4	00	h 66 h 66	h°66 h	h°66	4.66 4.66	# 66 h	h.66
1.66 1.66 1.66 1.66	h. 66 h. 66	66 7					h-66
h*66 h*66 h*66 h*66 h*66 h*66 [309	66 h	66 h				`	h-66
5 5001 99.4 99.4 99.4 99.4 99.7 99.7 99.7 99.7	1.66 1.66	. 66 h. 66	4 99.4 7 99.7	4.66 7.66	99.4 99.4 99.7 99.7	4 99.4 7 99.7	99.4
3Jr 99.4 99.4 99.7 99.7 99.7 99.7 9	66 1.6	9.7 99.	100	1	þç	1	100.0
E 1001 99.4 99.4 99.7 99.7 99.7	66 4.6	66 1.6	7 100	'			100.0
6F C1 99.4 99.4 99.7 95.7 99.7 99.7	1.69 7.66	66 1 66	7 100.0	100.0	100.0 100.	0 100.0	100.0
4'ES OF ORSERVATIONS: 748	,						
							-

,			73.					, 2, 2, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,			سرار وي: الشيخ	9 10 m			ېږ. آ	ا برونها مسمنت	34 75 	7	مندن مدند ا	Servery SANCE	<u> </u>	1	<u> </u>			·		T			-	. ,		1
					GE		0	N	85.5 85.6	ഗയ	·	4-68 4-68	91.0	91.4		93.0 93.3) j	ហ៤		97.5	80	٥١٥		99.4 99.5	• •	6	8.66	6.66	100.0		100.0		2	
		,	ALL	١.	GE	1/4		79.1	. 9°53	. 85 . 7 86 . 0	87.3	89.4	90.6	91.4	71.07	93.0	4. 46	95.2		97.5	98.3	യശ	:	99.4			8.66	6666	100.0	8	100.0			
			511:		GE	5/16		79.7	85.5 85.6	15 5	-1	١.	6006	• • •	•	93.0	• ! •	95.2	•		98.3	• 1	•	. h;•66	6	6	1 .	•	100.0	90	100.0			
	117	•	10: 76-8	HOOKS	96	1/2		1.061	85.5 85.6	40 4	1 II-		90.6	-	÷	m	:	95.2	•	97.5	98.3	786	0 • 6 6	99.4	7.00		lm.	0	99.99	6	0			
	VISIĢILITY		OF RECORD: 76	A02	<u> </u>	5/8		19.1	20.00	85.6		89.4	89.7	91.3	91.9	١.,	, L	95.2	٥		98.3	8	•	9.9 . 3	6 0	. 6	6		99.8	6	0			
	VERSUS		PERIOD (Ú	3/4	•	19.7	20.0	85.6	-	89.4	89.7	91.3	91.9	1 .	• • •	95.2	•	١٠٠	98.2	8	•	0.0	9.66	6	١		6.66	0	6			
	CEIL ING				TE MILE		•	79.7	6	85.6		₽.68	89.7	91.3	91.9	93.0	93.2	95.2	9.96	1:	98.2		o.		9.66		- 1 -		9 66 8 66		8.66			
	NCE OF OBSERVA				IN STATU	GE 1 1/4	•	7.61	100	85.6	٠١٠		89.7			93.0	93.2	95.2	9.96	-	98.2		6	60	9.66	6 6	٥		7.99 7.99		7.66			
	OCCURRE				11.17	65 1 1/2	:	79.7		85.6	5	١.	89.7			- Im	MI	95.2	Į O	:	98.2		8	160	99.5	6	.	2	7.66	াক -	1.66			
	P OF		AZ		•	وج 2	:	7.67	85.5	85.6	85.9	7 08	89.7	9659	91.9	l M	M :	95.2	10		99.2		1 .	١.	99.5	• •		99.5	9.66	9.66	9.66			
	FREGUENCY		HUACHUCA	- 1	•	GE 2 1/2	:	79.7	85.4	85.5	85.9	2.00	39.7	90.9	91.8	92.9	93.1	94.5	96.5	97.3	98.1	98.4	8.86	99.1	99.2	99.3			4.66					
	PERCENTAGE				•	6E 3		7.61	85.4	85.5	87.3	6	89.7	90.9	91.8	92.9	93.1	94.2	96.5	97.3	98,1	98.4	98.7	99.1	99.1	99.2	73.66	99.3	99.3	99.3	5.99		7	
	PER		N NAME:		•	3 3 3		79.6	95.4	95.5	87.2		89.7	9.06	91.6	0 2 0	93.1	94.2	96.4	07.7	98.0	98.0	98.7	99.0	99.1	99.1	>	000	2.66	ひしひ	l o	•	3927	
	СН		NOTTATA	21.4.0		35.		79.6	35.4	85.5	85.9		89.3	9.06	91.8	S	93.1	2.46	96.4	0.2	38.C	98.6	98.6	586	13.66	99.0	a•66	3 66	7.66	300.0	00		ORSERVATIONS:	
	GY BRANCH	TCE/HAC	72770	122135		39		79.6	9 S S	85.5 85.5	85.8	7	89.3	8.06	91.2	100	92.9	0.46	96.1		97.6	7.16	98.2	98.5	98.5	98.5	98.5	98.5	98.5	98.5			- 1	
	INATOLO	USAFETAC		NUMBER:		5t.	1	79.6	. 8	85	85.8			1	91.2	- [O O	63.9	٣١٢	`	96.8	97	2 6	28.0	93.3	800	٠ 8 9	98	0 98° N	98		cock li	TUMPER OF	
	UBAL CL	AFETAC		STATION N		IN	FEESI	1100			14000E	-	_	1	0009	ı		10034 39	- 1	- 1	1002 39 1002 39	1			1006 39				6E 430				TOTAL 4	
	0.00	US		ST		' נ <u>"</u>	<u> </u>		2 3	000	. 20 0 E	ۏ	دَ ق	قاه	3 2		. .	9	ت ا ت		<i>و</i> ن													
			-] 					\ - -			N THERMAL AN			<u>.</u>		ac .							1	

GLCBAL USAFET	BAL CLIMAT FETAC	CL IMATOLOGY	SY BRANCH	CH	PE	PERCENTAGE	E FREQUENCY FI	ENCY OF From	OCCURREI HOURLY (ACE OF BEERV	CEILING ATIONS	G VERSUS	ΙΛ	SIBILITY		,	
AIR ''		K SERV.	SERVICE/MAC											,	,		,
STATION		NUMBER: 7	722739	STATION	OK NAME:	FT	ниасниса	AZ				PERIOD MONTH:	OF RE	CORD: 76-85 HOURS (LST)		0600-0090	.00
CEILIN					• • • • • •	• • • • •	• • • • • •	VISIE	BILITY	ż	HIE.	ES			: `		
IN FEET		SL 1r	35 6	GE 5	56 4	6E 3	.6E 2 1/2	E 2	GE . 1/2	1 1/	6E 1	GE 3/4	GE 5/8	6E 1/2	GE 5/16	GE 174	5E. 0
	:		•		•	•	•	•	:		١•			:	:	• • • • • •	•,••,••••••
		19.0	79.0	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2	79.2
GE 200	200001 6 180001 6	34.4 54.6	34 • 4 34 • 6	84.6 84.7	84.6 84.7	9.48 84.7	9.48	84.6 84.7	84.6	84.6	84.6		3 3	84.6	84.6	84.6	3.3
		84.7 35.8		86.0 86.0	84.9	86.0	84.9	86 • B	6.48	86.0 86.0	84.9	86.0	84.9	84.9	84.9	84.9	84.9
	ŧ	86.9	1 .	87.1	87.1	67.1	87.1	87.1	87.1	87.1				87.1	87.1	87.1)
GF 100	9 13046	87.9	87.9 88.2	88.1	88.1	88.1	88.1	88.1	88.1	Φ α	88.1	88.1	88	88.1	88.1	88•1	88.1
1	F 5		88.8	3.68	99.0	6	89.0	69.0	89.0	89.0	89.0	0.68	89.0	89.0	89.0	89.0	89.0
	-	• • •		89.3	89.3		89.3	39.3	אומ	V 10	• •	89.3	89.3	89.3	89.3	89.3	89.3
6E 50	50001 8	89.3	89.3	89.5	89.5		89.5	2°.00	89.5	6.0		89.5		89.5	89.5	89.5	89.•5
	1	313.1	90.1	90.3	p-06	h • 06	90°4	4.06	1.06	50.4	h • 06	# 0.6 #	90	4.06	h-06	4.06	4.06
1		72.8	92.8	93.0	93.4	• •	9006	95.6	90.6	o m	• 1 •	90.6	• •	9006	9006	9006	90.6
- 1	- 1									;	. 1	, ,	;			101	F • C · .
0E 20	200	95.4	94.1	94.5 96.0	95.0	95.0 96.5	95.U 96.5	95•B 96•5	.95 • B 96 • 5	95.0 96.5	95°B 96°5	95.0 96.5	95.0 96.5	95°0 96°5	95.0	95.0	95.0
	202	ຕໍ່ຕໍ		96.1	٠;		96.5	96.5	96.5	6.		6.7	6.	96.5	96.5	96.5	96.5
-	202	9	•	6.96	-		97.8	97.8	97.8			-	:1:	97.8	97.8	97.8	97.8
-	00rl 9	36.3 36.3	96.96	97.4	98.2	98.3	98.3	98.3	98.3	98.3		98.3	8 6	98.3	98.3	98.3	98.3
() () ()		76.3 16.3	0 ~	7.	w x	0 0	• •	98.5	00 0		(C) Q	(N)	98.5		98.5	98.5	98.5
	1	76.3	I-	-	80	8		7.86	8	8	80	oία	8		98.7		8
u	000	16.3		00 00	Du	100	i • •	99.1	60	60		6.0	80			h•66	h* 66
6E 3	3001 9	96.3	97.2	98.0	98.9	99.1	99.1	99.1	99.3	99.3	99.3	99.3	99.3	4.66	7 66	9.66	9.66
	100	6.3		00	23	10		99.1		6		6	6		• •	100.0	100.0
39	6 13	96.3	97.2	98.5	93.9	99.1	99.1	99.1	99.3	99.3	99.3	99.3	99.3	9.00	9.00	1 00 - 0	100.0

		• 12		,					45 214 11						·										,		
		00				75.5	83.0	94.0	R 1 8	80 0	4.68	89.9	90.5	9.0.6	8 1 6	93.9	95.3	97.3	98.4	98.8	98.9	99.3	66.3	6.66	100.0	100.0	0.00
	·	09 00-11	6.00.000	GE 174		75.5	83.6	84.0	87.8	88.3	89.4	89.9	90.5	9006	91.8	93.9	95.3	97.3	98.4	8 • 86	98.9	99.3	99.3	8 66	6.66	99.99	0.00
	-	-85 (LST):		GE 5/16		75.5	83.0 83.6	84.0	87.8	88.3	89.4	89.9	90.5	9006	91.8	93.9	95.3	97.3	98.4	98.8	98.9	99.3	99.3	99.5	99.66	99.66	4,00
LITY	,	76 URS		GE 1/2		75.5	83.0 83.6	84.0	87.8	88.3	89.4	89.9	90.5	90.6	91.8	93.9	95.3	97.03	98,3	98.6	98.8	99.1	99.1	4 66	99.5	99.5	500
VISIBILITY		OF RECORD:		GE 5/8		75.5	83.0 83.6	3 3	- -		89.4	• ! •	90.5	90.0	91.8	93.9	95.3	97.3	98.3	98.6	98.8	99.1	1.66	4.66	4.66	4366	7.00
VERSUS		PERIOD HONTH:		GE 3/4		75.5	83.0 83.6	1.	-		89.4		90.5	90.6	91.8	93.9	95.3	97.3	98.3	98.6	98.8	99.1	99.1	99.4	h 66	99.4	7 00
CEILING TIONS	٠,		TE MILE	GE		75.5	83.0 83.6		87.8	88.3	89.4	89.9	90.5	90.6	91.8	93.9	95.3			98.6	98.8	99.0	0.66	99.1	99.1	1.766	99.1
NCE OF			IN STATU	6E 1/4		75.5	83.0			88.3	89.4	• ! •	6	٠	91.8	3.	95.3	~	ထာကြ	8	98.6	8	æ	98.8	98.8	0 00	98.8
OCCURRENCE HOURLY OBS			ILITY	GE 1 1/2	:	75.5	83.0	94.0	87.8	8 8	# 68	6	90.5	90.6	91.8	93.9	95.3	97.3	98.3	100	98.6) φ	0	8.86	no a	ω ω	98.8
NCY OF		A 2	VISIB	. ~		75.5	83.0 83.6	0 n8	87.8	88.3	99.44	89.9	90.5	90.6	91.8	93.9	95.3 97.1	97.3	98.3	5.86	93.6	8.86	98.8	98.8	96.8	8.86	98.8
FREQUENCY OF PRO		ниасниса	•	GE 2 1/2		75.5	83.0 83.6	84 • U	87.8	88.3 88.8	89.4	89.9	5.06	90.06	91.8	93.9	95.3 97.0	97.1	98.1	4.89	98.5	98.6	98.6	98.6	98.6		98.6
PERCENTAGE		FT HU	• • • • •	9E 3		75.5	63.3 83.6	0 + 48	87.8	88.3	# 68 # 68	89.9	90.5	91.0	91.8	63.9	95.3 97.0	97.1	98.1	100	98.5	· α:	ω .	98.6 98.6	00 0	8	98.6
PER		H RAME:	•	υΕ 4		75.5	83.6	0°48	87.8	88.3 88.8	100	10	90.5	91.0	91.8	6	95.1	II~ :	ಭ(ಌ)	ယ	4 c c d	20	w	98.4 93.4]ಬ ಇ	: 0	98.4
₹		STATION	•	6è 5		75.5	83.C 83.6	. 4	-	88.3	39.4	6			91.8	-	95.1	•	• ! •	١.	98.1	• •	•	98.1 98.1	0 0	· a	98.1
AL CLIMATOLOGY BRANCH ETAC	ICE/MAC	722730	•	6E 6	• • • • • • •	75.5	83.0 83.6	34.9	87.8	88.8	0	10	90.5	91.0	91.6	73.5	6°46	76.5	97.5	97.3	61.6	97.9	97.9	97.9	97.9	6.16	6.76
INATOLO	ER SERV	UMBER:		6E 10	• • • • • •	75.5	83.0 83.6	3. 48 84.98	87.8	88.3 88.8	4.68 9.68	89.9	8.50	91.0	91.6	7.07	94°5 96°0	96.1	3.79	97.1	97.1	57.1	57.1	97.1 97.1	- r	~	97.1
JEAL CL	R WEATH	STAT FON NUMBER:	ILING	IN .	•	CEJL 1	200001 180001	16707	120021	100001 90001	800rl 700rl	10009	5000	4000	3500	Incac	2550 2030	o :	olo -	10201	800	7007	1369	1205 4001	3351	1071	=
GLOB	AI	ST	CEI	1 3	•		9 0 0 0 0	14 PA	3	2 7 1 1 1 1 1 1 1	נו ע ט פ	GE	66	SE CE	39	ָנ ט	0 6 7	با بيا د	3 3	6.6	6.5	39	9E	00 04	5 5 5 7	OE.	5

	1	19 0 19	78.1	THE POPULATION OF THE POPULATI		0-01- 5-0-01-	0.00 0.00 0.00 0.00 0.00		100.0 100.0 100.0	100.0
=	111111	W/1	1131	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		6 - 6 - 7 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -		1000		100.0
8 8 8 9 1 8 1 1 8 1 1 1 1 1 1 1 1 1 1 1		67 8 6/16	1			9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		3 - 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	100.0 100.0 100.0	1,00.0
			1 78.	MAN THE		0 0 0 0		45 D T O		66 (
505 V 00.0F		52	13		9. 2. 3. 3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		66 £
ONS PERI	H IL ES	01. 1	8.1.73		9.00 9.00 9.00 9.00 9.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7.2.0.97.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	20.00 0.00 0.00 0.00 0.00 0.00 0.00	999999999999999999999999999999999999999	99,46
CC OF CC	STATULE		1:3	62.9 63.9 64.9 64.9	00000000000000000000000000000000000000	00000000000000000000000000000000000000	99000 9700 9700 9000 9000	900.00 900.00 900.00 900.00 900.00	00000	9 9 9 6 6
200 X X X X X X X X X X X X X X X X X X	NI ALIT	ر در ع	1.87	2000 2000 2000 2000 2000 2000 2000 200	00000000000000000000000000000000000000	000 0110 0110 0110	96.0 98.0 98.0	0r 0 = 0 0 0 0 0 0 0 0 0	33 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9.66
L HON'T L	11817	.00		- 10 0 0 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	01 00 00 00 00 00 00 00 00 00 00 00 00 0	000 000 000 000 000 000 000 000 000 00	00000	20000 20000	20200	2.66
e FREGU UXCHUGĂ		3 178	2	20000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	00.10 01.0 02.10 02.11	2000 2000 2000 2000 2000	998.4	240 200 200 200 200 200 200 200 200 200	20.66
SENIA PT		200	72.1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	988.4 98.4 99.1	20200	8 66 H
PER TION NANE'		: :3	1 72.	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.35 0.35 0.45 0.45 0.45 0.45 0.45 0.45 0.45 0.4	00000 00000 00000 00000 00000	2000 11.0	136
5 TA		9	7.5	2 03. 2 03. 2 03.	2 00 5 60 6 88 1 89	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 4 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2000 2000 2000 2000 2000 2000 2000 200	
LOGY RVICE T 723	•••••	10 10	2.1 72	3. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	7.9 07 8.2 08 8.5 08 7.6 08	9.5 89 1.4 9.1 9.1	5.5 6.2 6.7 6.7 7.0 7.0	6.7 97 6.7 97 7.1 97 7.1 97	7.1 97 7.1 97 7.1 97 1.1 97	7.1 97
AL CLINATO ETAC FRATHFR ST TON NUMBER	T		£11 1 7	8 1000 8 8000 1 8 8000 1 8	8 100001 8 100001 8 100001 8 100001	45000 8 45000 8 35000 9	25000 9 25000 9 25000 9	9000 9000 9000 9000 9000 9000 9000	2001 2001 2001 2001 2001 2001	מואחה "די אחאוני
GLOBAL USAFETA ATR FFA STATION			0 0 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	2003 2000	2 2 2 2 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 4 4 4 4 4	101 101A

-

; **-**

•-

4-

÷

-- ·

	00	:	ე ე			GU C	3,1,6			2 .g	-	B: 0.6	50	هاه	3.00	F1 86		50	3.00	b	199.7	: CI	20	100.0	•]
			17.4		1361	93.6	3 2 2	87.9	-	00 - 00 00 - 00 00 - 00		9.00	4.26	2	4 . 90				1			- 11	100.0	13	
	6=8 F 8 (1,81) 1	=	91/s			-	3.7	· []	3		× LOSE	6-	9.50	L			6]. •		1.66		99.00	99.	100	6.66	ا ا
311.177	GRU1 7 HOUR		2 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /			ec p	¥ 0					6-	* 3) Cur	H 96	isso o		99.0	F 66	•:· •	9.66	100		6.66	
US VISTB	O OF REC		9 / 6 20 / 6			me m	# C	-	œ :	0 40 0 40 0 40 0 40	100	9000	23.0	حتاره			ج بع حب ع	00	m - 00		9.06		₽	90.0	
NO VERSI	ERIG Honi		127			ക്ക	# O		E	6 40 5 40 5 40 5 40	-	9006	Kee P	ALC:	# . 9 ¢	- 13 miles		00	W 66		9.00	6	• •	0.00	
TONS	. 1	UTF HI	10			e i e	= 0	-		3 -9 	2		0.26	-	1	5.00	- ·	00	m 000			· · · ·	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	4.40	
CNCE OF		IN STAT	1) 1						80	3 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -		40.8	go r	• (` • • (` •	40.4	 	o, o ⊃:⇔	0.66	m =		90.00			40.4	•
Y NOCE	; !	1016117	7 / E			56.7	= 0	<u>:</u>	• ; • ;	000	=	5-	2 2 2	-	1	, m :	3 'S	30	\$ 00 \$ 00 \$ 00 \$ 00 \$ 00 \$ 00 \$ 00 \$ 00		30		, k.	4.66	•
FRON	A.Ł	V 1S 1	10			er er	= 0 = 0 = 0		ص ا ا	300	(10-	10 m			2		200	900		2000	0	~ ~	11.66	•
פר האניטט			ة ¥			2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	5.5	97.6	200	3 0 0 0 0 0 0	30.00	6-	2.20	,		2			1.00		99.4		= = = 0 0 0 0	11.00	•
PERGENTAG	;	•			H2.1	95.6	3 7 0					i	kes w		اعظ		= x	100	, 8000		1.66	1.66	200	99.1	•
3 d	NAME.		ج ت			٠.٠	2 2 2 2 4 2 2 5 2 5 2 5 2 6 2 6 2 6 2 6 2 7 7 6 2 7 7 6 2 7 7 6 2 7 7 6 2 7 7 6 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	·-	- i	0 0 E		13-	2.20	J -	3.	7.10	~ 3	26.5	•	مدرد		6.0	x = x	7:10	•
NCH C		•	20		82.1	(C)	2 C	(r-	8	 	a	6-	92.9		5				98.4		98.4	: cz 1	ص ت	98.4	•
TOLOGY BRAN Service/Hag	722730	•••••	3E 6	17.17		32.00 B. 5.00	37.2	87.9	3	2 2 3 3 3 3 3	; , .aa	15-	92.9	1.5	95.8	. ~ :	-'-	1	27.00	90	0.80	0.80	•i• ကာဆ	98.0	
L CLIMATOLOGY TAC EATHFR SERVIC	NUMAL R	•••••	1 CE	11/	82	ביים	2 2	67.	3	3 & 3 &	BB.	20	22.2	200	200	96	9 9	96.	76.7	1.7.	97.1	97.	<u></u>	1.77	
GLUNAL CI USAFETAC ATR WEAT	TATION	eiling	,_	11 30 0		- u		~	200	E 81.00	009	5500	2 2	ราบ	200		120	100	7 900	0.3	1. 50n	30	22	E L	
ع د د	S	• 5					33	3	=	ມ <u>ເ</u>	ق	2 2	قَ قَ	3	3 3	5	ق د	قَ دَ	5 5	قرا	33	15	3 3	3	1

			, 5		16:8	3	9.19	# >~	p s	5	8000			4 PA	96.12	6.94	2	7:36	8.80		66		-	100	0:001	100.0
		1000 - 1000	37.		16.5	3.3	-	-	' ! • •		1006			7.76				98:1	9.86	9.86	99.1	77.1	8.66	1166	8146	9:66
	0.0	2 (1.57.1.	GE 8/16	•	76.5	7.76	1110	0.70		90	000	42.4		4 2 2 0	0.96	7:10	47.4	1 : 86	1100	ood) (14	99.1	74.1	8.66	2.6	8 6 6	90.06
visioterfy		1001	8/1 1/2	:	76:5	7 : 7 : 9 :	***	* *	£.04.		200	PAG (~	94.1	•		. ~	eje Eje	9:96	94.60	99.1	1	20.00 00.00	8.60	1.66	\$1.00
US VIST) - C	9/s	•	76.5	7 = 7 7 7 80 6		-		6	2006	6.8.6	7 2 6	94.1	0.96	96.1	1.46	96.1-	J.,	 ⇔ (=	99.1	•	20.60	· •		9.66
NO VERSI	· •	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3,5		76.8	7 H B	h . h. a	87.0	90:3	6	é e	~		94.1	0		1.44		=	.	1.60	•	29.66			مودو
CEALI		UIE MIL	 20	•	9:92	7.70	È.		90.3	90.3	90.8	500	27	94.1	9	196	11.46	<i>⊃ [</i>	15.	حادث	0.00	. I	- 00 00 00	00	96.3	60.00
CNCC OF	• •	IN STAT	l.₹	•	6.0/	7.3	F. 113	מיינים	2000	္ခ်	00	1 73 C		7. 5.	3	40.4	-		(3)	á)c	20 C	; !	~n	<u>.</u>		47.1
OCCURPE HOUPLY	•	BILITY	L >	•	3.92	7 = 7 = 2 = 2 =	F. E.		2000	•	• •	6.50)		0.0%	96:7	<u>.</u>	 ວສລ	اءً ا	.	90°8	_	777 70	_		97.3
NCY OF FRON	7 5 7		 	• • • • • •	16.5	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		• •	90.3	÷.	င်င	ri.	و رون	7 5 5	•	96.7	, . ,	-	=	• • • • •	30.00	; [99.1	20		1:66
FREQUE	FT HUNCHUCA	1:	2 1/2 2 1/2	: 1	76.5	ት • ከ ፡፡ የ • ተ ፡፡	h. pg	1.0	90.3	i • 40 :		65.6	93.5	94.1	3.00	96.7	2.40	_ I:36.	20.6		98.6		3 3 3 3 5 6	•		3.06
PERCENTAUF	Ť	:	6E.	•		h• h8		• •	90.3	96.3	90.0	12.	بطق	94.1	•	96.7	· - c		æ.	• ; • ສະຫ	98.6	١.	0.00 0.00 0.00	÷ «		98.8
b E f	STATION HAME:	:	: 0:		ላ. ኃ /	3 t • t 8	3		96.3	.5	-			9401	0	96.7	~	יכבנ	1.5	: 's	96.6		9 E C	٠. خ ي		8.06
CH	1	•	9E 5	: !	ပ	ង• ង• ង•	3 2	-11-	90.3	.		nic	, 	1 . 10	•	96.7	~ ~		200	۰ ا ۰ تعاد	99°4	. 1	22.00		. J 🕳	78.6
TOLOGY BRAN	722730		GE 6	:	76.5	34.4 94.4	។ ។ កម្ម ក ។ កម	87.0	90.3		ם כ] - -	ب چارچ	•	96.7		-10	98.1	96.1	78.1	1 80	98.1	78.1 98.1	98.1	98.1
CL INATOLOGY BRANCH	UNINER:	:	10		76.5	84.4 84.4	3.4.5 2.4.5 3.4.5	h7.0	90.3	•	• ! •			310	,	96.4 96.9	9 2	-	10° 1	::-	97.6		97.6			97.6
7	NO	ILIND	2 141		CEIL יו	2000 C.	16097	ารถาด	100001 90001	2000	6000	5000	4530	3500		25 Jul 20 Jul	a. u.	184	10001	900	70 F 60 F	1005	C 7	700°	1061	<u> </u>
USAFE USAFE	ST	CE	ii.			نا بنا 2 ت			2 U	ស ៤ ១ ៤	2	13 to	CE	3	;	ა ა ა ა	3 5 5 6	כנ	25	10.5	53	ŝ	5 5	ښ ښ ی ک	39	OF.

001	-	0E 0		44.4		0.50		1300	9179		9106	41:0		8140			99:1			3	0.001		100.0		
8 8 8 1 00 - 2 3		* * *		119.4	85.0 88.0	- C		1.68			9:06	0.16	1.36	2:3	100	78:3	***	9.66	9.66	95	0.00		1 -		
-80,62-	• • • •	179	•	19:4	in a	· [] • •	200	100		-1 -	5	0.16	-	9 4 6	6	e(1 e 50 pago	1.06	9.66		200	00		100.0		
ALATY ORB: 76 HOURS	•			119:4	88.0	300 C	,333	-			6	91.0		9.40	9.96	20.0	99.1	(95	200		100.0		
		9/9 2/8	:	79.4	65.0	-	223	-	30	•] •	o-	0.10		94.6	و ا	90.3	99.1		n¹;	000			100.0		
VERSI SERTAG		9 1 1 1		19.4	0.00			8.0.4 8.0.4	(a c) ac	e), e open	66	0.16	-63				90.1			80		Š.	100.0	· · · · · · · · · · · · · · · · · · ·	
T ON T	Ir Hile	ם פר		10.61		0.00	, .					91.0			9.96			9.66	-	900	000	22	100.0		A STATE OF THE STA
OU SCRVA	-2	107	•	13.52	95.0	le e		1.83	6000	9	9.00	, . 	-, - -;(3			3 2	1.00	- 30	, S	50			100.0		
3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	:	2/1 1/5	•	1.6	95.0	د دع دیار			8.20		100	0.10	4300	94.0	٥٠	٠. ع.ع	30	9.00		35			100.0	•	•
COUENCY OF FROM FROM ICA AZ	v	9	•	79.4	85.0 85.0	الله 10 والله	-	1.80 08.4			9.06	· •	-550	8,10	و د	3°	63	c 3	· (3>	100	9 66		9.66		15. (
7.RE ACHU	- 1	2/1 2 1/5	:	19.4	0.38	ب ا		98 . 4 90 . 4	88.88	, / -	Se	91.0	• i •	94.6	ي د	• `• ວ∵ສ	30			3 3	9 66		24.b		
CENTA F1		m	• • • • • • •	10.6%	85.0 85.0	ر ا ا	1	!	800 K	::=	1	91.0	N	94.8	ş,	-2-	98.7	3 a		00			99.1	* · · · · · · · · · · · · · · · · · · ·	Mark the state of the state of
NAM		ت ت	•	77,4	35.00 35.00	S S	ίn	8 8 . q		ાં≈	1	91.0		94.8		- 12-	7.86	· 30 £	χ.	33			1.76		and the second second
эн 57 411	:	3 3 3	:	79.4	85.C 85.P	. u	is	98.4 98.4	88.88	0	9006 9006	77.16	10	# · # 6	3.	- -	98.3	. ac a		100	98.7	· ·	98.7	TIONS	di ceres della del
BRAN E/HAC 2730		o e	•	4 6 6 L	85.0 85.0	85.U	85.6	96.4 86.4	88.88 88.88	20	90.06	0.10		8.40		• i •	9.70			3 8	200	 	98.3	ASERVA	
		اء 1- يو	:	79.4	85.0 85.0	ຸທະ	1 13	4.83	8 8	an .	90.06		103	94.8	96.1	07.n	97.9		ž,	2	W. W.	• •(क	98.3	P OF	
TON TON	11,185		•	מט כבור	10000 30	1600 1400	1200	10006	307L	10039	1000s	5.5	2	2500	0 2	200	10001 3	5.5	6.0	luc:			2	OTAL RUNFE	

		:	0 30	•	A . h &	2.F0	-	1.48	88.4 88.7	20.08	6.68	3.00	- ~	94.5	95.8	97.3	06.1	8.30 9.30	30	-123-	1100		33	100.0		
	ALL		17.1	•	4.46	63.3		1:40	88.6	6		40.0	97.6	94.6	95.6	27.58	76.2	48:40	0	100	6.00	97.9		4166	A de la constanta	
	89- (1, 57) 1		91/8 8/16	•	44.0	82.5 83.8	3.3	1.10	68.3	~	100	2000	22.29	6.16	93.6	2.46	98.2	7:86	.		150	1.06		8 66	in the least of the	
ISABLLITY	ORUI 76 HOURS		2/1	•	6.41	83.1 83.1	# #	-	80.3	₽		900.8 7.09	91.6	ا خط	5.50	-	حديث ا	98.7			8.66	60	•" • •}⊙	3		
US VISAII	230 L			•	4.9	83.8	==	.	88.5 88.6	-) O	9.00	91.8	21.12 21.13	95.0	- 2	ice ice	98.6	6	io.	0	• •	-	-		
VCRS	PCRIOU MONTH	 E.S	95. 374	:	6. E.	83.8	==	-	8 N . 6			90.8	61.0 8.20	·	95.8	,	(E)	9.86	6				- e	99.6		
CE11, 186	The sales of the s	UTC HIL	6f. 1	• • •	74.9	83.8	; 3 3	-	98.3 98.6	50	5	اء	01.20 22.30	-	98.10	-		860	, 		50	36	∽ ¦∽	396	,	
RENCE OF	*	IN STAT	15	•	6:12	23	22		88.3 80.6			200		돌 - 	95.0	: ے حی	ia	98.7	(C) -		0.0		· ·	99.4)	
F OCCUR				:	74:9	83.8 83.8	04.0 04.9	1.78	00.3	0.68 0.08		900.5	2.20	5.19		97.3	· ·	7.86				000	• •	ď.		; ;
UENCY OI	, , , ,	V15	יור פר	•	711.9	63.0		-	88.6	00	, .		97.0	: • ::=	95.0	(s- c	ie:	98.6	= 0	0(0		· (2)	00	1.54	· · · · · · · · · · · · · · · · · · ·	
FREG	i S		~		74.9	83.3 83.6	0.40 0.40	1:10	88.6	89 · U	89.4	150	91.8	=	95.8	27.53	78.1	98.5	300) Onto		00.1		99.1		
PERCENTAGE	1 1		19 2	•	74.9	03.3 03.8	Q. 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	87.1	88.6				91.6			97.2	æ	98.5	ice c	e co	60	0.66	C-5	0.06		- King a salah ayan da
P.E.	ON HAME:	:	3	:	74.9	83.3	33		86.3	S O	(3×	ני גיו	9.16	=	95.7	97.1	-	5.86	د دد.	2 33	15:	200		96.6	A D	
NCII	STATION		30 3	:	74.9	83.5 83.8	23		88.3	00	10	90.5	91.7	94.3	95.5	5.	-	97.8	•	• •	200	286	cc ac	98.2	SERVATIONS	1
CLIMATOLOGY BRANCH ATHER SERVICEZHAC	722730		0.E	:	74.8	83.3	3 3	-	88.6	اه م	0	00	91.7		95.4	م دا		97.9	<u>ا</u> - ۱		1.	97.7	~(~	07.	9	
CL 1NA TOL	1=		10 1	•	74.8	83.8	2 2 C	87.	8 B	89.	89.	0.0	92.1	94.	25.	! _	96	0.79 13	7 2	97.	97.	1.72	77.	97.1	•) 0	
GLOBAL C USAFETAC	-	SEILING	IN EE T	•	NO CEIL	15 2009C	աա	ننا	3E 10000	L. L	u	50	5E 4000	E 3n	6F 25001	12 -	E 13	הב זרט כ הב סמנ	0 %	6.0	50.0	C.	コロ		LOTAL NUMBER	
ם כ	· S	• 0		•	25	ی در	د د	٦	ں در	ی در	٦	ء د	ی د										درد			

;

FIG. 10. GE G G G G G G G G G G G G G G G G G G	: 722730				10012	וממארו	OD DE KAN	CNO.1						
		TATION HANE			۸2		M John Despendent		0017 0N TH	OF RE	ROT 76 HOURS	يا عما	ALL	
	EILING	••••••	•	•	V151	11177 1	N STATU	TE NILE	S				:	•••••
	בבו ו זט פב בבו ו זט פ	3 3 3	6C 3	6C 2 1/2	: : :	1 1/2 1 1/2	1 2/4 1 1/4	0 C	3 E	2 C 2 C	17.5	27	7/1 1/1	
CELL 71.5 71.6 71.6 71.6 71.6 71.6 71.6 71.6 71.7		••••••	:	•	:	•	:	• • • • • • •	• • • • •	••••	•••••	• • • • •		
100.00 8.1.5 81.2 81.4	CEIL 71.5 71.6 7	.6 71	71.6	1		1:	1:	1	-	Ŀ	<u>[</u>	•		41.4
10000 8 5 8 2 8 2 8 1 8	E 18000 91.3 91.3 8	2 to 20 10 10 10 10 10 10 10 10 10 10 10 10 10	61.2	 		1::	-	L:		21.0	81.2	2118	27:12	2010
	5 16000 81.5 81.5 B	6 R	81.6		٠, ١	٠,		Ŀ.		3.10	81.6	91.6	9116	
	ร์ ไรบบัก ยัง 6 84.7 ย	1 a L	1.48	v!.3"			3 to 2		VE	1.10	84.8	17.70		0.10
	10530 58.6 88.6 9736 89.0 89.1	7 98	88.7	89.2		= 0	æ 0	80.2		æ.		E 25 0	7:33	7.90
SCORP 94-15 94-1	2000 90.0 90.1	1 90.	2,06	90.5	• •	150	6	300	اء	9	6	- 20 6	2.00	30.5
	6000 91.7 91.8	1 6 B	61.6	6.16	- -	:4:	51:	\$1.6 \$1.6			:	3	91:0	3.1.6
1001 34.6	6 โรค6 อิรคร์ ไม่ตัวร	5 9 d ·	=	١.	-	2.46	3.46	i •	2.46		j.	3.46	13	94.3
SECON 97.5 97.4 97.5 97.4 97.7	4500 94.3 94.5 9	916	= ,	• •	=	94.0	94.6	-1	91.6	-1	=	94.6	3 1	9.40
Such 97.2 97.4 97.5 97.6 97.7	350nl 96.1 96.2 9	3 90	9			4.96	96.4		**************************************			 	n •	> 0 0 0 0
Secondaria 197.6 97.8 98.6 94.1 96.2 96.2 96.2 98.2 98.2 98.2 98.2 98.3 98.8	3000 97.2 97.4 9	5 97.	-	•	-	1.016.	1.16	•	4.4.4	١.	-	97:7		97:1
	r 25501 97.6 97.8 9	5 9 de	98.7	2 20		2 4	1	100	a =	98.2		91.2		
1201 38.3 38.6 36.6	1 1860 38.7 98.3 9	. 96.	98.7	8	ķ •	: o		100	8	98.6		98.9	Ŀ	5
1000 98.4 98.8 99.1 99.2 99.1 99.3 99.4 99.4 99.4 99.5 99.5 99.5 99.5 99.5	F 1207 98.3 98.6 9	26 3	99:1	-: >:>	• •	> 0	•1•			66.5	-!-	99:1		-
0.001 93.4 98.4 99.1 99.1 99.2 99.4 99.5 99.5 99.5 99.5 99.5 99.5 99.5	1000 98.4 98.7 9	36 0	100	1 .	1 •			1.66		100	h . 66		5.66	(P)
750 98.4 98.8 99.1 99.2 99.4 99.5 99.6 99.6 99.6 99.6 99.6 99.6 99.6	8.30 98.4 98.8 9	1 99.	-	-! -	• •		• •	2000		> :>	99.5	• •	99.5	∞ io
Suri 98.5 98.9 99.1 99.3 99.4 99.5 99.6 99.6 99.6 99.6 99.6 99.6 99.6	750 98.4 98.8 9	.1 99.	6	•	•			7.66		•	9.66		9.66	• 🌣
# 10 94.5 98.9 99.2 93.3 99.5 99.6 99.6 99.7 99.7 99.7 99.8 99.8 99.8 99.8 99.8	6 6.85 4.86 1.100	.1 99.		•	•			9.66			199.7		4.66	•
30C 93.5 93.9 99.7 99.4 99.6 99.6 99.7 99.7 99.7 99.8 99.8 99.8 99.8 99.8	6 6°86 5°86 Jns	200	00	9.66	0 0	50	50	50	8.66		8.66		8.66	L. 3
0.001 4.44 4.46 4.46 0.46 0.46 0.46 0.46 0.46	300 98.5 93.9	60 2		966	10-	10	6	į,	8.66	5	69.66	5	0.66	1
01001 4:66 6:66 6:66 0:66 0:66 0:66 0:66 0:66	100 94.5 98.9 9	66 3	ic	43.6	~ ~	:			9.66	i.	6.66	ぶ	99.99	de
DODDY ALL ALL ALL OLL OLL OLL OLL OLL OLL OLL	6 86 5 6 10	0	اء		c	6	5	į,	0.00			,	k	K. 14.14
The state of the s														

SKY COVER

CALLEGUAR CONTRACTOR OF THE SECOND SECONDS SECONDS SECONDS SECONDS SECONDS SECONDS SECONDS SECONDS SECONDS SEC

and the state of t

This summary is prepared from hourly observations and is a percentage frequency distribution of total sky It is presented by month and cover by tenths, plus mean sky cover and total number of observations. àvailable 3-hour groups. Some sources of punched data used for this summary import cloud amounts in eights. These have been converted to tenths prior to summarizing, and notation is made on the form to indicate that data were originally reported in eights. The manner of conversion is given below: NOTES: 1.

TENTHS	0	-1	س-	4	æ	y	6 0	6	10
									(or obscured)
EIGHTS	0	-	7	m	4	ະດ	9	7	8 (or

For Airways stations the symbols of clear, scattered, broken, overcast, and obscured were used as input for the total sky cover.

Clear was converted to 0/10 Scattered was converted to 3/10 Broken was converted to 9/10 Overcast was converted to 10/10 Obscured was converted to 10/10

F HUNCHUCA AZ PERCENTAGE FREQUENCY OF GCUMPTONS 26.9

	FROM HOURLY OBSERV	OBSERVATIONS		***************************************
AIR WEATHER SERVICE/MAC			,	
STATION NUMBER: 722730 STATION HAME:	4E: FT HUACHUCA AZ	PERIOD OF RECORD: MONTH: MAR	77-86	
	PERCENTAGE FREQUENCY OF TENTH	S OF TOT	• • • • •	
HOURS CLST)	u S	9	3.0	TOTAL HEAN OBS
•				• • • • • • • • • • • • • • • • • • • •
. 35–25				
16-08 25.9	37.5	23,3	13.4	4.6 704
09-11 20.0	41.3	6*48	13,7	4.9
12-14 17.4	42.9	27.1	12.6	5.0 857
15-17 17.7	39.9	29.8	12.6	5.1 808
18-20 23.2	37.5	22.6	16.7	4.8 6.77
_	34.6	15.7	11.6	3.6 396
TOTALS 23.7	39.0	23.9	13.4	4.7 4301
STATION NUNREP: 722733 STATION NAME:	ME: FT HUACHUCA AZ	PERIOD OF RECORD:	7.7-86	
	PERCENTAGE FREQUENCY OF TENTHS	S OF TOTAL SKY		• • • • • • • • • • • • • • • • • • • •
HOURS 0 1	S D		10	MEAN OBS
1 20-05				
06-08 31.4	42.4	20.1	6.1	3.7 6
09-11 26.5	40.8	2 n 2	6.2	6 t 8 t 6
12-14 19.7	46.2	25.3	8.8	648 848
15-17 16.4	116.7	28.9	8.0	4.8 799
18-20 25.6	39.8	25.6	0.6	59 n°.n
21-23 51.5	26.4	14.2	7.9	2,9 379

GLOBAL CLIMATOLOGY BRANCH USAFETA C	AGE FREQUENCY OF OCCURRENCE OF SKY COVER FROM HOURLY OBSERVATIONS	,		:
AIR WEATHFR SERVICE/HAC Station number: 722733 Station name: Ft Huachuca	PERIOD OF RECORD:	77-86		
	OVER		••••••	•••••
YOURS	6 7	10	HEAN	TOTAL
	••••••••••••••••••••••••••••••••	•	••••••	
03-65				
	17.0	6.1	3.3	469
1 31.4	14.3	5.8	3.3	882
21.20	20.6	4.9	3.9	882
50.6	256.1	8.5	4.3	817
29.9	2000	7.5	3.8	688
1 46.5	17.8	3 7.3	3.2	383
33.58		6 • 2	3.6	į
STAIION NUMBER: 722730 STATION WAME: FT HUACHUCA	AZ PERIOU OF RECOR	77-86		
PERCENTA	GE FREQUENCY OF TENTHS OF TOT	•	• • • • • • • • • • • • • • • • • • • •	
H9URS 0 1 2 3	=	10	MEAN	088
	19.5	5 2.8	3.3	676
1°24 0°22 1 1°20 1°21 1°20 1°21 1°20 1°20 1°	16.3	3 3.1	3.2	8 2 8
19.6	25.2	2 5.3	4.3	857
1 18.0	9*62	0 1 0	4.7	800
n- MC	27.5	5 7.1	3° 3	658
1 42.2	16.	2 7.5	3.2	389

				088			730	897	897	822	650	424	4420		•••••	TOTAL 08S	••••••		748	897	897	828	673	1 11 1	1811
-		- 1	• 1	MEAN			6.1	5 t	5.8	6.9	7.4	6.7	4.9			MEAN	,		5.6	5.0	5.7	6.7	7.0	6 • 2	6.0
		77-86		01			8.6	5.2	15 ° 51	8.5	20.5	27.1	12.4	77-86		10	•••••		110.1	5.7	4 - 1	7.6	14.0	17.9	10.1
r cover		FRIOD OF RECORD: Month: Jul	L SKY COVER	6	•		45.3	36.6	42.7.	55.7	T.94	35.8	44.3	PERIOD OF RECORD:	MONTH: AUG	SKY COVER 8 9			34.0	29.9	41.4	53.4	51.1	38•5	41.4
UCCURRENCE OF SKY OBSERVATIONS		PER	ENTHS OF TOTAL	6 7	•									REG	MO	0F TOT									
FREQUERCY OF CC			FRE JUENCY OF TE	4 5	•		•									2 2							1		-
PERCENTAGE F		FI HUACHUCA AZ	PERCENTAGE	2 3	•		37.3	51.3	52∙0	35.3	28.0	26.9	38.5	FT HUACHUCA AZ		PERCENTAGE			48.1	58.1	52.7	36.3	32.5	36.8	43.4
		STATION NAME:	•		•						-			STATION NAME:		-			e e	1	, o	7	2	7	
Y BRANCH	CEZHAC	722730 S	١.	c			8.8	6.9	6.	5.	1.8	10	α · π	35727					6.9	д•9	1.8	•	2.4	12.7	
GLOBAL CLIMATOLOGY BRANCH USAFETAC	IR WEATHER SERVI	STATION NUMBER: T	•••••••••••	HOURS (00-02	1 50-20	1 83-90	09-11	12-14	15-17	18-20	21-23	TOTALS	TATTON BINGER: 7		SaunH	00-05	33-05	05-08	39-11		15-17	13-20 1	1	i

GLOBAL CLIKATOLOGY 3RANCH USAFETAC	ЗВАИСН	PERCENTAGE FREQUENCY OF OCCUR	OCCURRENCE OF SKY COVER OBSERVATIONS	Ì			-
AIR WEATHUR SERVICE/HA	10144	7. HILLOHIE 4.3	2 70 0010		74-05		
אוווטא אטמיינא: וכב	SIALIUN NAME:	ri HUACHUCA AZ	MONTH: SEP		0	,	
	• • • • • • • • • • • • • • • • • • • •	PERCENTAGE FREGUENCY OF TENTHS	THS OF TOTAL SKY COVER		• • • • • • •	• • • • • • • • • • • • • • • • • • • •	:
HOURS (LST)	ت 1	S th		6	10	HEAN	TOTAL OBS
:-	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	•	•	• • • • • • •	,
03-05						ļ	
1 90-08 1	19.3	55.5		18.5	6.1	0•h	719
09-11	13.6	61•3		20.7	11 - 11 ,	4.0.1	837
12-14	3.9	60.2		30.7	5.1	5.1	837
15-17	3.7	54•3		34.0	8•0	5.5	779.
18-20	12.9	48.6		28.4	10.2	5•0	630
2.1-23	30.5	42.4		18.7	₽•8	3.8	904
TOTALS	14.0			25.2	7.1	9•4	4208
				İ			
STATION NUMBER: 722733	STATION NAME:	FT HUACHUCA AZ	PERIOD MONTH:	OF RECORD: OCT	76-85		
		PERCENTAGE FREQUENCY OF TENTHS	OF TOTAL SKY		•		•
HOURS (LST)	0 1 2	2°	ŀ·	6	10	MEAN	101AL 08S
					• • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
1 30-26						,	
1 85-90	31.3	41.3		18.1	9.3	3.8	745
59-11	25.1	46.3		20.5	8.1	0.4	857
12-14	18.3	46.9		26.9	8.2	9•4	855
15-17	15.7	48°C	7	28.9	7.4	4.8	802
18-20	28.6	40.6		23.0	8.2	4 0 1	638
21-23	40.0	35.2		17.0	7.1	3.3	406
1		:		;	,	,	9

		FENCENTAGE FREQUENCY OF O	OCCURRENCE OF SKY COVER OBSCRVATIONS				
AIR WEATHOR SERVICE/HAC STATION NUMBER: 722739 S	ЯВ <u>5161100 БАНС:</u>	FT HUACHUCA AZ	A TO TOTAL	กะองหอา	29-94		
	• • • • • • • • • •	PERCENTAGE FREGUENCY OF TENTHS OF	TENTIS OF TOTAL SKY COVER	:			
113065 (LST)	-	ł	0 4 9	•	07	HEAN OBS	A POTAN
20-00			1	:			
50-83							
BD-93	9.02	ສະພາ		18.1	8.7	e, n	£89
1 11-60	25.9	[1, 5]		21.8	9 0		464
12-14	24.1	B*30		2 · + 2	6.2	7.7	794
15-17	24.3	41.9		23.4	10.3	4.4	444
18-20	41.0	E. III.		16.2	37 68	3.3	598
1 25-15	0.95	- 1		9.8	7.8	30.63	8 N E
TOTALS	7.5	38.4	18.9 9.0 3.8 1984 H. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	16.9	910	3.8	1984
TATION NUMBERS	30 STATION HAMET	۸۲	PCHTO0 HONTIN	of Records	16-88		
	PFRGENIA	ָם בּיניים באַניים באַניים פּיניים פּיניים פּיניים פּיניים פּיניים פּיניים פּיניים פּיניים פּיניים פּיניים פּיניים	THINE OF TOTAL SKY GOVE				
:-		The state of the s	OF THE STATE OF TH	6	10	MEAN	088 088
36-23	,		1 1	,			
1.6.4.18	15.1	34.9		18.0	11.9	319	# # B
11-60	1.25.1	7.00		24.6	14.8	9·3	801
1 51-61	16.6	a • 42 ±		क्षेत्र विक	15.8	5,1	199
15-17	21.6	4.08		87.8	16.6	5.1	986
1 12-41	39:05	וּיָסָיּוּ	•	19.4	14 . B	014	653
1 50-11	4.12	49 176		13.0	18.9	313	833

٠,

STATON NINSURE: 722730 STATON TANEE F HUNGHUCA AC PERCENSOR PRESULES OF TREADINGS O	ATION WANE! PE HUACHUCA AZ 1	PERIOU OF RECORD! 76 MONTH! ALL OF 101AL SKY COVER PH.3 1 PH.3 1 B3.9 1 B3.4 H10.3 1
1	9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9	OF TOTAL SKY COVER PH. 3 18.44 4.6 B3.9 13.44 4.7 B3.9 13.44 4.7 B3.1 7.7 4.1 B3.1 7.7 4.1 B3.1 7.7 4.1 B3.1 7.7 4.1 B3.1 7.7 4.1
(U.S.) (81.8 20.1 5.3 81.8 20.1 5.3 83.9 13.4 4.7 83.9 13.4 4.7 19.1 6.8 3.6 41.3 12.4 6.4
JAH ALL 191 FER 23.7 39.0 APR 1 23.7 39.0 APR 1 23.7 39.0 ANY 1 31.0 18.3 JUL 1 9.1 18.3 AUG 1 9.1 18.3 SEP 1 10.0 57.7 NOV 1 33.0 18.9 PCC 1 33.0 10.0 PCC 1 23.1 10.0 TUTALS 22.0 10.0	JAH ALL 1 19.1 FEB 1 23.7 HAF 1 23.7 JUL 1 23.7 JUL 1 23.7 JUL 1 24.9 JUL 1 24.9 JUL 1 28.6 AUG 1 28.4 JUL 1 28.6 AUG 1 31.1 SEP 1 14.0 BC 1 31.1 BC	83.9 13.4 4.7 83.9 13.4 4.7 19.1 6.8 3.6 82.4 5.6 3.9
PER	AND I 28.6 APR I 23.7 APR I 28.9 UUII I 4.8 AUG I 5.1 SEP I 14.0 BEC I 31.1 BEC I 31.1 BEC I 32.8 UO.8	13.4 4.7 7.7 4.1 6.8 3.6 8.6 3.9 12.4 6.4
APP 23.7 39.0 83.8 83.	APR 23.7 APR 24.9 HAY 31.8 JUL 4.8 JUL 4.8 JUL 5.1 AUG 5.1 REP 14.0 ROV 33.6 PEC 31.1 ROV 33.8 HO.8	13.4 4.7 7.7 4.4 6.8 3.6 5.8 3.9 12.4 6.9
APR 28.9 10.4 19.1 19.	APR 78.9 40.4 40.	7.7 4.1 6.8 3.6 5.8 3.9 12.9 6.9
HAY 131.0 18.19 JUL 1 9.4 JUL 1 9.3 AUC 1 5.1 AUC 1 5.1 AUC 1 5.1 AUC 1 3.4 BEP 1 14.0 BEP 1 3.4 BEC 1 3.1 BEC 1 3	JUL 71.8 31.9 13.9 13.9 13.9 13.9 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 10.0 13.0 10.	6,18 3,16 5,18 3,19 12,14 6,14
JUL 1 28.6 AUC 1 5.1 13.4 AUC 1 5.1 13.4 AUC 1 1 1 SEP 1 14.0 28.4 NOV 1 33.6 33.4 NOV 1 33.5 33.8 PEC 1 10.8 10Th 22.8 10.8	JUL 1 4.8 36.5 36.5 40.5 13.4 13.4 13.4 13.6 13.7 13.6 13.6 13.7 13.6 13.6 13.6 15.1 14.0 15.1 13.6 15.1 15.1 15.1 15.1 15.1 15.1 15.1 15	5,5 3,9 12,4 6,4 10,1 6,0
Aug 5.1 4.6 83.4 41.4 88.5 88.4 83.7 88.4 88.4 83.6 88.4 83.6 88.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6 83.4 83.6	JUL 4,6 AUG 1 5.1 SEP 1 14.0 OCT 1 26.6 NOV 33.6 DEC 31.1 10TALy 22.8 40.8	12.4 6.4 10.1 6.0
SEP 5-1 14.0 53.7 26.6 13.0 13.0 18.9	SEP 14.0 0CT 26.6 NOV 33.6 DEC 31.1 10TAL. 22.0	10.1 6.0
DEC 14.0 83.6 88.4 18.0 18.9 18.	DEC 14.0 53.7 50.4 50.4 50.4 50.4 50.4 50.4 50.4 50.4	
NOV 33.6 NOV 33.6 DEC 71.1 33.4 10.0 10.0 10.0 10.0 10.0	0CT 26.6 130.4 39.4 BEC 31.1 33.2 10.18 110.8	
PEC 133.4 18.9 18.8 10.1	PEC 33.6 33.6 33.7	
10TALS 22.8	DEC 131-1 33-8 16-8	
TOTALL PROBLEM	10TALS 22.0	
		· · · · · · · · · · · · · · · · · · ·
THE PROPERTY AND A CONTROL OF THE CO	The state of the s	

. .

., ** - * --

ار المارية المارية

USAFETAC, ASHEVILLE NC OPERATING LOCATION "A"

PSYCHROMETRIC SUMMARIES

PART 4

In this section are presented various summaries of dry and wet-builb temperatures; dewicints; and retative humidity. The order and manner of reprentations follows:

- sented by month and annual for all years combined. These tabulations provide the cumulative percentage frequency to tenths, of temperature by 5-degree Fahrenheit increments, plus mean temperature, standard Cumulative percentage frequency of occurrence -- Derived from available hourly observations and predeviations, and total number of observations in three separate tables as follows:
- Daily HIGH temperatures (for available obsorvations) . .
- Daily LOW temperatures (for available observations)
- Daily mean temperatures (high + low temperatures divided by two)
- Bivariate percentage frequency distribution and computations of dry-bulb versus wet-bulb temperature This summary has been temporarily discontinued for the LISOCS pending the advent of RUSSWO-2 in mid

)

- and annual and again at the bottom for all hours combine, Summaries for all years combined are presented Means and standard doviutions--"These tubulations are derived from available hourly observations and present the mean, standard deviation, and total number of observations for the 3-hour groups, by month in the following three tables; DRY-BULB TEMPERATURE, WRT-BULB TEMPERATURE, AND DEWPOINT TEMPERATURE.
- 4. Cumulative percentage frequency of occurrence of relative humidity -- This summary is derived from hourly observations and presents the cumulative percentage frequency of occurrence of relative humidity by increments of 10 percent classes, plus the mean relative humidity and total humber of observations presented by month and available 3-hour groups.

DAILY TEMPERATURES

GLOBAL CLIMATOLOGY ERANCH USAFETAC AIR WEATHER SERVICE/NAC 72273G FT HUACHUCA AZ STATION

MAXIMUM

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

													_	_	_	_	_					_		_				_	-	;	_				-	J	_	_
ANNA		e 200		-	-		•	-	23.40	-	_	•		المحتار	-	Indea	Ì '																			h•hl	13.46.0	10892
DEC		K in a state a summary as				1:1	h.II	33.1	55.05	74.4	87.5	3.00	98.6		3	100.0																				93	3211.8	37.6
, O V		January E.			. 6	F 🌲	1 .	~ •	78.5	•	a 🖝 i		. •	100.0																						g U	20	3
OCI,			0.1	10.0	1.0	200	<u> </u>		2.7.6	.		100.0																								~	1640	V.00
SEP.	- 4	7.1		51.0					6.66	Ton.u								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																		_	33 1	202
AUG,		-				20.00		tour	曹 ながわき むこ				- 10 m																							46.7	4 - 597	みてん
זמנ	₩,	S	3 9	S.	#	2	່າຕິດ.ບ້	# 4 · · · · · · · · · · · · · · · · · ·	1		1																									88.7	5.542	700
, NOL	- 1	3	56.5	948	96		<u>!</u>	100.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							The second second																				90.1		200
MAY	- T	3	3.6	35.8	65.5	6.5%	95.6	93.6	99.5	99.66	6.65	1000																								81.5	841.5	4.50
APR.			+1 •	3.8	22.1		j •	86.5	93.3	96.8	99.1	1.66																								7.5.4	16601	216
MAR.				. 1	3.0	17.5	40.7	59.7	77.4	88.3	9296	98.8	6.66	100.0																						66.0	8.760	727
FEB.					ů.	2.5	18.7	33.9	61.4	79.6	5,76	95.9	2.56	9-65	100.0																					61.6	681.8	842
ŻY	_					2.0	8.4	23.9	46.8	69.2	33.5	94.3	98.2	8.66	100.0																					58.2	8.468	721
TEMP (°F)	ายบ	177	0	85	80	75	70	92	60	55	25	45	0.7	35	30	25																				MEAN	S, D.	TOTAL OBS.
	ΛI	AI	ΛI	ΛI	ΛI	AI	M	ΛI	ΛI	ΛI	ΛI	, AI	٨ı	N	м	M	AI	AI	ΛI	۸ı	۸I	ΛI	٨١	٨I	Λī	ΛI	М	ΛI	ΛI	Λl	Λī	۸ı	ΛI	٨i	٨١			

TAILY TEMPERATURES

algare clinatology ananch

AIR NEATH'E SERVICE / NAC 700750 FT HUACHUCA AZ

(FROM DAILY OBSERVATIONS)

CUMULATIVE

PERCENTAGE FREQUENCY OF OCCURRENCE

HINIMUH

SALAN PARTES 94.9 20.03 - N 74. N - 5 0 30.00 <u>ت</u> 040 Š Ö SEP. 72.1 K5.8 99.2 96.2 100.0 100.0 ۷Q 720.6 1.3 21.4 6.5 52.0 25.7 73.4 56.6 94.4 994.4 1.0 6.0 100.0 ž 93.9 99.3 MAY 95.2 97.7 99.8 15.6 4.99 84.4 100.0 4 . 1 38.9 6.66 \$ APR. 30.5 79.8 88.2 94.6 6.66 98.8 5 11.8 2.7 100.0 MAR. 70.8 85.9 15.5 99.3 6.66 3.8 D•96 ۲ 4 61.7 100.0 FE. 6.66 52.9 64.2 79.7 25.0 91.9 97.8 99.3 3 6.5 100.0 Ż 55 50 450 333 25 25 15 15 10 S S S S 65 75 £ TEMP (

13.267

35.9

7.01% C.01% 895

51.8 6.039 2116

61.0 4.852 362

3.4.37 613

6.626

P#2.

7-142

3/8C

34.7

MEAN

37

938

3118

625

いせい

126

TOTAL OBS.

s O

LA LUCION FORM ANY CIOI A LINEAR

(;

11802

(B)

DAILY TEMPERATURES

GLUEAL CLIMATOL NGY RRANCH USAFETAC AIR WEATHER SERVICE/MAC 722730 FT HUACHUCA AZ STATION

54-86

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

HEAN

ANNUAL	2.		<u>ت</u> ت	۰۰ کارک	٤	*			31.0	90.09	P. 96	0.00	9.40	6.66	100.00	Í			AND THE PERSON AND THE PERSON AS A PERSON									SAME OF THE PARTY			A CLE RESIDENCE AND A CONTRACT OF THE PARTY		**************************************		(1,20 %)		11002
DEC.							3	5			5		5		1001	i																				6.574	9.1.6
NOV.						t) • t)	က		75.9	; •		99.7	•	1.00 to																					i ši	7.624	1
0CI,				3	N	51.5	79.8	0.20	97.4		6.46	1000																							64	6.527	Ċ
SEP.			6 8			95.9	66	3 a	The second secon											*															7. C.	4.561	862
AUG.	1		æ	9.09	98.	100.	i				, d																								76	3.4.07	6.16
JUI.	ဆ		8 h .		98.86	-					¥ •	Marin de marino de Sanco																							78.0	4.269	950
JUK.	1.0		36.5				1,30.0					A																							77.6	5.327	906
MAY		•	c J		7	15.4		-	3 66	6	រពល.ប																								63.6	6.1.85	935
APR.				.7		31.4	•	٠	95.6																	-									ċ	616.9	
MAR.					⊅ •		22.3		72.9		•	99.																							53.7	7.139	929
FEB.					1	6.	7.8		53.0	75.6	91.8	9.72	5.66	8.86	100.0																				3.64	7.144	6 ክ8
JAN.							6.	10.5	35 • 0	699	85.6	94.6	8*86	•	100.0															1					46.7	6.640	921
TEMP (*F)									> 50								ΛI	٨١	٨١	۸Ι	٨١	٨١	٨١	Λİ	٨١	٨١	٨١	٨١	٨١	٨١	Ā	٨١	٨١	٨١	MEAN	S. D.	TOTAL OBS.

			EC HONTHS						72 99					474 *102			201 *	*			XI PAGE			
	54-86	•••••	٥						80 76				*	9 6							LO ON NE			
	!	••••	NO					~ @	8 ~	-				8	æ ~	0 -	7.8	* *	-		ONTIND		e de la companya de l	
	OF RECORD	••••	OCT		88	£ 6	9 a	94 89	25	16	26	5	5	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	F 8	ía æ	#6# 6	0.8	50)	U		D 11 14 14 14 14 14 14 14 14 14 14 14 14	
	PERIOU		สมร	:	2 2	65	32	99 5.6	200	90	200	6	06*	25	2.8	26	100 100 100 100 100 100 100 100 100 100	06.	56	ONTHS			**************************************	
CRATURE		ENHCIT	AUG	• • • • • •	20 c 20 c 20 c	56	56 26	94 7.0	68	26	92 87	26		96	96	98	96*	36 40 4	I 6	AN FULL M				
XINUM TEMPE RVATIONS)		EES KAHRENNE	-1-!}-5- JUL		100	101	96 6	95 6	66	98	86	66 80	8.6	102	9 6 9 5	46	102	97 ¥97	*98	LESS THA				
OF HA		LE OEGR	₹ 01 2	:	101	100 9.6	66	86	16	36	1 00	101	56	102	•	100	99	1 2	93	ASED ON				
VALUES SOH DAILY	וכע אַכ	HIO	MAY	• • • • • • •	94	88 100	26 35	06 60	D.6	93	06	36	88	91	90	7.6	491	86	h ó w	2 2411	·			
EXTREME (ERO)	FT HUACHUC		APR		8 B 1	28 មន ភ	87 85	9 g 0 6	88	91	8 8 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	86	9.6	83 \$86	83	98 98	98 98	98 th	0.77	TOM				
	WANE:		HAR	:	78 81	0 8 0 8	75	76 80	82 78	7.4	82	82	6.5	71 #80	77	30	77	77	276					
H5	STATION		814	:	27	7 PC	2,02	77	75	75 75	78	7C	76	74	77	2.2 2.2	79 *76	77	n/×			-		
ATOLOGY BRANCH	722730		JAR	•	65 71	69	75	99 89	68	17	77	78	81	#68 #75	76	×70	472	#70 #75	89#					
GLUBAL CLIMATOLOGY USAFETAC	NUN	• • • • • • • • • • • • • • • • • • • •	YEAR !) hg	55	5.7 5.8	59	61	64	65 1	1 19	69	71	73	75 76	77 78 78	79 80	81	P3					

	TATION NAME: F	19 19 19 19 19 19 19 19 19 19 19 19 19 1		OF RECUND: 54-86	WHOLE DEGREES FARRENEIT	HAY JUN JUL AUG SEP OCT NOV DEC HONTHS	694 284 OB O6 S6 h6 h6 h6	#90 100 98 96 91 86 #77 #67 100 92 97 100 96	92.1 98.3 97.7 93.6 91.7 86.4 77.8 72.2	3.327 2.580 2.433 2.821 2.589 3.191 3.297 3.994 1.739 935 906 950 919 862 906 895 \$15 10892		NOTES * (BASED ON LESS THAN FULL MONTHS) # (AT LEAST ONE DAY LESS THAN 24 OBS)																
--	----------------	--	--	------------------	-------------------------	--	---------------------------	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

STATION NUMSER: 722739 STATION MARE: FT HUACHUCA AZ VEAP JAN FEB MAR APR MAY ——H-OR-TH-S- SS 22 19 25 36 40 50 61 SS 22 29 28 44 47 58 62 SS 23 24 25 26 35 44 56 62 SS 24 25 26 28 44 47 58 62 SS 25 26 28 44 47 58 61 CO 17 23 22 29 44 55 62 CO 18 20 23 24 44 56 61 CO 19 23 24 44 55 61 CO 19 23 24 44 55 61 CO 19 23 24 44 56 61 CO 19 23 24 44 56 61 CO 19 23 24 44 56 61 CO 19 23 24 44 56 61 CO 19 23 24 44 56 61 CO 19 25 25 26 29 45 61 CO 19 25 25 20 47 61 CO 19 25 25 20 47 61 CO 19 25 25 20 47 61 CO 19 25 25 20 47 61 CO 19 25 25 20 47 CO 19 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 25 20 47 CO 19 25 20 47 CO 19 25 20 47 CO 19 25 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 25 20 20 47 CO 19 20 20 20 20 20 CO 19 20 20 20 20 CO 19 20 20 20 20 CO 19 20 20 20 20 CO 19 20 20 20 CO 19 20 20 20 CO 19 20 20 20 CO 19 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 20 CO 20 20 20 CO 20 20 20 20 CO 20 20 20 CO 20 20 20 CO 20 20 20					·
YEAP JAN FEB MAR APR MAY JUN	1d	SERTOD OF	RECORD: 5	54-86	
YEAT JAN FEB MAR APR MAY —H—0—(H—T—H—N—N—N—N—N—N—N—N—N—N—N—N—N—N—N—N—N—	RENHEIT	•			
State Stat	~	SEP	OCT NO		HONTHS
22	:		• • • • • • •	:	•
25		56 59			
17 23 24 43 40 57 6		6 th			
30		53			
17		54			
23 17 24 34 38 51 6 21 22 21 38 47 55 21 22 21 38 47 55 22 22 29 34 48 6 22 22 30 40 34 54 6 22 22 30 34 40 45 12 24 18 32 42 49 6 22 23 32 34 440 458 6 24 25 30 30 34 40 458 6 25 25 30 30 34 40 458 6 26 31 27 24 41 45 6 27 27 27 31 35 49 57 6 28 27 27 31 35 49 57 6 29 27 27 31 35 49 57 6 20 27 27 31 35 49 57 6 20 27 27 31 35 49 57 6 20 27 27 31 35 49 57 6 20 27 27 31 35 49 57 6 20 27 27 31 35 49 65 6 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 49 65 7 20 27 27 31 35 24 64 7 20 27 27 31 35 24 64 7 20 27 27 31 35 24 64 7 20 27 27 27 31 35 24 64 7 20 27 27 27 31 35 24 64 7 20 27 27 27 31 35 24 64 7 20 27 27 27 31 25 24 65 65 65 65 65 65 65 65 65 65 65 65 65	000 4	56	46	30 29	200
21 22 21 38 47 55 6 26 31 29 34 48 6 27 22 22 20 40 34 54 6 17 26 30 34 38 53 6 18 32 42 49 6 21 21 21 30 30 36 40 458 6 21 21 21 30 30 36 40 59 6 21 21 27 24 42 59 6 21 21 27 24 42 54 5 21 22 33 35 40 59 6 22 22 33 36 40 59 6 23 33 35 40 56 6 24 42 54 5 25 33 35 40 59 6 26 25 33 35 60 59 6 27 24 42 54 5 28 21 27 24 42 54 5 29 27 32 41 56 6 20 27 32 41 56 6 20 27 32 41 56 6 20 27 32 41 56 6 21 21 27 24 42 54 5 22 23 35 40 58 6 23 35 54 6 24 25 53 35 54 6 25 27 32 41 56 6 26 25 33 35 40 58 6 27 24 15 54 55 6 28 21 27 27 24 15 50 6 29 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 21 27 24 15 50 6 22 27 24 15 50 6 23 35 40 55 6 24 25 54 6 25 27 24 15 50 6 26 25 27 24 15 50 6 27 24 15 50 6 28 25 27 24 15 50 6 29 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 20 27 24 15 50 6 20 27 27 27 27 27 27 27 27 27 27 27 27 27		24			
26 31 29 31 42 48 6		53			
17 26 30 34 38 53 6		52			
12 24 18 32 42 49 6 *22 36 28 31 38 53 6 *22 36 28 31 38 53 6 21 21 21 30 30 36 57 6 *21 29 27 24 42 54 54 *21 29 27 24 42 54 54 *25 33 35 40 58 6 *26 25 33 35 40 58 6 *27 24 25 54 54 54 *26 25 33 35 40 58 6 *27 24 24 45 54 54 *27 24 33 35 40 58 6 *26 25 33 35 40 58 6 *27 27 24 2 2 54 54 *27 27 24 2 2 54 54 *27 27 24 24 2 2 2 4		e d			
\$\frac{\pi_{2}}{2} \frac{36}{36} \frac{31}{34} \frac{\pi_{4}}{440} \frac{\pi_{5}}{58} \frac{6}{6} \\ \frac{21}{2} \frac{25}{36} \frac{\pi_{5}}{34} \frac{\pi_{4}}{440} \frac{\pi_{5}}{54} \frac{6}{6} \\ \frac{\pi_{5}}{31} \frac{27}{32} \frac{24}{41} \frac{\pi_{5}}{54} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{25}{33} \frac{35}{36} \frac{\pi_{5}}{40} \frac{6}{56} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{25}{34} \frac{35}{41} \frac{\pi_{5}}{54} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{35}{34} \frac{\pi_{4}}{44} \frac{\pi_{5}}{54} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{35}{34} \frac{\pi_{4}}{49} \frac{6}{54} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{32} \frac{6}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{\pi_{5}}{69} \\ \frac{\pi_{5}}{69} \frac{6}{6} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \frac{\pi_{5}}{69} \\ \frac{\pi_{5}}{69} \frac{\pi_{5}}{69} \\ \frac{\pi_{5}}{69} \frac{\pi_{5}}{69} \\ \frac{\pi_{5}}{49} \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{32} \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49} \\ \frac{\pi_{5}}{49}		# 54			
21 21 30 30 36 57 6 19 31 27 24 42 54 5 25 27 32 41 56 6 25 33 35 40 58 6 20 x30 x33 34 x44 x51 6 x27 x26 x39 x38 x42 x53 x5 x27 x26 x39 x38 x42 x53 x5 x21 x27 x36 x39 x38 x42 x53 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x42 x53 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x21 x27 x36 x36 x41 51 x5 x22 x36 x36 x41 x51 x5 x23 x36 x42 x51 x51 x61 x61 x61 x61 x61 x61 x61 x61 x61 x6		52 50			*72*
*21 29 27 32 41 56 6 6 6 *26 25 33 35 40 58 6 6 *26 33 35 36 40 58 6 6 6 *27 27 27 27 27 27 21 49 21 27 6 *27 27 26 23 24 242 25 24 6 *27 27 27 27 27 27 27 27 27 27 27 27 27 2		53			21
#10 20 33 36 39 54 6		58 54		-	#21 #8
#27 27 31 35 49 57 6 #27 #26 #39 #38 #42 #53 #5 #21 #27 #31 #30 #41 51 #5	*	*52 55	35 #26	6 *28	#16 #26
# (AT LEAST ON LES	*				+2+ +23*
S * (BASED ON LES # (AT LEAST ONE	9 52	53	7.7		12*
	SETHAN FUL	L MONTHS)			
			CONTINUED	ED ON NEXT	PAGE

FEE INA FEE FT HUACHUCA AZ FEE INA APP HAY HAY UN SEE OFT NOV OF RECORD: 54-86 FEE INA APP HAY UN NOTE OF SEE OFT NOV OF SEE OFT NOV OF SEE OFT NOV OF SEE OFT SEE OFT NOV OF SEE OFT SEE OFT NOV OF SEE OFT	H9LR: 722730 H9LR: 722730	1014 NAME: F 28 28 24 37 4.239 4.239 4.239 4.239 4.239	APR MAY 32 47 37 *39 42 46 41.5 37 45 915 915 NOTES		60 60 62 62 63 4 61 4 61 4 61 4 61 4 61 4 61 61 61 61 61 61 61 61 61 61 61 61 61	AUG 60 60 60 60 60 89.1 59.1 59.1 59.1 7.172 39.1 89.1 89.1 89.1 89.1 89.1 89.1 89.1 8			886 723 + 21 8 5 6 0 2 8 5 6 0 2	ALL HONTHS *23 *23 *50 18.5 10892
NUMBER 722730 STATION KAME: FT HUACHUCA AZ PERIOD OF RECORD: 54-66 PERIOD OF RECORD: 5	NUMALR: 722730 EAF JAN 84	MAR MAR 28 24 37 37 4-239 4-239 4-239 1-239	# # # # # # # # # # # # # # # # # # #	M (BA)	60 60 60 60 60 61.4 61.4 61.4 61.4 61.4 61.4 61.4 61.4	•⊨ • • • ⊐			86 86 85 85 85 85 85 85 85 85 85 85 85 85 85	ACC HONTHS *23 *23 18.5 4.502 10892
MAN FEB MAR MAY MAY MAN	FAF JAN FE 84 *25 2 85 *24 1 86 *26 2 AN 21.0 24.69 00. 5.676 4.69	HAR 28 24 24 37 37 37 4 23.9 4 92.9	HAAY # 47 # 47 # 47 # 47 # 47 # 47 9 35 9 35 NOTES	HOUNT (B)	58 58 60 60 62 61.4 1.682 250 1.682 7.682 1.682 7.682	•⊢ • • •	SEP 0 50 47 47 52.3 38 52.3 38 862 99 862 99 862 99 862 99		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ALL HONTHS *23 18 5 108 92
AM FEG MAR : APR MAY JUN WITHS AND SEP OCT NOV O'CC AND AND SEP OCT NOV O'CC AND AND AND AND AND AND AND AND AND AND	23.0 *26 *26 *26 *26 *26 *26 *26 *26 *26 *26	28 24 24 37 27.3 4.23.9 92.9	# # # # # # # # # # # # # # # # # # #	M (B) AIA	100 100 100 100 100 100 100 100 100 100		SEP 00 47 47 82 3 38 862 3 80 862 91 862 91 862 91		#23 #23 #23 #21 \$5002 \$602	18.5 10892 10892
8 24 15 24 37 47 55 58 59 50 42 424 *21 8 21 0 24 7 27 3 34 6 41 5 54 1 5 2 17 5 3 1 5 2 4 2	#25 #24 #24 #24 #266 #2676 #	28 24 37 37 4.239 4.239 4.239 4.239	# 47 # 43 # 40 # 40 # 40 # 40 # 40 # 40 # 40 # 40	55 54 54 3 363 906 8 (BASED C	NESS 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59 59 1 172 9 19 9 19 9 19 9 19 9 19 9 19 9	50 47 52,3 862,3 862,9 862,9 862,9 N 24 08S)		# # 23 # # 23 8 5 6 0 2 8 5 6 0 2 8 5 6 0 2	18.5 18.5 18.5 10.892
924 15 21 41 42 46 69 60 47 44 828 821 210 247 273 346 415 541 614 591 523 385 524 234 250 249 429 439 439 439 439 439 439 439 571 489 429 439 439 439 439 439 572 849 629 936 935 916 918 721 849 739 739 739 739 739 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 849 840 849 840 849 840 849 841 849 841 849 842 849 842 849 843 849 844 849 845 849 845 849 846 849 847 849 848 849 848 849 849 849 849 849 849 849 849 849 849 849 849 849 840 849 840 849 840 849 841 849 841 849 842 849 842 849 843 849 844 849 845 849 845 849 846 849 847 849 848 849 848 849 849 849 840 849 840 849 841 849 841 849 842 849 842 849 843 844 849 845 846 849 847 849 848 848 849 840 840 840 841 842 843 844 845 845 846 846 847 848 848 848 849 840 840 840 841 841 842 843 844 845 845 845 846 847 848 848 848 849 840 840 841 841 842 843 844 845 845 845 846 847 848 848 848 848 848 849 840 841 841 842 842 843 844 845 845 846 847 848 848 848 848 848 849 840 841 841 841 842 843 844 845 845 845 846 847 847 848 848 848 848 848 848 848 848 848 848 848 848 848 848 848 848 848 848	#24 #26 21.0 5.676 4	24 27, 3 4, 23, 9 4, 23, 9 62, 9	# # # # # # # # # # # # # # # # # # #	51 58 54.1 3.363 906 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	600 623 682 682 682 682 682 682	60 64 59.1 2.172 3 919 1N FULL M 1.E.S.S. THA	91 4 7 8 8 8 4 8 9 1 8 8 6 8 9 1 8 8 8 8 8 9 1 8		23.4 23.4 5.602 5.602 5.602	15 18.5 10892 10892
210 247 273 346 415 541 614 591 523 3845 284 234 5.00 210 224 2.00 210 224	21.0 5.676 4 921	27.3 4.239 929	41.5 44.45 4.45 9.35 NOTES	54.1 54.1 3.363 9.06 9.06 8. (BASED C	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59.1 919 919 1 FULL H 1.ESS THA	52.3 38 .874 5.1 .862 9 .00THS) N 24 08S)		23.4 23.4 8.602 8.602 8.602	18.5 10.5 10892 10892
5.616 4.691 4.239 4.341 4.429 3.363 1.682 3.172 3.84 5.132 3.84 5.132 4.320 8.102	5.676 4 921	626 626	4,429 935 NOTES	3.363 906 906 8 (BASED C	1.682 950 0.086 0.086	2.172 3 919 10 FULL H	862 91 862 91 0NTHS) N 24 08S)		5 915	10892
NOTES * (BASED DA LESS THAN 24 08S) * A T LEAST DATE DAY (ESS THAN 24 08S)			NOTES	# (AT LEA	ONE	LESS THA	N 24 08S)			
									-	
								1	-	
			•							
							•			
		e deservations des la company de la company								
		present appellants entre extraorder de co	والمستقد ففيانا أجوجه والمستقد							
	AND IN THE PERSONNELS AND AND THE PERSONNELS AND TH		an Panadaninanananan da da dabata							

BRANCH SER VICE/MAC LOBAL CLIMATOLOGY AIR NEATHER USAFETAC

DEVIATIONS MEANS AND STANDARD

7

OBSERVATIONS HOURLY FROM L. G DE S TEMPERATURE ORY-BULB

14 • 254 8193 13.757 14.301 10110 72. 13.687 9367 56. 10108 65.(14.16 7439 60°. 13°119 66. 644 ANNOAL 57.1 .762 799 39.6 48.0 50.5 8.240 801 58. 620 686 44.5 7.566 233 4.22 54 DEC. œ ø 56.9 9.039 799 7. 7.02 63.4 • 781 • 744 52.e7 45°1 •383 653 63.6 161 593 348 Š Š O Q 7.80d 745 67.2 8.254 857 59.0 7.25 73.0 8.015 855 72.8 .679 802 55. 63.6 63 40 ÖĊŢ. m 1 73.6 6.148 630 5.902 719 76.4 6.201 837 81.6 6.023 837 81.4 6.7.8 779 68.9 65 40 YEARS SEP. 84. 5.34. 894 72.8 ഗര 4.801 4.909 897 83.5 6.840 77.5 6.058 673 70.1 . 61 828 44 J AUG. 5.643 86.4 6.362 896 79 • 8 7 • 003 650 74.6 5.384 424 72. . 314 731 85°7 81. 82% 팃 (5.835 389 76-86 82. 82. 825. 860. 87•7 6•503 860 82.3 658 88.1 6.883 801 .93⁴ 72. JUN. S 78.5 7.165 882 72.7 7.210 882 • 658 694 72.6 7.757 655 9 • 4 368 819 65.8 6.753 383 62 ¥∀₩ -65.0 8.720 849 71.1 8.853 849 72.0 9.016 799 58.2 7.867 8.781 8.600 379 653 6 54 APR. Ó 63.0 8.553 857 56.4 8.255 51.2 7.208 396 TO OF 45.9 7.320 787 56 • 182 • 182 855 64•1 •704 808 677 STATION NAME MAR. 52.0 8.800 762 <u>0 70 0</u> 41. 59.6 9.14 766 52.4 8.39.4 7.20 60. 41. 71. 47. 58 34 61 FEB. HU-ACHUCA 0 47°2 •608 •2.14 9.00 8 5 3 3 6 5 3 3 55.2 •710 760 47 • 0 • 035 608 43 • 8 8 · 7 3 5 2 2 38 Ŋ. اِهَ JAN. ~ ڼ រោ OBS OBS OBS OBS 0 88 TOTAL OBS TOTAL OBS TOTAL OBS MEAN MEAN MEAN MEAN MEAN MEAN MEAN S. D. S. D. s. D. s. D. S. D. S. D. ۵ Ö TOTAL TOTAL TOTAL **TOTAL** OTAL ś ဖွဲ 22730 STATION HRS. (L.S.T.) 18-20 21-23 P 12-1 15-1 1-60 -90

66.2 15.139 49714

51.3 0.527 3485

56.2 11.22710 3927

66.0 0.33311 4303

75.4 .50510 4207

æ

78.5

~

80.8 8.130 4419

82.4 .596 4244

ø

72.9 9.481 4315

65.1

56.9 0.326-1 4304

48.4 53.3 408010.84110 4020 3784

O,

S. D.

MEAN

OBS

TOTAL

HOURS ALL

4222

4484

To f

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAG

MEANS AND STANDARD DEVIATIONS

WET-BULB TEMPERATURES DEG F FROM HOURLY OBSERWATIONS

Ĉ.

ţ.

	ANNUAL	#7.1 11.403	#	51	10109	53.5	S	1	53.5	9.240	9364	- 1	7438		1664	1:0 • 3:58						_	· ·	Ť		ъ.	49700
	DEC.	34.5 5.7.68	212	40,	5 41.4	• † †	5.130		44.0	4.95.7	686	39.	5.125	=		5.721	(-	40.	3485
	NOV.	39.00 6.404	ķ	45.	5.755	47.6	5.402		4.7.3	5.405	744	42.	5.696		40.6	6.0093			□ 1				-			***	5926
	oct.	48.2 6.150	r	53.	5.190	55.	4 7 8 7 8 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	54.7	4.815	802	50	5 392		49.2	5.600										52.	4303
YEARS	"SEP.	57.6 4.403	4	61.	5.8.7U 837	62.8	9 is 00 is 0	1	62.2	3.435	7.79	59.	3 543 630		58.2	3.940	N I		,							W	4.274
	AUG.	62.2 3.299	H	65.	2.429	9.99	2.405	4	•	2.470	828	64.	2.758	[;		3.017	1 1				1					64.	3.1.55
9	JUL.	62.7 2.854		65.	2.496	66.2	ια α	A	•	2.622	M.	79	2.661		62.7	2.820	d l									499	2.981
76-8	JÛN.	55.2 4.784	-	58.	4 • 099	6*65	3.6.72	K		#	~	57.	3.946 658	ł	•	4.214)]									ហ	4.388
	MAY	47.9	120	52.	4 • 447	5	M		54.0	3.871	819	ET EX	4 • 246 655		•	4.385)									5	4.838
	AP.R.	42.7	N	47.	4.914	L 6 6 h	4.670	777		4.562	어	46.	4 834	I	•	4.959	1 1									47	5 - 5 46
STATION NAME	MAR.	38.4		43.4	4.674 858	45.8	4.471	122	46.0	4.468	805	42.8	4.819		40.7	4.893										43.2	5.425
A.Z	FEB.	35.5		1 1	5.344	44.0	4.986	77	h • h h	4.900	71.9	41.1	5.048		38.8	5.129										41.2	3783
ниасниса	JAN,	34.8	010	39.7	4 • 9 4 9	43.0	4.616	7	43.3	4.418	760	39 • 8	4 • 763		38 • 2	5 - 1 44							1			40.1	5 • 7 02
		MEAN S. D.		MEAN	TOTAL OBS	MEAN	S. D. TOTAL OBS		MEAN	S.D.	TOTAL OBS	MEAN	S. D. TOTAL OBS		MEAN	S. D. TOTAL OBS		MEAN	s. D.	TOTAL OBS		MEAN	S. D.	TOTAL OBS		MEAN	TOTAL OBS
722730 STATION	HRS. (L.S.T.)	06-08		'	0.9-11		12-14			15-17			18-20			21-23										AIL	HOURS

MEANS AND STANDARD DEVIATIONS

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

F FROM HOURLY OBSERVATIONS DEW-POINT TEMPERATURES DEG

JAN. FEB. MAR. APR. MAY JUN. JUL. AUG. 7.91.2 8.45.0 8.07.3 7.89.0 8.31.5 9.76.6 6.01.8 5.41.1 6.70 6.71 7.89.0 8.31.5 9.76.6 6.01.8 5.41.1 6.70 6.71 7.89.9 8.31.5 9.76.6 6.01.8 5.41.1 8.12 6.76 8.65.9 8.66.5 9.60.1 6.22.5 5.41.1 8.13 8.76 8.62.1 7.88.1 8.82 8.60.1 6.22.9 8.71.1 8.10 7.65 8.53 8.49 8.82 8.60.1 6.22.9 5.82.1 8.10 7.65 8.56.7 8.49 8.82 8.60.1 6.22.5 5.82.1 8.10 7.65 8.56.7 8.49 8.82 8.60 6.53 6.51.2 8.92 8.10 8.65 9.60 6.65 8.60 8.65 8.60 8.60 8.92 8.60 8.60 <		- 1	нилснися	AZ				76-86			VEADS			-	
Main Fig. Mark Are. Mary July July Multiplication Sep. Oct. Multiplication Multiplic				STA	TION NAME						ובאאס		, :		
7.915 8.774 29.0 29.4 33.1 90.6 56.9 57.6 51.9 40.8 37.4 37.1 3.5 4.0 3.5 5.0			JAN.	FEB.	MAR.	APR.	MAY	JUN	JUL.	AUG:	SEP.	OCT.	NOV.	DEC.	ANNOAL
NEAN 370-25 26-47 26-4	·	MEAN	29.5		29.0	29.	33.	•ំបូង	56.	57.	51.	40.	M	() 	38
NEAN 8 30 2 26.7 28.7 32.8 40.0 56.2 58.1 52.1 41.8 32.1 28.9 38.1 13.677 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10		S. D. TOTAL OBS	7.912	Φ.	.07	φ γ φ φ	• 31 69	• 76 67	• 01 73	4 7	717	4.4	້ ດີເປັ	o v v v	₩.₩ ₩.₩
Near 30.6 27.6 28.4 28.9 32.8 40.0 56.2 58.1 52.1 41.8 52.1 41.8 52.1 41.8 58.7 58.5 58.5 58.7	7		2			1	1	d l			1 1	1		1	
S.D. 8.132 8.764 8.621 7.881 8.665 9.601 6.229 5.032 6.976 8.790 8.463 8.771 135677 100At 085 8149 852 820 820 820 820 820 820 820 821 7.881 1010 8.621 7.881 8.655 9.601 57.25 50.9 40.8 31.4 28.28 8.201 1010 822 8.2 27.7 31.6 8.96 820 820 820 820 820 820 820 820 820 820	1	WEAN	30.6		28.4	28.	N	40.	56.	58.	52.	41.	32.	28.	38.
NEAN 30.0 26.0 26.0 27.7 31.6 59.0 55.0 57.2 50.9 40.8 31.4 28.2 37. NEAN 30.0 26.0 26.0 27.7 31.6 59.0 55.0 57.2 50.9 40.8 31.4 28.2 37. S.D. 8.45 9.380 9.211 8.309 8.506 9.639 6.850 8.213 7.186 8.463 8.743 9.196 13.991 S.D. 8.74 7.65 8.46 8.46 8.46 8.46 8.46 8.46 8.46 8.46 8.46 8.46 S.D. 8.74 7.65 8.46 8.46 8.46 8.46 8.46 8.46 8.46 8.46 8.46 S.D. 8.75 8.45 8.45 8.41 8.41 8.41 8.41 8.41 8.41 8.41 S.D. 8.75 8.27 8.67 8.12 8.48 7.48 8.74 7.24 9.64 8.41 9.40 S.D. 8.75 8.46 8.41 8.41 8.41 8.41 8.41 8.41 8.41 8.41 S.D. 10.10 10.10 10.10 S.D. 10.10 10.10 10.10 S.D. 10.10 10.1		S.D,	8.132		8.621	8	• 6	• 60	• 22	• 03	76.	. 79	• 46	20.	3.67
Near 30.0 26.0		TOTAL OBS	814		855	4	882	VO.	0	0	m	S	0		010
Neary 30.0 26.0 26.2 27.7 31.6 39.0 55.0 57.2 50.9 4.61 31.4 288.2 37.5 S. L.	1														
S.D. 8.659 9.380 9.211 8.309 8.506 9.639 6.601 5.213 7.186 8.863 8.744 9.196 113.903 Potal Obs. 8.16	Т	MEAN	30.0		26.2	-	-	6	2	57.	50.	40.	3.1.	28.	P.M
TOTAL OBS 8:16 765 8:54 8:49 8:82 8:60 8:96 8:97 8:55 7:94 7:99 10:10:10:10:10:10:10:10:10:10:10:10:10:1	-14	S.D.	8.639	Ç	9.211	.30	• 50	.63	.60	•21	87.	• 86	1.7	6.1.0	9
WEAN 29.44 25.1 25.2 27.2 30.9 38.5 54.5 56.6 49.9 39.6 30.6 27.6 356.6 49.9 39.6 30.6 27.6 356.6 49.9 39.6 30.6 27.6 356.6 49.9 39.6 30.6 27.6 356.6 49.9 39.6 30.6 30.4 30.6 30		TOTAL OBS	8,16		854	4	Ø	9	0	0	m	ហ	어	O.	010
Nean 29.44 25.1 25.2 27.2 30.9 38.5 54.5 56.6 49.9 39.6 30.6 27.6 30.6	Γ			ļ		l	1								
8.974 10.142 9.957 8.617 8.120 9.843 7.058 5.647 7.544 9.643 8.911 9.403 14.14, 44.1	Г	MEAN	9	25.1	25.2		<u>-</u>	38.	4.	9	0.	6	20	27.	36.
TOTAL OBS 7 6G 719 8 G 5 G 5 G 5 G 5 G 5 G 5 G 5 G 5 G 5 G	~	s.D.	.974	ш	6.957	.61	• 12	₹8	• 05	• 64	54	• 64	٥.	D # •	7.
MEAN 31.0 27.1 26.3 27.4 31.2 38.2 54.9 57.1 50.2 39.8 31.0 28.3 37.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 1		TOTAL OBS	760		805	4	 1		2	82	1		744	∞	വ
S.D. S.Z.T.5 S.Z.T.8				1										- 1	- 1
S.D. 8.275 9.320 9.836 8.674 8.12710.275 7.483 5.746 7.242 9.569 8.419 8.761 13.877 10010 000 000 000 000 000 000 000 000		MEAN	31.0	<u></u>			7.	8	. 4	7	å	39.	آس	•	
TOTAL OBS 608 582 676 653 655 658 650 673 650 638 593 422 743	C		•	à	0	•67	• 12	.27	• 48	11.	•24	• 56	7.	• 76	, 8
MEAN 31.3 27.8 27.7 28.3 32.3 39.3 55.2 56.9 50.6 40.0 31.0 28.5 38. S.D. 8.248 8.676 9.200 8.589 8.48710.228 7.455 5.865 7.405 9.141 8.841 8.440 13.72 NEAN S.D. 107AL OBS ME						65	S	S	រេ	1	m	M	જા	NI.	M
S.D. S.D.	1												-		- 1
S.D. 8.248 8.676 9.200 8.589 8.48710.228 7.455 5.865 7.405 9.141 8.841 8.440 13.3.72 TOTAL OBS MEAN		MEAN	31.3		27.7	8	2	6	•	9	Ġ	ä	31.	28	38
MEAN S.D. MEAN MEAN MEAN S.D. TOTAL OBS TOTAL OBS MEAN S.D. T	M	S. D.	8 -248	φ	9.200	.58	. 48	.22	45	*86	40	4	480.	ささ	• 72
MEAN S.D. TOTAL OBS MEAN S.D. TOTAL OBS MEAN S.D. TOTAL OBS WEAN S.D.		TOTAL OBS	352		395	~	38	0	N	#		밁	#1	w	വ
NEAN S.D. TOTAL OBS NEAN S.D. TOTAL OBS NEAN S.D. TOTAL OBS S.D. TOTAL OBS	П														
S.D. MEAN S.D. TOTAL OBS NEAN S.D. MEAN		MEAN							***						
AMEAN S.D. TOTAL OBS NEAN S.D. TOTAL OBS NEAN S.D. AMEAN S.D.		S. D.													
AEAN S.D. TOTAL OBS WEAN 30.2 26.7 27.1 28.1 32.0 39.3 55.4 57.5 51.0 40.6 31.3 28.1 37.0 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.567 8.996 13.86 S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.567 8.996 13.86		TOTAL OBS													
S.D. TOTAL OBS WEAN 30.2 26.7 27.1 28.1 32.0 39.3 55.4 57.3 51.0 40.6 31.3 28.1 37.8 5.D. S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.46.3 7.207 9.139 8.567 8.996 13.86 4970	Π									-					
S.D. TOTAL OBS T	l	MEAN													
TOTAL OBS MEAN 30.2 26.7 27.1 28.1 32.0 39.3 55.4 57.3 51.0 40.6 31.3 28.1 37. S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.567 8.996 13.86 S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.567 8.996 13.86		S. D.												•	•
MEAN 30.2 26.7 27.1 28.1 32.0 39.3 55.4 57.3 51.0 40.6 31.3 28.1 37.0 S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.567 8.996 13.86 S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.5667 8.996 13.85		TOTAL OBS													
S.D. 8.419 9.249 9.268 8.339 8.415 9.875 6.794 5.463 7.207 9.139 8.567 8.996 13.86													-		١
5.0. 8.4LY Y*Z4Y Y*Z60 0*33Y 0*4LS 7*013 0*12 12.0.5 12.0.5 12.0.7 12.0.	I	MEAN	30.2	9	27.1	28.	32.	39.	55.	57.	50.0	40+	31.	28	3.7.
		3.0.	*	Λ.	7 - 400	• : U (-) + - - :	0 0		j 0	֓֞֝֝֝֝֞֜֝֝֝֓֞֝֝֓֞֝֝֓֓֓֞֝֝֓֓֓֓֓֓֡֝֝֓֓֓֓֡֝֡֓֓֓֡֓֡֓֡֓֡	1 0	40%	X 17 X	4970

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

STATION NAME FT HUACHUCA AZ

722730 STATION

UAN MONTH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

77-86

	HOURS			PERCENTAGE	E FREQUENCY	OF RELATIVE	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	BATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	50%	%09	70%	1608	406	HUMIDITY	ာ် နှင့် ညီ ဝီ
אפר	00-05											
	03-08											
	36-08	าแก.ก	100.0	99.1	h•26	86.4	74.0	54.5	37.0	19.3	72.0	11/9
	09-11	າດບ•ດ	97.9	u8•5,	74.2	59.2	45.9	26.7	13.6	5.3	96.4	U1.4
	12-14	0 86	7.06	2.69	ច្ច ខេត	31.5	10.8	10.5	3.0	5.5	មន្ត	010
	15-17	99.5	87.4	63.8	4 S • 4	27.9	18.9	12.1	7.5	3.6	41.9	7611
	18-20	າແດ.ບ	98.8	90.1	79.8	62.7	40.3	21.2	1307	6.9	57.1	6 ri U
	21-23	100.0	4.60	24.6	80.0	78.1	59.7	38.1	21.0	12.5	8.80	358
5	TOTALS	0.00	95.7	8 4 • 3	72.4	57.6	41.0	27.6	16.6	0.4	76.U	កឧកាត

0.67.5 (OL A) 10 PE USAFETAC

GLODAL CLIMATOLOGY URANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ 722730 STATION

STATION NAME

77-86

HOME 1

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

3778 7119 500 6.1.4 762 102 25 de MEAN RELATIVE HUMIDITY 13.2 61.8 5.2 30.8 42.2 50.3 32.1 4.0 = 63 Ó 1.3 3.6 = 6.7 90% 3 · 1 & ٦. ج 8.0 12.0 9.9 6.6 ئە ت **8**0% PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY ORBATER THAN 12.9 14.3 19.4 15.1 E . 5.7 20% 33.7 23.0 17.5 19.2 19.5 27.0 3.0 4.6 \$ \$ \$ 32.8 28.9 13.3 70-57 41.9 30% 31.1 67.1 4 G to 20.7 56.6 3.2.8 45.9 28.0 8.24 40% 63.8 36.0 64.3 94.5 66.4 81.2 40.1 3000 38.8 98.5 84.8 90.6 70.2 61.9 20% 388 97.n 98.3 99.8 99.1 7.00 1.66 . 0 107.0 HOURS (1.S.T.) 80-90 21-23 30-20 12-14 5-17 11-50 18-20 30-05 TOTALS MONTH FEB

0-87-5 (OL A) USAFETAC

I

ž

GLOBAL CLIMATOLOGY RRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ

77-RG

MAR

	HOURS	-		PERCENTAGE	E FREQUENCY	OF RELATIVE	RCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	EATER THAN			MEAN	TOTAL
HINOM HINOM	(1.5.1)	10%	20%	30%	40%	30%	\$609	70%	1608	%06	HUMIGHTY	2 5 6 2 5 6 2 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6
MAR	00-05											
	03-05						-					
	06-08	100.0	98.6	89.8	72.7	55.7	30.8	22.6	11.7	t • 1	55.1	707
	09-11	h•66	85.4	58.4	57.3	21.6	12.7	6.3	3.0	1.4	38.1	07.0
	12-14	96.1	62.4	31.4	15.5	8.3	8 • h	9 • e	1.5	g,a	27.9	0 13 4
	15-17	Ū•ħ6	53.5	28.3	15.9	7.5	4 + 5	ج ئ	1.1	7.	2002	000
	18-20	97.8	80.6	ជ•6†រ	29.9	19.2	10.9	6.7	3.4	1.6	38.5	676
	21-23	99.5	63.9	73.9	49.4	33.9	17.5	9.4	5.1	3 • 5	43.9	395
01	TOTALS	97.8	79.1	55.1	36.8	4.45	14.9	†≀• 8	(1 • 3	1.7	37	4295

0-87-5 (OL A) FORM JUL 64 USAFETAC

GLOBAL CLIMATOLOGY ERANCH USAFETAC AIR WEATHER SERVICE/MAC FT HUACHUCA AZ

722730 STATION

i.

ĺ,

STATION NAME

77-86

A P.R.

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAGE	FREQUENCY	OF RELATIVE	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	EATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	%0\$	60%	70%	80%	90%	HUMIDITY	50 50 50 50 50 50 50 50 50 50 50 50 50 5
	30-02											
	53-05						_					
	16-08	9.66	2.46	69.7	ት° ደክ	26.8	14.9	7.9	x• ي	2.2	41.8	693
	11-60	7.86	6.99	31.1	15.4	8,•9	2.6	1.8	1.2	8•	28.3	648
	12-14	94.1	41.6	15.4	ħ• L	3.9	2.1	1.2	٠.	₽¶ •	22.0	6 11 8
	15-17	9.1.5	36.4	12.8	7.1	3.9	5 • 4	1.3	1.0	æ•	21.3	464
	18-20	7.Te	63.2	28.0	13.3	6.7	3.5	2•6	1.8	1.2	27.3	653
	21-23	100.0	84.7	52.1	2.75	1.5.3	7.1	3.7	2.6	1.3	35.0	378
						,					•	
2	TOTALS	6.36	64.5	34.9	19.0	10.6	5.4	3.1	1.8	1.1	29.3	4221
												Mantel III Theres.

k

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

STATION NAME FT HUACHUCA AZ

77-86

MON **⊁** ∨ ₩

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

<u> </u>	ry NO. OF			h69	882	882	819	. 655	383			4318
MEAN	HUMIDITY		'	35.7	24.9	19.6	18.5	23.7	30.8			25.5
	%0¢											
	80%	-		6.		.2		1.1	1.6			
EATER THAN	70%			3.0	۶,	ស	٠.	1.4	2 • 3			1.3
HUMIDITY GR	%09			7.3	1.5	.7	• 5	1.8	3∙4			2.5
OF RECATIVE	50%		ì	16.0	3.3	1.6	2.2	η• μ	8•9			5.7
CENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	40%			31.7	7.7	3,.6	~ 3.5	5.8	17.2			11.6
PERCENTAGE	30%			55.6	23.5	8	6.7	16.3	41.3			25.4
	20%			87.3	57.8	35.9	28.1	54.5	82.2			57.6
	10%			10'0.0	98.2	91.3	90.1	9.76	1.66			96.2
HOURS	(L.S.T.)	00-05	03-05	80-90	09-11	12-14	15-17	18-20	21-23			TOTALS
	MONTH	МАҰ										Tor

0-87-5 (OL A)

FOR WA

USAFETAC

13.

1

722730 STATION

→

į

į :

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ

722739 STATION

Ţ

STATION NAME

PERIOD

77-86

NOC

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAGE	: FREQUENCY	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	HUMIDITY GR	EATER THAN			MEAN	TOTAL
MONTH	(1.5.1.)	10%	20%	30%	40%	50%	%09	70%	90%	%06	HUMIDITY	0 0 0 0 0 0
าบห	20-00											
	83-85											
	90-90	98.8	82.7	46.3	28.6	16.3	10.4	3.8	1.5		34 • 4	676
	09-11	9*26	50.8	23.4	1.01	3.1	۷.				24.1	860
	12-14	91.0	33.1	12.6	2°5	2.9	1.7	8.	S.	.2	20.1	860
	15-17	85.9	32.3	12.6	1.7	h • ti	2.6	1.7	1.		19.9	801
	18-20	63.9	43.3	19.3	10.5	0 • 2	L•h	2.7	8•		23.7	658
	21-23	99.2	689	33.9	19.8	12.3	7.7	6 * tı	1.5	_	30.4	389
0	TOTALS	h• † 6	51.9	24.7	13.7	7.7	4.6	2 • 3	۲۰	• 0	h•32	4244

7

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ

722730 STATION

77-86

JUL

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

\vdash	DITY OBS.			73	5 897	968 96	.7 822	.5 650	424			8 4419
MEAN	HUMIDITY			6009	* ti ti	36.6	37.	46.5	54.6			8 9 11
-	%06			2.9	9•		†	2.0	t+ • 0			1.7
	%08			14.9	2.1	1.0	2.7	7.8	14.9			7.2
REATER THAN	70%			31.5	5.4	က က	5.4	1.14	21.5			13.0
CENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	%0 9			52.5	13.5	5.9	9•6	21.1	36.8			23.2
OF RELATIVE	20%	-		70.8	31.2	12.6	18.9	39.1	55.0			37.9
E FREQUENCY	40%			8 4 • 8	58.3	34.2	35.5	58•3	74.8			57.8
PERCENTAG	30%			0.46	84.1	64.2	62•ū	7.27	ħ•ÿ8			77.9
	20%			99.2	95.0	88.7	86.3	92.0	2.76			93.1
	%OI			100.0	100.0	93.66	99.0	89.5	1 00° 0			7.60
HOURS	(L.S.T.)	20-05	03-05	80-98	09-11	12-14	15-17	18-20	21-23			TOTALS
	MONIH	JUE										5

0-87-5 (OL A)

FORM Jul 64 USAFETAC

j

. 1

}

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/HAC

FT HUACHUCA AZ

722730 STATION

STATION NAME

77-86

MONTH AUG

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	REATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20 [%]	30%	4 0%	20%	%Ö%	70%	80%	%06	HUMIDITY	0 50 0 0
AUG	99-92			·			,					
	03-05											
	90-90	100.0	100.0	98•8	94.5	83.7	63.9	40°1	23.4	6 • 1	66.7	748
	09-11	100.0	9*66	92.5	7.97	46.8	20.0	8 • 2	3.0	J.• I	50.4	897
	12-14	100.0	7.76	80.5	L.64	20.4	7.0	3.2	1.6	.1	41.8	896
	15-17	100.0	ħ•96	75.2	† †⊈អ	24.8	13.8	8.7	4.2	٠.7	42.6	828
	18-20	100.0	7.86	91.5	9*04	49.3	27.6	17.2	8.6	1.6	52.1	673
	21-23	100•0	100.0	8•96	0.88	67.5	44.1	27.0	15.2	1.8	59.6	0 † †
									-			
10	TOTALS	100.0	7.86	89.2	70.8	48.8	29•4	17.4	6.3	1.9	S I	4482

0-87-5 (OL A) FORM JUL 64 USAFETAC

₹;:· ...

-*

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ 722730

É

ŗ

76-85

SEP

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAGE	FREQUENCY	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	HUMIDITY GR	EATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	20%	%09	70%	%08	%06	HUMIDITY	0.00 0.00 0.00
SEP	aa-02						_ ,					
	03-05						·				·	
	06-08	100.0	100.0	₩•76	ħ*68	75.D	54.1	33.9	1.8.9	6.1	63,3	719
	09-11	100.0	98.1	81.1	6*95	33.3	15.3	5.7	3.5	1.1	45.3	837
	12-14	100.0	91.9	62.4	32.9	11.9	1.5	3.0	1.3	.	36.5	837
	15-17	100.0	86.8	54.7	7. 4° 67	15.1	9.1	₽•8	4•1	1.2	36.4	779
	18-20	188.8	98.6	80.0	54.8	35.6	20.8	12.9	7.6	2.9	D•.7#	630
	21-23	100.0	100.0	93.8	73.6	52.6	36.3	20.5	11.6	₽•3	54.9	405
57	TOTALS	100.0	95.9	78.2	56.2	37.3	23.5	13.5	7.8	2.9	47.2	4207

Ŀ

Š

I IC A CET A C

Ì

}

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

*:

FT HUACHUCA AZ 722730

•

€.

1

STATION NAME

76-85

MONTH OCT

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAGE	FREQUENCY	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	HUMIDITY GR	EATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	4 0%	20%	%09	70%	%08	%0 6	HUMÍDITÝ	0.00 0.00 0.00
OCT	00-05						,					
	93-95											
	20-90	100.0	6*66	1.46	81.2	62.8	6.74	33.2	1,7 • 9	7.6	60•3	745
,	11-60	6*66	92.4	5*01	5•8 ग	29.2	16.7	9.5	5. 5.	3.4	43.2	857
	12-14	8*66	82.1	51.9	27.8	13.0	6•9	4.3	2.8	6•	34.5	855
	15-17	6*86	75.8	47.3	p. 42	14.8	10.5	6•9	4.5	2.5	34.1	802
	18-20	100.0	95.0	73.7	53.0	35.6	24.3	15.5	9.1	4 • 1	2.94	638
	21-23	100.0	99.5	87.7	65.3	48.0	32.8	21.9	13.1	6.7	. 53 • ជ	406
						,			,			
												Í
									,			
10	TOTALS	99.8	90.8	70.9	50.0	33.9	23.2	15.2	8 • 8	4.6	45.3	4303
	4		-									

USAFETAC

0-87-5 (OL A)

Inc

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC 722730 FT HUACHUCA AZ STATION NAME

76-85

NON

MONTH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAGE	FREQUENCY	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	HUMIDITY GR	EATER THAN	1		MEAN	TOTAL
MONTH	(LS.T.)	%Ò1	20%	30%	4 0%	20%	%09	70%	%0ĕ	%06	HUMIDITY	0.00
NOV	30-02								·	٠		
	ບ3-05				,							
	06-08	100.0	99,8	96.6	ት• ኯ8	6.99	, 6°84	30,2	1.8.6	9•9	60.8	652
	09-11	100.0	93.6	67.7	45.5	30.4	17.07	6.6	₽•₽	1.5	42.7	795
	12-14	7.66	75.8	45.7	25.6	13.5	7.6	47	3.8	& .H	33.5	794
	15-17	99.5	4°£2	43.4	26•3	14.7	8.3	6.•2	3.4	1.5	33.1	744
	18-20	100.0	98.1	80.1	8*55	36.6	21.9	11.1	5.4	2.4	46.6	593
	21-23	100.0	6.86	91.4	#*27	51.1	33.6	18.1	9.5	3.7	53.3	348
				,			1					
					1			٠		-		
					•							
			-									
t to	TOTALS	6*/66	89.9	70.8	51.7	35.5	23.0	13.4	7.5	2.9	45°0	3926

⊢•

USAFETAC

.. ... 2 400

FOR W

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ

STATION NAME

STATION 722730

Γ.

76-85

MONTH 口田に

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	HUMIDITY G	EATER THAN			MEAN	TOTAL
MONTH	(L.S.T.)	10%	20%	30%	40%	20%	· %09	20%	80%	%06	RELATIVE	0.00 0.00
DEC	20-00								,			
	0305											
	36-08	100.0	ħ*66	1.96	87.1	71.0	54.2	38.4	20.4	10.1	63.4	544
	09-11	9*66	93.4	75.8	6.7.8	39•J	26.3	15.41	8.2	3.6	47.8	801
	12-14	2.8.7	8'0.2	53.9	34.8	18.8	10.3	9•∙9	3,9	2.5	36.4	199
	15-17	0.66	77.1	48.4	32.2	19.4	11.4	7.3	5.2	2.8	35.7	9.8.9
	18-20	8*66	0.96	83.6	59.0	42.2	29.1	19.7	12.1	₽• 9	50.5	422
	21-23	100.0	9*66	91.8	71.7	54.1	40.3	30.9	15.9	4.9	56.9	233
										,		-
								,				
												ſ
											,	
10	TOTALS	99.5	91.0	74.9	57.1	40.9	28.6	19.7	11.1	5.3	48.45	3485

0-87-5 (OL A) FORM JUL 64 USAFETAC

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

FT HUACHUCA AZ

722730 STATION

76-86

ALIL

STATION NAME

CUMULATIVE-PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN	OF RELATIVE	HUMIDITY GE	EATER THAN			MEAN	TOTAL
	(L.S.T.)	%O1	20%	36%	4 0%	%0\$	%09	%02	80%	%06	HUMIDITY	OBS.
JAN	ALL	6.66	95.7	84.3	71.4	57.6	41.8	27.6	16.6	8.4	56.0	4020
FEB		98.3	84.8	63.8	45.5	32.8	22.0	15.1	δ. 8	4.1	43.2	3783
MAR		97.8	79 e.1	55.1	36.8	24•4	14.9	: # 8	4 • 3	1.7	37.8	4295
APR		6.96	64.5	34.9	19.0	18.6	5.4	3.1	1 • 8	1.0.1	29.•3	4221
MAY		96.2	57.5	25.4	11.6	5.7	2.5	1.3	•7	*	25.5	4315
JUN		94.4	51.9	24.7	13.7	7.7	4.6	2.3	•7	,	25.4	4244
JUL		7.66	93.1	77.9	57.8	37.9	23.2	13.0	7.2	1 . T	46.8	4419
AUG		100.0	98.7	89.2	70.8	48.8	29.4	17.4	9.3	19	52.42	4482
SEP		100.0	95.9	78.2	56.2	37.3	23.5	13.5	7.8	2.9	47.2	4207
OCT		99.8	8•06	70.9	50.0	33.9	23.2	15.2	8 8	4.6	45.3	4303
NOV		6.36	89.9	70.8	51.7	35.5	23.0	13.4	7.5	2.9	45.O	3926
DEC		99.5	91.0	74.9	57.1	40.9	28.6	19.7	11.1	5.3	48.5	3485
101	TOTALS	98.5	82.8	62.5	45.1	31.1	20.2	1.2.5	7.1	2.9	41.9	49700
								,				

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

PART \$

PRESSURE SUMMARY

MARKET STATE OF THE STATE OF TH

to the eight 3-hourly synoptic times don. The same computations are also provided at the bottom of the page for all hours combined. All years of data available are combined in both of these tables, although the overall Presented in this part are two tables giving the means, standard deviations, and total number of observations of station pressure and sea-level pressure by month and annual for the local hourly observations corresponding period is limited by service as indicated below.

Station pressure reported only at 6-hourly times for Air Porce stations from Jan 64 - Jul 65. Station pressure not reported for all services until late in 1945. METAR stations do not report Sea-level pressure NOTES

1. Station pressure is presented in the table in inches of Mercury.

2. Sea-level pressure is presented in millibars.

Provided below is a scale to convert station pressure values in thouss of mercury or milithers to pressure-altitude in 1000's of feet. This scale is an enlarged model of the pressure-altitude scale in the Smithsonian Meteorological fables:

			•							
, •		minimulation of the contraction		SICIRE	****	1050 050	and and a		.	
•		111111		90			للبديانيينايي	111111		
(1 0 0 0 'S FT)		*******	أنديدانند	62	•	900	րույսների արարարարարանարարարարարարարարարարարարարա	ումանում ուսերում և արարարարարարարարարարարարարարարարարարա		F +
		4	Ĺ	~			1	E	_	
-W) -		3					3	E	-	40 •
0		7	1		ш		3	E		. 0
0		4		2 .	~	₹.	릨.	Ę		0
0	×-	7	E	:	>		1	-	~	\$ 0 0 0 I
=		3	F	:	P R C S C R E		4	1		=
	-	E	E	*	တ		#	E		
4		1		~	W		3	E		w
	*** -	=	E	2	Æ	2	∄	F	-	<u>.</u>
-		4	E	•	٠.	•	置	E		=
<u>ر</u> پ		3	E	<u>م</u>			3	E		-1-
<u></u>	₩.	4	E	\$			3	-	-	ALTITUBE
· - -		=	E		.ပ		Ħ	E		+
`		7	E			0	1	E		ل
`◀		3	E	\$	<u></u>	~	1	E	~	4
·ALTETUDE		7	E		ROMETRIC		=	E		
		4	E	,			i i	E		
		4	F	_	<u>~</u>		4	E		
ш.	•	7	F	~	~	_	7	E	•	LL.
Œ		3	E			9	킠	E		Œ
\supset		E	E		8		4	E		=
S	.	7	E	7			4	E	-	S
·W		4	E				4	E		·V
ш		3	F				1	E		.11
PRESSUR	→.	긤	F			8	4	E	-	PRESSUR
۵		4		 		_	4	E		ď
	•	3	E				1	Ē		
	₩.	ᆿ	E				4	E	•	
		7	E	:			耳	E	•	
	0	=	E	-	,	100	4	E	~	
	=	3	F	Ŧ		*	mid.	E	-=	
		ministration linearing and annion	فملتنينا بينينانين يلييها ليمييا يتبيابيناين	20 (IN. HC.) 25		(X E)	1	المستناد بينا استينا لينيين أيستيان بينا لينينا البيناني		
	=	E	E	7	1	3	m	E		
	_								-	

GLOBAL CLIMATOLOGY BRANCH USAFETAC AIR WEATHER SERVICE/MAC

MEANS AND STANDARD DEVIATIONS

THE RESIDENCE .

SEA LEVEL FRESSURE IN MBS FROM HOURLY OBSPRYATIONS

FT HUACHUCA AZ STATION 722730

76-86

			ò	JUNE NOUVE						TEANG				
HRS (1.S.T.)		ŻĄ	reb	MAR.	APR.	WAY	Ž	1	700v	SEP.	130	YON	DEC.	ANNIA
02	MEAN S. D													
	TOTAL OBS			1	# # # # # # # # # # # # # # # # # # #		Sent addressed and other process.	, their to access the reason of	*	÷		4:	왕 -	
នព	S. D TOTAL OBS		The state of the s	Transport de	T SEC	to deal transaction de la		designated for specific section of	1	ar v	***************************************	1	7	·
					1	*			Í	*			, , ,	
ឧប	MEAN & D TOTAL OBS	1018.20 4.523	1016.7 4.337 254	1014.0 4.397 285	1012.6 3.710 203	1011.0 2.932 288	1011.9 2.398 279	2.083	1014 . 4 2 . 161 297	1013.6 2.728	3000 3000 3000 3000 3000 3000 3000 300	1016.9 4.287 265	1018 5.404 266	1014.7
				-	!		1	H B Bank Com. and an	-	*	;		!	,)
11	MEAN S. D. TOTAL OBS	1018.4 4.404 271	1016.7 4.205 255	1014.0 4.260 287	3.651	3.037	1011.6 2.419 286	1013.9 2.062 299	2.160	1013.6 2.689 279	3.372 3.372	1016.7 4.074 265	1018 · 2 5 · 185	1014.6 4.257 337µ
	Ī											107.7	1	
14	MEAN S. D. TOTAL OBS	1015.6 4.318 272	(014.3 4.029 255	1011.9 4.U18 286	1010.9 3.470 283	1009.4 2.928 2.942	1010.2 2.466 287	1012.3 2.066 299	1012.6 2.183 299	1011.8 2.648 279	3.252	1014.3 3.853 265	1015.5	1012.6 3.916 3370
						3					T. T. S. S. S. S. S. S. S. S. S. S. S. S. S.			Í
17	MEAN S. D. TOTAL OBS	1015.4 705.4 218	.014.0 4.051 209	1011.2 4.074 237	1010 • 0 3 • 467 233	1008.6 2.96u 232	1009 • 3 2 • 421 229	1011.3 2.198 226	1.011 • 7 2 • 362 2 • 30	1011 • 2 2 • 6 1 4 2 • 2 2 2	3.217	1014.0 3.881 214	1016-1 10066 160	1012-1 1-103 1-103
	1		Î											
С С	S. D. TOTAL OBS	1017.1	1015.5 4.070 191	1012.6 4.352	3.455	2.991	1009.8 2.302	1012.3 2.299	1012.7 2.335	1018 8.38 8.38 8.38	1014.8 3.850	1016.4 3.993 190	1017.7 5.626 131	1013.2
					5	ę i	4				1	1		1
23	MEAN S. P TOTAL OBS													
All HOURS	MEAN S. D. TOTAL OBS	1U17•U 4•573 1229	.015.5 4.299 1164	1012.8 4.366 1316	1011.5 3.694 1256	3.110	1010.6 2.608 1294	1012.9 2,396 1529	1013 · 86 8 · 456 1346	2.869	1014 · 2 3 · 469 1209	1015.8 4.164 1199	1017 • 2 5 • 322 1091	1013.6

Ö

0

3

(3)

Q

0

HORM ADDE TO A

្ស

MEANS AND STANDARD DEVIATIONS

GLOBAL CLIMATOLOGY RRANCH USAFETAC AIR WEATHER SERVICE/MAC

Ĉ

STATION PRESSURE IN INCHES HG FROM HOURLY OBSERVATIONS

722730	FT	HUACHUCA	CA AZ				76-8	v						
STATION			STA	STATION NAME						YEARS				
HRS. (L.S.T.)		JAN.	FEB.	MAR.	APR.	MAY	'n	JUI,	AUG.	SEP.	OC1,	NOV.	OlG	ANNUAL
20	S D								_		,			
	TOTAL OBS	-=-					*- *- * **	1		to office and the state of the			*	,
	MEAN													
ÜS	S. D. TOTAL OBS					1					1	, ,		
	MEAN	25.373	~	1 10		} ;=-		2	1	9 8	, et	58.5	~	3
80	S O	105	104	111	200			350.	2000	± 90 •	940	867	•	
	TOTAL OBS	27	254	2A5	ec ;	=		C.	0	~	=	Ó	S	-
	MEAN	25 . 394 25	.370	35.325	21	160	25.36	ا ا	٠,٠-	80	06	68	0	-
	ŝ	.104	.102	.109	160.	. 074	•		0	. U64	. 0A1	360.	1	
***	TOTAL OBS		255	Î	رن	C	88	O .	O.	~ ,	~	•	9	-
	116451			4 4 7 3 6		15	200	10		,	, C		3	2
77	20.00	700.00	3 5	10.00 m	4 in the second	֓֞֞֜֜֞֜֜֞֜֜֜֓֓֓֓֓֓֜֜֜֜֓֓֓֓֓֓֓֡֓֜֜֜֓֓֓֡֓֜֜֜֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֓֡	3 5			4 × ×	570		3 -	4 C C C C C C C C C C C C C C C C C C C
•	TOTAL OBS	272	ម ម ម ម	286	283	1003	287	299	299	27.0	30.5	£ .	267	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
					Ħ,	****		4	1					:
	NEAR!		35.30U		ر. در ا در ا	302.63	ے ل	13000	<u>ئ</u> د		2	7	3 6	بر م
- T	TOTAL OBS	25.	\$ C C	200) (A	> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	96	2 60	# CD			112	201	2 44 2 44 3 44 3 44
									9 1	,	• '		λ ,	•
	MEAN	25.345	25.325	25.280	S	697.5	25.31	<u>.</u>	~	3	~	, -	0	57
۲., ان	o Š	.107	60.	601.	. U.	69n •	950.	010.	200	. 063	0.00	. CO 3	027	1601
	TOTAL OBS	_	19	221		-4	7	-4 ,	വ	⊆.	C.	101	<u>ب</u> ي و	
	176.57					2000 to 1000		A STATE OF THE PERSON NAMED IN		To the second second			*	
٠ د	S S S										-			
1	TOTAL OBS								j		*			
						Í		ĺ	*	Y Y	ĺ	1 5	;	
All	MEAN S	25.354	25,334	56.292	00000000000000000000000000000000000000	10.894.	500 C	. 88. 	2000 G	2000 2000 2000 2000	いいので	28.361	100 m	2000 2000 2000 2000 2000 2000 2000 200
HOURS	TOTAL CBS	1220	7 7 7	4 %	. 0	- C.	0	9 6	> =	2 د	0	`€	4 0	te 🎀
				1	H		4	4	-	* 17.7	- 8	1		